JOURNAL OF
POLYMER SCIENCE

Combined Author Index to Volume 44

This index covers the Polymer Chemistry and Polymer Physics Editions of the *Journal of Polymer Science*, Vol. 44, 2006. The Edition in which an item appears is indicated by a C or P, respectively, following the page number.

Abbott, A. P.
—; Brooks, N.; Eltringham, W.; Hillman, A. R.; Hope, E. G.: Polymer Modification Using Difluoromethane (HFC 32) and Carbon Dioxide, 1072P

Abd-El-Aziz, A. S.
—; Okasha, R. M.; May, L. J.; Hurd, J.: Synthesis of Norbornenes Containing Cationic Mono and Di(cyclopentadienyliron) arene Complexes and Their Ring-Opening Metathesis Polymerization, 3053C

Abdel-Goad, M. See Thunga, M., 2776P

Abe, Y. See Gunji, T., 2542C

Abraham, S.
—; Ha, C.-S.; Kim, I.: Self-Assembly of Star-Shaped Polystyrene-*block*-Polypeptide Copolymers Synthesized by the Combination of Atom Transfer Radical Polymerization and Ring-Opening Living Polymerization of α−Amino Acid -*N*-carboxyanhydrides, 2274C

Abreu, M. V. See Coelho, J. F. J., 2809C; Coelho, J. F. J., 3001C

Abu-Sharkh, B. F. See Ali, S. A., 5480C

Achalla, P.
—; McCormick, J.; Hodge, T.; Moreland, C.; Esnault, P.; Karim, A.; Raghavan, D.: Characterization of Elastomeric Blends by Atomic Force Microscopy, 492P

Acharya, H. See Srivastava, S. K., 471P

Adachi, C. See Mikroyannidis, J. A., 6790C

Adachi, K. See Urakawa, O., 967P

Ade, H. See Ennis, D., 3234P

Adeli, M.
—; Haag, R.: Multiarm Star Nanocarriers Containing a Poly(ethylene imine) Core and Polylactide Arms, 5740C

Adelman, D. J. See Ionkin, A. S., 2615C

Adler, H.-J. P. See Zhang, W., 6640C

Adronov, A. See Bahun, G. J., 1941C

Advincula, R. See Sakellariou, G., 769C

Afshani, R. See Eftekhari, A., 3304C

Agag, T.
—; Takeichi, T.: Preparation, Characterization, and Polymerization of Maleimidobenzoxazine Monomers as a Novel Class of Thermosetting Resins, 1424C

Agari, Y. See Kato, T., 1419P

Ai, P. See Sha, K., 3393C

Aida, T. See Motoyanagi, J., 5120C

Airinei, A. See Dragan, E. S., 5898C

Aitola, E.
—; Puranen, A.; Setälä, H.; Lipponen, S.; Leskelä, M.; Repo, T.: Copolymerization of Vinylcyclohexane with Ethene and Propene Using Zirconocene Catalysts, 6569C

Akabori, K.-I.
—; Baba, D.; Koguchi, K.; Tanaka, K.; Nagamura, T.: Relation between the Adhesion Strength and Interfacial Width for Symmetric Polystyrene Bilayers, 3598P

Akagi, K. See Goto, H., 1042C

Akamatsu, N. See Harada, M., 1406P

Akashi, R. See Tsutsui, H., 4644C

Akhmedov, I. M. See Yildiz, U. H., 2215C

Akhmetkalieva, G. T. See Mun G. A., 195P

Akimoto, R. See Tanaka, K., 25C

Akpalu, Y. A. See Xiao, Z., 1084P

Al Akhrass, S. See Gabriele, S., 3022P

Alata, H.
—; Hexig, B.; Inoue, Y.: Effect of Poly(vinyl alcohol) Fine Particles as a Novel Biodegradable Nucleating Agent on the Crystallization of Poly(3-hydroxybutyrate), 1813P

Albayrak, A. Z. See Sahin, G., 6775C

Albéniz, A. C.
—; Espinet, P.; López-Fernández, R.: Effect of Excess Halide on the Palladium-Catalyzed Insertion-Triggered Radical Copolymerization of Methyl Acrylate and 1-Hexene, 5682C

Albertsson, A.-C. See Odelius, K., 596C; Strandberg, C., 1660C

Albores-Velasco, M. See Saldívar-Guerra, E., 6962C
Alcoutlabi, M. See Banda, L., 801P
Aldabbagh, F. See Gibbons, O., 6410C
Alegría, L. See Sanchis, M. J., 3135P
Alemán, C. See Curcó, D., 953P; Zanuy, D., 1122P
Alexandre, M. See Pluta, M., 299P, 312P
Alexeev, A.
—; Verberg, R.; Balazs, A. C.: Motion of Compliant Capsules on Corrugated Surfaces: A Means of Sorting by Mechanical Properties, 2667P
Ali, M. M.
—; Stöver, H. D. H.: Interfacial Living Radical Copolymerization of Oil- and Water-Soluble Comonomers to Form Composite Polymer Capsules, 156C
Ali, S. A.
—; Umar, Y.; Abu-Sharkh, B. F.; Al-Muallem, H. A.: Synthesis and Comparative Solution Properties of Single-, Twin-, and Triple-Tailed Associating Ionic Polymers Based on Diallylammonium Salts, 5480C
Alkan, C.
—; Aras, L.; Gündüz, G.: Synthesis, Characterization, and Electrical Properties of a Diazodiphenylene-Bridged Cu-Phthalocyanine Polymer, 5692C
Allcock, H. R. See Stone, D. A., 69C
—; Wood, R. M.: Design and Synthesis of Ion-Conductive Polyphosphazenes for Fuel Cell Applications: A Review, 2358P
Allonas, X. See Lelevée, J., 3577C
Al-Muallem, H. A. See Ali, S. A., 5480C
Altintas, O.
—; Hizal, G.; Tunca, U.: ABC-Type Hetero-Arm Star Terpolymers Through "Click" Chemistry, 5699C
—; Yankul, B.; Hizal, G.; Tunca, U.: A_3-Type Star Polymers via Click Chemistry, 6458C
—; Yilmaz, I.; Hizal, G.; Tunca, U.: Synthesis of Poly(methyl methacrylate)-*b*-Polystyrene Containing a Crown Ether Unit at the Junction Point via Combination of Atom Transfer Radical Polymerization and Nitroxide Mediated Radical Polymerization Routes, 3242C
Alvarez Igarzabal, C. I. See Arrua, R. D., 6616C
Amabilino, D. B.
—; Serrano, J.-L.; Sierra, T.; Veciana, J.: Long-Range Effects of Chirality in Aromatic Poly(isocyanide)s, 3161C
Ameduri, B., See Boyer, C., 5763C; Guiot, J., 3896C; Mladenov, G., 1470C; Sauguet, L., 4566C; Taguet, A., 1855C
Amemiya, H. See Ochiai, B., 2802C
Aminabhavi, T. M. See Raghu, A. V., 6032C
Amiya, S. See Iwamoto, R., 2425P
Anantawaraskul, S.
—; Soares, J. B. P.; Jirachaithorn, P.; Limtrakul, J.: Mathematical Modeling of Crystallization Analysis Fractionation (Crystal) of Polyethylene, 2749P
Anastasiadis, S. H. See Rissanou, A. N. 3651P
Anastasopoulos, J. A. See Mikroyannidis, J. A., 6790C
Anastassopoulos, D. L. See Koutsioubas, A. G., 1580P
Andelman, D. See Tsori, Y., 2725P
Anderson, K. L. See Pandey, R. B., 3580P; Pandey, R. B., 2512P
Andersson, M.
—; Manunu, S. L.: Structural Studies of Poly(*N*-isopropylacrylamide) Microgels: Effect of SDS Surfactant Concentration in the Microgel Synthesis, 3305P
Ando, D. See Nemoto, T., 4731C
Ando, T. See Terashima, T., 4966C
Andreu, R.
—; Espinosa, M. A.; Galià, M.; Cádiz, V.; Ronda, J. C.; Reina, J. A.: Synthesis of Novel Benzoxazines Containing Glycidyl Groups: A Study of the Crosslinking Behavior, 1529C
Anitha, G.
—; Subramanian, E.: Intricate Relation between the Content and Interactive Roles of β-Cyclodextrin in Fixing the Characteristics of Conducting Polyaniline Composites, 281C
Annenkov, V. V.
—; Danilovtseva, E. N.; Filina, E. A.; Kikhoshway, Y. C.: Interaction of Silicic Acid with Poly(1-vinylimidazole), 820C
Anseth, K. S. See Khire, V. S., 7027C; Sebra, R. P., 1404C
Antens, J. See Van Der Mee, L., 2166C
Anthony, J. See Chen, J., 3631P
Antipin, M. Y. See Lozinskaya, K. A., 380C
Antrim, D. See Evstratova, S. I., 3601C
Ao, Y. H. See Zhou, C., 687P
Aoki, H.
—; Hosoya, K.; Norisuye, T.; Tanaka, N.; Tokuda, D.; Ishizuka, N.; Nakanishi K.: Basic Study of the Gelation of Dimethacrylate-Type Crosslinking Agents, 949C
Aoki, R. See Ouchi, T., 6402C
Aoki, Y. See Orimoto, Y., 119P
Aono, H.
—; Tatsumi, D.; Matsumoto, T.: Scaling Analysis of Cotton Cellulose/LiCI×DMAc Solution Using Light Scattering and Rheological Measurements, 2155P
Aoshima, S. See Kanazawa, A., 5795C; Matsuda, Y., 1179P
Apostolo, M. See Galia, A., 2406C
Araki, J. See Samitsu, S., 1985C
—; Ito, K.: New Solvent for Polyrotaxane. I. Dimethylacetamide/Lithium Chloride (DMAc/LiCl) System for Modification of Polyrotaxane, 532C
—; Ito, K.: Polyrotaxane Derivatives. I. Preparation of Modified Polyrotaxanes with Nonionic Functional Groups and Their Solubility in Organic Solvents, 6312C
Aras, L. See Alkan, C., 5692C
Aras, S. See Hizal, G., 77C
Aratani, T. See Yamamoto, C., 5087C
Arimitsu, K. See Gunji, T., 2542C
Arnal, M. L. See Lorenzo, A. T., 1738P

Arnould, M. A. See Quirk, R. P., 2684C

Arrua, R. D.
—; Serrano, D.; Pastrana, G.; Strumia, M.; Alvarez Igarzabal, C. I.: Synthesis of Macroporous Polymer Rods Based on an Acrylamide Derivative Monomer, 6616C

Asandei, A. D.
—; Moran, I. W.: Ligand Effect in Ti-Mediated Living Radical Styrene Polymerizations Initiated by Epoxide Radical Ring Opening. III. Substituted Sandwich Metallocenes, 1060C
—; Moran, I. W.; Saha, G.; Chen, Y.: Titanium-Mediated Living Radical Styrene Polymerizations. V. Cp_2TiCl-Catalyzed Initiation by Epoxide Radical Ring Opening: Effect of Solvents and Additives, 2015C
—; Moran, I. W.; Saha, G.; Chen, Y.: Titanium-Mediated Living Radical Styrene Polymerizations. VI. Cp_2TiCl-Catalyzed Initiation by Epoxide Radical Ring Opening: Effect of the Reducing Agents, Temperature, and Titanium/Epoxide and Titanium/Zinc Ratios, 2156C
—; Saha, G.: Cp_2TiCl-Catalyzed Living Radical Polymerization of Styrene Initiated from Peroxides, 1106C

Asano, N.
—; Miyatake, K.; Watanabe, M.: Sulfonated Block Polyimide Copolymers as a Proton-Conductive Membrane, 2744C

Asari, G. V. See Francis, B., 541P

Asha, S. K. See Deepak, V. D., 4384C

Ashraf, R. S.
—; Hoppe, H.; Shahid, M.; Gobsch, G.; Sensfuss, S.; Klemm, E.: Synthesis and Properties of Fluorene-Based Polyheteroarylenes for Photovoltaic Devices, 6952C

Aswal, V. K. See Mohanty, B., 1635P

Avci, D. See Sahin, G., 6775C

Ayala, V.
—; Muñoz, D. M.; Lozano, Á. E.; De La Campa, J. G.; De Abajo, J.: Synthesis, Characterization, and Properties of New Sequenced Poly(ether amide)s Based on 2-(4-Aminophenyl)-5-aminobenzimidazole and 2-(3-Aminophenyl)5-aminobenzimidazole, 1414C

Aydoğan, Ş.
—; Sağlam, M.; Türüt, A.: Electrical Properties of Polypyrrole/p-InP Structure, 1572P

Ayerbe, M. See Imaz, A., 443C

Ayres, N. See Ezell, R. C., 3125C

Azzam, R. A. See Madkour, T. M., 2524P

Baba, D. See Akabori, K.-I., 3598P

Babushkin, D. E. See Dubkov, K. A., 2510C

Bae, S. C. See Granick, S., 3434P

Bae, Y. C. See Choi, J. J., 1031P

Baek, K.-Y. See Dichtel, W. R., 4939C

Baer, E. See Jin, Y., 1795P

Bahun, G. J.
—; Wang, C.; Adronov, A.: Solubilizing Single-Walled Carbon Nanotubes with Pyrene-Functionalized Block Copolymers, 1941C

Bajpai, A.
—; Dixit, N.: Synthesis and Characterization of a Film-Forming, Crosslinked, Amphiphilic Block Copolymer of Butadiene Acrylamide, 3290C

Balazs, A. C. See Alexeev, A., 2667P; He, G., 2389P

Balazs, B. See Chien, A., 1898P

Ballato, J. See Gordon, J., 1592P

Balsara, N. P.
—; Park, M. J.: Viewpoint: Block Copolymers and Nanotechnology, 3429P

Banda, L.
—; Alcoutlabi, M.; McKenna, G. B.: Errors Induced in Quartz Crystal Mass Uptake Measurements by Nongravimetric Effects: Considerations beyond the EerNisse Caution, 801P

Banda, S. See Park, C., 1751P

Bansal, A.
—; Yang, H.; Li, C.; Benicewicz, B. C.; Kumar, S. K.; Schadler, L. S.: Controlling the Thermomechanical Properties of Polymer Nanocomposites by Tailoring the Polymer—Particle Interface, 2944P

Bao, X. M. See Kong, F., 3037P

Bao, X. Y. See Zhou, C., 687P

Baranek, K. See So, Y.-H., 1591C

Barberis, V. P.
—; Mikroyannidis, J. A.; Cimrová, V.: Coumarin-Containing Poly(fluorenediylvinylene)s: Synthesis, Photophysics, and Electroluminescence, 5750C
—; Mikroyannidis, J. A.: Synthesis and Optical Properties of a Poly(*p*-phenylenevinylene) Derivative and Polyfluorenes with Bipolar Groups along the Main Chain, 3556C

Barner, L.
—; Perera, S.; Sandanayake, S.; Davis, T. P.: Reversible Addition–Fragmentation Chain Transfer Graft Copolymerization of Styrene and *m*-Isopropenyl-α,α'-dimethylbenzyl Isocyanate from Polypropylene Lanterns: Solid Phases for Scavenging Applications, 857C

Barner-Kowollik, C. See Nguyen, T. L. U., 4372C; Stenzel, M. H., 2363C; Szablan, Z., 3692C; Zhang, L., 2177C
—; Buback, M.; Charleux, B.; Coote, M. L.; Drache, M.; Fukuda, T.; Goto, A.; Klumperman, B.; Lowe, A. B.; McLeary, J. B.; Moad, G.; Monteiro, M. J.; Sanderson, R. D.; Tonge, M. P.; Vana, P.: Mechanism and Kinetics of Dithiobenzoate-Mediated RAFT Polymerization: I. The Current Situation, 5809C

Barti, K. See Kappaun, S., 2130C

Bartnicki, A. See Podkościelna, B., 7014C

Baschnagel, J. See Peter, S., 2951P

Baskar, G. See Chandrasekar, K., 314C

Baśko, M.
—; Kubisa, P.: Cationic Copolymerization of ϵ-Caprolactone and L,L-Lactide

by an Activated Monomer Mechanism, 7071C
Bauer, M. See Steffensen, M. B., 3411C
Baugh, L. S.
—; Sissano, J. A.; Kacker, S.; Berluche, E.; Stibrany, R. T.; Schulz, D. N.; Rucker, S. P.: Fluorinated and Ring-Substituted Bisbenzimidazole Copper Complexes for Ethylene/Acrylate Copolymerization, 1817C
Baughman, T. W. See Berda, E. B., 4981C
Beaucage, G. See Kulkarni, A. S., 1395P
Becer, C. R.
—; Paulus, R. M.; Hoogenboom, R.; Schubert, U. S.: Optimization of the Nitroxider-Mediated Radical Polymerization Conditions for Styrene and *tert*-Butyl Acrylate in an Automated Parallel Synthesizer, 6202C
Bednarek, M.
—; Kubisa, P.: Rapid Communication: Cationic Polymerization of 2-Hydroxymethyltetrahydrofuran, 6484C
Beginn, U.
—; Najjar, R.; Ellmann, J.; Vinokur, R.; Martin, R.; Möller, M.: Copolymerization of Vinylidene Difluoride with Hexafluoropropene in Supercritical Carbon Dioxide, 1299C
Behnken, G. See Kricheldorf, H. R., 3175C
Belleney, J. See Richez, A., 6782C
Benavente, R. See López-Majada, J. M., 1253P
Bender, J. T.
—; Knauss, D. M.: Synthesis of Low Polydispersity Polybutadiene and Ployethylene Stars by Convergent Living Anionic Polymerization, 828C
Benicewicz, B. C. See Bansal, A., 2944P
Benoit, D. S. W. See Khire, V. S., 7027C
Benziger, J. B. See Satterfield, M. B., 2327P
Berda, E. B.
—; Baughman, T. W.; Wagener, K. B.: Precision Branching in Ethylene Copolymers: Synthesis and Thermal Behavior, 4981C
Berezkin, A. V.
—; Khokhlov, A. R.: Mathematical Modeling of Interfacial Polycondensation, 2698P
Bergbreiter, D. E. See Furyk, S.,1492C
Bergman, G. See Ritums, J. E., 641P
Bergman-Göttgens, C. See Bussels, R., 6419C
Berluche, E. See Baugh, L. S., 1817C
Bernaerts, K. V. See Van Durme, K., 461P
Bernard, M. See Sciannamea, V., 6299C
Betz, H. See Ennis, D., 3234P
Bhadane, P. A.
—; Champagne, M. F.; Huneault, M. A.; Tofan, F.; Favis, B. D.: Erosion–Dependant Continuity Development in High Viscosity Ratio Blends of Very Low Interfacial Tension, 1919P
Bhardwaj, Y. K. See Dubey, K. A., 1676P
Bhargava, P.
—; Zheng, J. X.; Quirk, R. P.; Cheng, S. Z. D.: Self-Assembled, Wormlike-Cylinder Network of Polystyrene-*block*-Poly(ethylene-oxide) Micelles in Solution, 3605P
Bhattacharjee, M. See Patra, B. N., 2749C
Bhattacharya, S. See Dubey, K. A., 1676P
Bhowmick, A. K. See Maiti, M., 162P
Bhowmik, P. K. See Han, H., 1541C
—; Han, H.; Nedeltchev, A. K.: Synthesis and Characterization of Poly(pyridinium salt)s with Organic Counterions Exhibiting Both Thermotropic Liquid-Crystalline and Light-Emitting Properties, 1028C
Bian, K.
—; Cunningham, M. F.: Nitroxide-Mediated Radical Polymerization of 2-(Dimethylamino)ethyl Acrylate and Its Sequential Block Copolymerization with Styrene and *N*-Butyl Acrylate, 414C
Bianchi, S. See Ferruti, P., 2316C
Bicak, N.
—; Gazi, M.; Galli, G.; Chiellini, E.: Polystyrene Microspheres Having Epoxy Functional Dangling Chains by Hydrolytically Stable Bonds via ATRP, 6708C
—; Karagoz, B.; Emre, D.: Atom Transfer Graft Copolymerization of 2-Ethyl Hexylacrylate from Labile Chlorines of Poly(vinyl chloride) in an Aqueous Suspension, 1900C
—; Karagoz, B.: Polymerization of Aniline by Copper-Catalyzed Air Oxidation, 6025C
Biela, T.
—; Polanczyk, I.: One-Pot Synthesis of Star-Shaped Aliphatic Polyesters with Hyperbranched Cores and Their Characterization with Size Exclusion Chromatography, 4214C
Biermann, U. See Lligadas, G., 634C
Bikiaris, D. N. See Papageorgiou, G. Z., 584P
Bilalis, P.
—; Pitsikalis, M.; Hadjichristidis, N.: Controlled Nitroxide-Mediated and Reversible Addition-Fragmentation Chain Transfer Polymerization of *N*-Vinylpyrrolidone: Synthesis of Block Copolymers with Styrene and 2-Vinylpyridine, 659C
—; Zorba, G.; Pitsikalis, M.; Hadjichristidis, N.: Synthesis of Poly(*n*-hexyl isocyanate-*b*-*N*-vinylpyrrolidone) Block Copolymers by the Combination of Anionic and Nitroxide-Mediated Radical Polymerizations: Micellization Properties in Aqueous Solutions, 5719C
Binder, K. See Rampf, F., 2542P
Binici, B.
—; Fortenberry, D. I.; Leard, K. C.; Molden, M.; Olten, N.; Popwell, S.; Pojman, J. A.: Spherically Propagating Thermal Polymerization Fronts, 1387C
Bistac, S. See Elzein, T., 1268P; Elzein, T., 3272P; Ghorbal, A., 2449P

Bitsanis, J. A. See Rissanou, A. N. 3651P
Blanchard, R. See Lagrille, O., 1926C
Blum, F. D. See Kulkeratiyut, Suriyaphongse, 2071P
Bo, Q.
—; Zhao, Y.: Double-Hydrophilic Block Copolymer for Encapsulation and Two-Way pH Change-Induced Release of Metalloporphyrins, 1734C
Bocarsly. A. B. See Satterfield, M. E., 2327P
Bockstaller, M. R. See Haken, I. F., 3642P
Bockurt, A. See Günday, S. T., 3315P
Bohidar, H. B. See Mohanty, B., 1635P
Böhme, F. See Lustoň, J., 343C
Böhning, M. See Heuchel, M., 1874P
Boisvert, J.-P. See Guyard, A., 1134P
Bojanić, S. See Ivanović, N., 1783P
Bolte, M. See Djouani, F., 1317C
Bombalski, L. See Goel, V., 2014P
Bonavoglia, B.
—; Storti, G.; Morbidelli, M.; Rajendran, A.; Mazzotti, M.: Sorption and Swelling of Semicrystalline Polymers in Supercritical CO_2, 1531P
Bongiovanni, R. See Sangermano, M., 6943C
Bonilla, J. See Saldívar-Guerra, E., 6962C
Bordegé, V. See Cuervo-Rodríguez, R., 5618C
Borkar, S.
—; Sen, A.; Shallenberger, J. R.: Alternating Polyester/Fluoroalkene Copolymers: Combining High Hydrophobicity with Degradability, 1225C
Borovik, A. S. See Mitchell-Koch, J. T., 2282C
Borrajo, J. See Soulé, E. R., 2821P
Bosch, P. See Peinado, C., 5291C
Bosse, A. W.
—; Sides, S. W.; Katsov, K.; García-Cervera, C. J.; Fredrickson, G. H.: Defects and Their Removal in Block Copolymer Thin Film Simulations, 2495P
Botines, E.
—; Franco, L.; Ramis, X.; Puiggalí, J.: Synthesis of Poly(glycolic acid-*alt*-12-aminododecanoic acid): The Thermal Polymerization Kinetics of Sodium *N*-Chloroacetyl-12-aminododecanoate, 1199C
Botton, G. See Chen, R., 1252C
Bouchereau, M. N. See Ramier, J., 143P
Bouilhac, C.
—; Cramail, H.; Cloutet, E.; Deffieux, A.; Taton, D.: Benzophenone-Functionalized, Starlike Polystyrene as Organic Supports for a Tridentate Bis(imino)pyridinyliron/Trimethylaluminum Catalytic System for Ethylene Polymerization, 6997C
Bouteiller, L. See Richez, A., 6782C
Boutevin, B. See Boyer, C., 5763C; Guiot, J., 3896C; Lam, O. A., 4762C; Rixens, B., 13C; Sauguet, L., 4566C; Taguet, A., 1855C
Bowman, C. N. See Khire, V. S., 7027C; O'Brien, A. K., 2007C; Sebra, R. P., 1404C
Boxberg, Y.
—; Schnabelrauch, M.; Vogt, S.; Salmerón Sánchez, M.; Gallego Ferrer, G.; Monleón Pradas, M.; Suay Antón, J.: Effect of Hydrophilicity on the Properties of a Degradable Polylactide, 656P
Boyer, C.
—; Valade, D.; Lacroix-Desmazes, P.; Ameduri, B.; Boutevin, B.: Kinetics of the Iodine Transfer Polymerization of Vinylidene Fluoride, 5763C
Boyer, S. A. E.
—; Randzio, S. L.; Grolier, J.-P. E.: Thermal Expansion of Polymers Submitted to Supercritical CO_2 as a Function of Pressure, 185P
Brack, H.-P. See Mitov, S., 3323P
Brar, A. S.
—; Kaur, S.: Atom Transfer Radical Polymerization of *N*-Vinyl Carbazole: Optimization to Characterization, 1745C
—; Puneeta: Synthesis of Styrene/Methyl Methacrylate Copolymers by Atom Transfer Radical Polymerization : 2D NMR Investigations, 2076C
—; Saini, T.: Atom Transfer Radical Copolymerization of Acrylonitrile and Ethyl Methacrylate at Ambient Temperature, 1975C
—; Saini, T.: Comprehensive 2D NMR Analysis: Acrylonitrile/Ethyl Methacrylate Copolymers Synthesized by ATRP at Ambient Temperature, 2955C
Braslau, R. See Nilsen, A., 697C
Brauer, D. J. See Nehls, B. S., 5533C
Brink, T. See Persyn, O., 1690P
Brinson, L. C. See Ramanathan, T., 470P
Britt, P. F. See Rasheed, A., 3053P
Brittain, W. J. See Wang, Y., 5608C
Brokken-Zijp, J. C. M. See Chen, Z., 33P
Brooks, N. See Abbott, A. P., 1072P
Brouk, E. See Burnham, K. S., 6909C
Brown, G. O. See Germack, D. S., 5218C
Broyer, R. M., 5004C, Li, R. C.
Brüll, R. See Smit, M., 2883C
Bruls, W. See Salmerón Sánchez, M., 815P
Brus, J. See Toman, L., 6378C
Buback, M. See Barner-Kowollik, C., 5809C
Buchgraber, C.
—; Pogantsch, A.; Kappaun, S.; Spanring, J.; Kern, W.: Luminescent Copolymers for Applications in Multicolor-Light-Emitting Devices, 4317C
Buckley, R. G. See Kemp, N. T., 1331P
Buder, I. See Gomes, D., 2278P
Bulut, U. See Crivello, J. V., 6750C
Burke, K. A.
—; Sivakova, S.; McKenzie, B. M.; Mather, P. T.; Rowan, S. J.: Effect of Stoichiometry on Liquid Crystalline Supramolecular Polymers Formed with Complementary Nucleobase Pair Interactions, 5049C
Burlatsky, S. See Huang, X., 2346P
Burman, M. See Zussman, E., 1428P

Burnham, K. S.
—; Roth, R.; Zhou, F.; Fan, W.; Brouk, E.; Stifanos, M.: Dimensionally and Thermally Stable Polymer, Containing Disordered Graphitic Structure and Adamantane, 6909C
Burrows, H. D. See Calderón, V., 6252C
Burtscher, D.
—; Saf, R.; Slugovc, C.: Fluorescence-Labeled Olefin Metathesis Polymerization Initiators, 6136C
Burtscher, P. See Ullrich, G., 115C
Buruiana, E. C.
—; Buruiana, T.; Lenuta, H.; Lippert, T.; Urech, L.; Wokaun, A.: Synthesis and Properties of New Photosensitive Triazene Polyacrylates, 5271C
Buruiana, T. See Buruiana, E. C., 5271C
Bussels, R.
—; Bergman-Göttgens, C.; Klumperman, B.; Meuldijk, J.; Koning, C.: Triblock Copolymer Synthesis via Controlled Radical Polymerization in Solution Using *S-tert*-Alkyl-*N,N*-alkoxycarbonylalkyldithiocarbamate RAFT Agents, 6419C
Bustos, F.
—; Cassagnau, P.; Fulchiron, R.: Effect of Molecular Architecture on Quiescent and Shear-Induced Crystallization of Polyethylene, 1597P
Butté, A. See Peklak, A. D., 1071C; Peklak, A. D., 6114C
Büttner, R. See Wendler, F., 1702P
Byun, G.-S.
—; Kim, S. Y.; Cho, I.: Pd(II)-Catalyzed Polymerization of Optically Active Norbornene Carboxylic Acid Esters, 1263C

Cabane, B. See Guyard, A., 1134P
Cádiz, V. See Andreu, R., 1529C; Canadell, J. 4722C; Canadell, J., 6728C; Garrido, M., 4846C; Lligadas, G., 5630C; Lligadas, G., 6717C; Martín, C., 1701C; Martín, C., 3503C; Martín, C., 6332C; Mercado, L. A., 1676C
Cai, C. See Zhu, L., 134P
—; Wang, L.; Dong, C.-M.: Synthesis, Characterization, Effect of Architecture on Crystallization, and Spherulitic Growth of Poly(L-lactide)-*b*-Poly(ethylene oxide) Copolymers with Different Branch Arms, 2034C
Cai, J.
—; Liu, Y.; Zhang, L.: Dilute Solution Properties of Cellulose in LiOH/Urea Aqueous System, 3093P
Cai, S. X. See Lin, C. H., 3454C
Caille, J.-R. See Debuigne, A., 1233C
Cakmak, M. See Koike, Y., 925P
Calderón, V.
—; García, F. C.; De La Peña, J. L.; Maya, E. M.; García, J. M.: Synthesis and Characterization of New Aromatic Polyamides Bearing Crown Ethers or Their Dipodal Counterparts in the Pendant Structure. I. Benzo-12-crown-4 and *ortho*-Bis(2-ethoxyethoxy)benzene, 2270C
—; García, F.; De La Peña, J. L.; Maya, E. M.; Lozano, A. E.; De La Campa, J. G.; De Abajo, J.; García, J. M.: Synthesis and Characterization of New Aromatic Polyamides Bearing Crown Ethers or Their Dipodal Counterparts in the Pendant Structure. II. Benzo-15-crown-5 and *ortho*-Bis[2-(2-ethoxyethoxy)ethoxy] benzene, 4063C
—; Schwarz, G.; García, F.; Tapia, M. J.; Valente, A. J. M.; Burrows, H. D.; García, J. M.: Synthesis and Characterization of New Aromatic Polyamides Bearing Crown Ethers and Acrylic Ethylene Oxide Units in the Pendant Structure. III. Benzo-18-crown-6 Systems and Their Open-Chain Counterparts, 6252C
Callau, L.
—; Giamberini, M.; Reina, J. A.; Mantecón, A.: Vinyl-Terminated Side-Chain Liquid-Crystalline Polyethers Containing Mesogenic Benzylideneaniline Moieties, 1877C
Callow, J. A. See Gädda, T. M., 2237C; Grunlan, M. A., 2551C
Callow, M. E. See Gädda, T. M., 2237C; Grunlan, M. A., 2551C
Cameron, N. R. See Lagrille, O., 1926C
Canadell, J.
—; Hunt, B. J.; Cook, A. G.; Mantecón, A.; Cádiz, V.: Phosphorylated Copolymers Containing Pendant Crosslinkable Spiro Orthoester Moieties, 6728C
—; Mantecón, A.; Cádiz, V.: Microwave-Assisted Synthesis of a Novel Phosphorus-Containing Spiroorthoester, Characterization and Cationic Polymerization, 4722C
Cañamero, P. F. See De La Fuente, J. L., 1807C
Cao, A. See Fang, Q., 3797C; Li, F., 1635P; Yang, J., 2045C
Cao, D.
—; Liu, Q.; Zeng, W.; Han, S.; Peng, J.; Liu, S.: Synthesis and Characterization of Novel Red-Emitting Alternating Copolymers Based on Fluorene and Diketopyrrolopyrrole Derivatives, 2395C
Cao, Y. See Haung, F., 2521C; Zhuang, W., 4174C
Capacchione, C. See De Carlo, F., 1486C
—; Proto, A.; Ebeling, H.; Mülhaupt, R.; Okuda, J.: Copolymerization of Ethylene with Styrene Catalyzed by a Linked Bis(phenolato) Titanium Catalyst, 1908C
Caporaso, L.
—; Oliva, L.: Synthesis of Hydrophilic Isotactic Polypropylenes Promoted by Metallocene Catalysts, 7008C
Carlini, C.
—; De Luise, V.; Galletti, A. M. R.; Sbrana, G.: Ethylene Polymerization by Novel Ziegler-Natta-Type Catalysts Obtained *In Situ* by the Oxidative Addition of 8-Hydroxyquinoline-Based Ligands to Bis(1,5-cyclooctadiene)nickel (0) and Methylaluminoxane, 200C
—; De Luise, V.; Martinelli, M.; Raspolli-Galletti, A. M..;

Sbrana, G.: Homo-and Copolymerization of Methyl Methacrylate with Ethylene by Novel Ziegler-Natta-Type Nickel Catalysts Based on N,O-Nitro-Substituted Chelate Ligands, 620C
—; Martinelli, M.; Galletti, A. M. R.; Sbrana, G.: Vinyl Polymerization of Norbornene by Bis (nitro-substituted-salicylaldiminate) nickel(II)/ Methylaluminoxane Catalysts, 1514C
Carlisle, S. J. See Dilly, S. J., 2248C
Carrerasa, C. See Ivanović, N., 1783P
Carrillo, A.
—; Yanjarappa, M. J.; Gujraty, K. V.; Kane, R. S.: Biofunctionalized Block Copolymer Nanoparticles Based on Ring-Opening Metathesis Polymerization, 928C
Carroll, W. M. See Gibbons, O., 6410C
Carvalho, J. L.
—; Massa, M. V.; Dalnoki-Veress, K.: Ellipsometry as a Probe of Crystallization Kinetics in Thin Diblock Copolymer Films, 3448P
Case, S. W. See Liu, D., 1453P
Cassagnau, P. See Bustos, F., 1597P
Catala, J.-M. See Sciannamea, V., 6299C
Cavallo, G. See Napoli, M., 5525C
Çaykara, T.
—; Demiray, M.; Güven, O.: Swelling Behavior of Poly Hydrogels in Aqueous Solutions of Surfactants, 1645P
—; Demirci, S.; Eroğlu, M. S.; Güven, O.: Surface Properties of Binary Blend Films of Poly(*N*-vinyl-2-pyrrolidone) and Poly(vinyl alcohol) with Sodium Alginate, 426P
Celina, M. See Dargaville, T. R., 3253P
Cerrada, M. L. See López-Majada, J. M., 1253P
Cervellera, R.
—; Ramis, X.; Salla, J. M.; Mantecón, A.; Serra, A.: *N,N*-Dimethylaminopyridine as Initiator in the Copolymerization of Diglycidylether of Bisphenol A with Six-Membered Cyclic Carbonates, 2873C
—; Ramis, X.; Salla, J. M.; Serra, A.; Mantecón, A.: Structural and Phenomenological Study on the Cationic Curing of Mixtures of Epoxy Resin and 5,5-Dimethyl-1,3-Dioxane-2-One, 4546C
Cesteros, L. C. See Rodríguez-Castro, M., 2404P
Chadwick, J. C. See Smit, M., 2883C; Smit, M., 6652C; Yaluma, A. K., 1635C
Chae, D. W.
—; Lee, K. H.; Kim, B. C.: Rheological Properties of Ferrite Nanocomposites Based on Nylon-66, 371P
Chai, C.-P. See Zhao, X.-D., 4656C; Zhou, J.-L., 4532C
Chailan, J. F. See Mallarino, S., 205P
Champagne, M. F. See Bhadane, P. A., 1919P
Chandrasekar, K.
—; Baskar, G.: Investigations of the Dissociation Behavior and Interfacial Adsorption Characteristics of Polyelectrolytes from Poly(acrylamido-2-methyl-1-propane sulfonic acid) with an Octadecyl Side Chain, 314C
Chang, F. See Zhang, D., 264C
Chang, F.-C. See Kuo, S.-W., 673P; Liu, Y.-L., 3825C; Yei, D.-R., 347P
Chang, G.-P. See Liu, Y.-L., 1869C; Liu, Y.-L., 3825C
Chang, J.-H
—; Ju, C. H.; Kim, S. H.: Synthesis and Characterization of a Series of Thermotropic Liquid Crystalline Copolyester Nanocomposites, 387P
Chang, T. C. See Chao, C. M., 1P; Wu, K. H., 335C
Chang, Y. See Stone, D. A., 69C
Chang, Y.-M. See Hsiao, S.-H., 4579C
Chan-Seng, D.
—; Georges, M. K.: Living Radical Emulsion Polymerization Using the Nanoprecipitation Technique: An Extension to Atom Transfer Radical Polymerization, 4027C
Chao, C. M.
—; Wang, G. P.; Wu, K. H.; Chang, T. C.: Synthesis and Characterization of Polyaniline–Polyamidoamine Dendrimer Blends, 1P
Chao, D.
—; Lu, X.; Chen, J.; Zhao, X.; Wang, L.; Zhang, W.; Wei, Y.: New Method of Synthesis of Electroactive Polyamide with Amine-Capped Aniline Pentamer in the Main Chain, 477C
Chapman, B. See Kemp, N. T., 1331P
Char, K. See Park, M. J., 3571P
Charleux, B. See Barner-Kowollik, C., 5809C; Nicolas, J., 4142C
Chastek, T. Q.
—; Lodge, T. P.: Grain Shapes and Growth Kinetics during Self-Assembly of Block Copolymers, 481P
Chatterjee, T. See Goel, V., 2014P
Chatterjee, U. See Jewrajka, S. K., 1841C
Chatti, S.
—; Kricheldorf, H. R.; Schwarz, G.: Copolycarbonates of Isosorbide and Various Diols, 3616C
Chattopadhyay, D. K.
—; Sreedhar, B.; Raju, K. V. S. N.: Influence of Varying Hard Segments on the Propertries of Chemically Crosslinked Moisture-Cured Polyurethane-Urea, 102P
Chaudhari, C. V. See Dubey, K. A., 1676P
Chazeau, L. See Ramier, J., 143P
Cheah, K.-W. See Liu, L., 5588C; Wong, W.-Y., 4804C
Chee, M. G. See Ham, H. T., 573C
Chen, B. See Xu, J., 1125C; Zheng, Z., 3210C
Chen, C.-C. See Chen, K.-B., 5378C
Chen, C.-H.
—; Teng, C.-C.; Su, S.-F.; Wu, S.-C.; Yang, C.-H.: Effects of Microscale Calcium Carbonate and Nanoscale Calcium Carbonate on the Fusion, Thermal, and Mechanical Characterizations of Rigid Poly(vinyl chloride)/ Calcium Carbonate Composites, 451P
—; Teng, C.-C.; Tsai, M.-S.; Yen, F.-S.: Preparation and Characterization of Rigid

Poly(vinyl chloride)/MMT Nanocomposites. II. XRD, Morphological and Mechanical Characteristics, 2145P
Chen, C.-K. See Yang, S.-H., 6738C
Chen, C.-M. See Huang, C.-I., 2438P
Chen, C.-Y. See Wu, H.-L., 565P; Wu, H.-L., 3128P
Chen, D. See Peng, Z., 1995C; Peng, Z., 534P
Chen, E.-C. See Wu, T.-M., 598P
Chen, F. See Guo, Q., 3042P
Chen, G. See Lu, W., 1846P
Chen, H.-W. See Hsiao, S.-H., 4579C; Liou, G.-S., 4108C
Chen, H.-Y. See Lin, Y.-Y., 2912P
Chen, J. See Chao, D., 477C; Chen, P., 1020P; Liu, X., 1287P; Song, C.-L., 1964C; Zhang, W., 32C
—; Cheuk, K. K.-L.; Tang, B. Z.: Synthesis and Characterization of Poly(phenylacetylene)s Carrying Oligo(ethylene oxide) Pendants, 1153C
—; Kwok, H. S.; Tang, B. Z.: Silole-Containing Poly(diphenylacetylene): Synthesis, Characterization, and Light Emission, 2487C
—; Tee, C. K,; Yang, J,; Shaw, C.; Shtein, M.; Martin, D. C.; Anthony, J.: Thermal and Mechanical Cracking in Bis(triisopropylsilylethnyl) Pentacene Thin Films, 3631P
Chen, J.-H.
—; Chiou, Y.-D.: Crystallization Behavior and Morphological Development of Isotactic Polypropylene Blended with Nanostructured Polyhedral Oligomeric Silsesquioxane Molecules, 2122P
Chen, K.
—; Hay, A. S.: Synthesis of Poly(*p*-phenylene sulfide) from Bis(4-bromophenyl)disulfide, 900C
Chen, K.-B. See Huang, C.-H., 519C
—; Chen, M.-H.; Yang, S.-H.; Hsieh, C.-H.; Hsu, C.-S.; Chen, C.-C.; Chien, H.-J.: Electroluminescence from a Conjugated Polymer Grafted with CdSe/ZnS: High Brightness and Improved Efficiency, 5378C
Chen, K.-H. J.
—; Rizvi, S. S. H.: Measurement and Prediction of Solubilities and Diffusion Coefficients of Carbon Dioxide in Starch–Water Mixtures at Elevated Pressures, 607P
Chen, L. See Chen, Y., 3071C; Guo, Q., 975P; Guo, Q., 3042P; Hu, T., 3018C; Wang, S., 686C; Xue, J., 2050P
—; Chen, Y.; Zha, D.; Yang, Y.: Synthesis and Properties of Polyacetylenes with Directly Attached Bis(4-alkoxyphenyl) terephthalate Mesogens as Pendants, 2499C
Chen, M. See Cheng, X., 3807C
Chen, M.-H. See Chen, K.-B., 5378C
Chen, P.
—; Chen, J.; Zhang, B.; Zhang, J.; He, J.: Effect of Glass Bead Packing on the Fibrillation of Liquid-Crystalline Polymer in Polycarbonate, 1020P
Chen, Q. See Zhang, H., 1320P
Chen, R.
—; Feng, W.; Zhu, S.; Botton, G.; Ong, B.; Wu, Y.: Surface-Initiated Atom Transfer Radical Polymerization Grafting of Poly(2,2,2-trifluoroethyl methacrylate) from Flat Silicon Wafer Surfaces, 1252C
Chen, S. See Hu, T., 3018C; Hu, Z., 2862C; Wan, T., 6688C
Chen, S.-C.
—; Wang, X.-L.; Yang, K.-K.; Wu, G.; Wang, Y.-Z.: Copolymerization of Poly(vinyl alcohol)-*graft*-Poly(1,4-dioxan-2-one) with Designed Molecular Structure by a Solid-State Polymerization Method, 3083C
Chen, S.-H. See Liu, C.-H., 3882C
—; Chen, Y.: Poly(*p*-phenylene vinylene) Derivatives Containing Triazole or Oxadiazole Segments: Connector Effect in Optical, Electrochemical, and Elecxtroluminescent Properties, 4514C
Chen, W.-C. See Yang, C.-C., 5495C
Chen, W.-F. See Liang, W.-J., 2135P
Chen, W.-R. See Ho, D. L., 557P
Chen, W.-Y. See Ye, Y.-S., 5391C; Yei, D.-R., 347P
Chen, X. See Tang, Z., 4932C; Wang, W., 5505C; Yang, J., 3215P
—; Kumar, S. K.; Ozisik, R.: Monte Carlo Simulations of the Crystallization of Isotactic Polypropylene, 3453P
—; Xu, J.; Lu, H.; Yang, Y.: Isothermal Crystallization Kinetics of Poly(butylene terephthalate)/Attapulgite Nanocomposites, 2112P
Chen, X.-F. See Zhao, X.-D., 4656C; Zhou, J.-L., 4532C; Zhou, J.-L., 6047C
Chen, Y. See Asandei, A. D., 2015C; Asandei, A. D., 2156C; Chen, L., 2499C; Chen S.-H., 4514C; Gao, H., 5237C; Huang, Y.-Q., 5424C; Kissin, Y. V., 6159C; Liu, C.-H., 3882C; Liu, H., 4165C; Liu, Q., 6103C; Lu, J., 3148P; Puskas, J. E., 1770C; Puskas, J. E., 1777C; Shao, W., 249P; Yeh, K.-M., 5362C; Zhang, W., 6640C
—; Liu, D.; Deng, Q.; He, X.; Wang, X.: Atom Transfer Radical Polymerization Directly from Poly(vinylidene fluoride): Surface and Antifouling Properties, 3434C
—; Sun, W.; Deng, Q.; Chen, L.: Controlled Grafting from Poly(vinylidene fluoride) Films by Surface-Iniiated Reversible Addition–Fragmentation Chain Transfer Polymerization, 3071C
—; Tavakley, A. E.; Mathiason, T. M.; Taton, T. A.: Photocrosslinked Poly(vinylbenzolphenone)-Core Micelles via Mild Friedel–Crafts Benzoylation of Polystyrene Amphiphiles, 2604C
Chen, Z. See Li, M., 5887C; Stueber, D., 2760P; Zhou, Y., 764P
—; Brokken-Zijp, J. C. M.; Michels, M. A. J.: Novel Phthalocyanine Crystals as a Conductive Filler in Crosslinked Epoxy Materials: Fractal Particle Networks and Low Percolation Thresholds, 33P

—; Webster, D. C.: Synthesis and Study of Novel Polyol-Bound Photosensitizers for Cationic UV-Curable Systems, 4435C
Cheng, C. See Powell, K. T., 4782C
Cheng, F. See Huang, Y.-Q., 5424C; Wang, W.-Z., 3513C
Cheng, H.
—; Liu, G.; Wang, C.; Zhang, G.; Wu, C.: Collapse and Swelling of Poly(*N*-isopropylacrylamide-*co*-sodium acrylate) Copolymer Brushes Grafted on a Flat SiO_2 Surface, 770P
Cheng, R. See Li, Y., 1804P
Cheng, S.-X. See Wan, T., 6688C
Cheng, S. Z. D. See Bhargava, P., 3605P; Pugh, C., 4076C; Wang, Y., 5608C
Cheng, X.
—; Chen, M.; Zhou, S.; Wu, L.: Preparation of SiO_2/PMMA Composite Particles via Conventional Emulsion Polymerization, 3807C
Cheng, Z. See Wang, G., 483C; Wang, G., 2912C; Xu, W., 1502C; Zhang, Z., 3343C; Zhu, J., 6810C
Cheong, I. W. See Ha, J. U., 6394C
Chern, C.-S. See Jeng, J., 4603C
Cheuk, K. K.-L. See Chen, J., 1153C
Chi, Y. S. See Park, S., 3711C
Chiang, C.-L. See Wu, H.-L., 565P; Wu, H.-L., 1096P
Chiellini, E. See Bicak, N., 6708C
Chien, A.
—; Maxwell, R. S.; Deteresa, S.; Thompson, L.; Cohenour, R.; Balazs, B.: Effects of Filler–Polymer Interactions on Cold-Crystallization Kinetics in Crosslinked, Silica-Filled Polydimethylsiloxane/Polydiphenylsiloxane Copolymer Melts, 1898P
Chien, A.-T. See Lin, K.-F., 5572C
Chien, H.-J. See Chen, K.-B., 5378C
Chiou, Y.-D. See Chen, J.-H., 2122P
Chitanvis, S. M. See Welch, P. M., 2605P
—; Can Low-Power Electromagnetic Radiation Disrupt Hydrogen Bonds in dsDNA?, 2740P
Chiu, F.-C.
—; Lau, C.-S.: Thermal Properties and Crystalline Structure of Syndiotactic Polystyrene-Based Miscible Blends, 2798P
Chiu, W.-Y. See Jeng, J., 4603C; Lin, C.-L., 356C; Lin, C.-L., 1648C; Lin, K.-F., 5572C
Chiu, Y.-H. See Liu, J.-H., 5933C
Cho, C. G.
—; Kim, Y. S.; Yu, X.; Hill, M.; McGrath, J. E.: Synthesis and Characterization of Poly(arylene ether sulfone) Copolymers with Sulfonimide Side Groups for a Proton-Exchange Membrane, 6007C
Cho, H.-J. See Jung, Y. K., 4611C; Lee, J., 2943C
Cho, H.-N. See Jung, S.-H., 1189C
Cho, I. See Byun, G.-S., 1263C
Cho, N. S. See Lim, E., 4709C
Cho, N.-S. See Lee, J., 2943C
Cho, W.-J. See Chung, I., 295C
Cho, Y. H. See Kim, M. S., 5413C
Choe, S. See Ha, J. U., 6394C; Oh, S., 62C
Choi, H. S.
—; Kim, Y. H.; Shin, S. M.: In-Line Monitoring of UV Photopolymerization with a Quartz Crystal Resonator, 2428C
Choi, I. S. See Park, S., 3711C
Choi, J. J.
—; Bae, Y. C.: Nematic-Isotropic Phase Behaviors of Polydisperse Polymer/Liquid-Crystal Systems: Chain-Length-Dependent Interaction Parameter, 1031P
Choi, P.
—; Jalani, N. H.; Thampan, T. M.; Datta, R.: Consideration of Thermodynamic Transport, and Mechanical Properties in the Design of Polymer Electrolyte Membranes for Higher Temperature Fuel Cell Operation, 2183P
Choi, Y. S. See Ham, H. T., 573C
Chow, H.-L.
—; Lin, K.-F.; Wang, D.-C.: Enhancing the Electroluminescent Efficiency of Poly/Poly(2,3-diphenyyl-5-octyl-*p*-phenylenevinylene) Polyblends by the Introduction of Chemical Bonding through a Thermal Treatment, 62P
Chu, Q.
—; Pang, Y.: Terpyridine-Substituted, Fluorescent Polymers and Their Chelation with Zinc Ion: The Ligand-to-Metal Ratio and Optical Properties, 2338C
Chua, Y. C.
—; Lu, X.; Wan, T.: Polymorphism Behavior of Poly(ethylene naphthalate)/Clay Nanocomposites, 1040P
Chuang, F.-C. See Hui, C.-Y., 359P
Chuang, S.-W.
—; Hsu, S. L.-C.: Synthesis and Properties of a New Fluorine-Containing Polybenzimiedazole for High-Temperature Fuel-Cell Applications, 4508C
Chujo, Y. See Morisaki, Y., 4857C; Naka, K., 2027C; Nemoto, T., 4731C
Chung, C.-L
—; Yang, C.-P.; Hsiao, S.-H.: Organosoluble and Colorless Fluorinated Poly(ether imide)s from 1,2-Bis(3,4-dicarboxyphenoxy) benzene Dianhydride and Trifluoromethyl-Substituted Aromatic Bis(ether amine)s, 3092C
Chung, I.
—; Lee, C.-K.; Ha, C.-S.; Cho, W.-J.: Syntheses of Cyclodextrin–3′-Azido-3′-deoxythymidine Conjugates and Their Sulfates with Improved Anti-HIV Activities, 295C
Chung, I. J. See Ham, H. T., 573C
Chung, T.-C. See Fan, G., 539C
Chung, W. J. See Wilks, B. R., 215P
Cianga, I. See Colak, D., 727C
Cimrová, V. See Barberis, V. P., 5750C
—; Hlídková, H.; Vıprachtickı, D.; Karastatiris, P.; Spiliopoulos, I. K.; Mikroyannidis, J. A.: Photophysics, Electrochemical Properties, and Electroluminescence of Poly(*p*-phenylenevinylene) Derivatives with 1,3,5-Triphenylbenzene or 2,4,6-Triphenylpyridine Segments along the Backbone, 524P

Ciolino, A.
—; Sakellariou, G.; Pantazis, D.; Villar, M. A.; Vallés, E.; Hadjichrisidis, N.: Synthesis and Characterization of Model Diblock Copolymers of Poly(dimethylsiloxane) with Poly(1,4-butadiene) or Poly(ethylene), 1579C
Cirpan, A. See Liao, L., 2307C
Clark, A. J. See Dilly, S. J., 2248C
Cloutet, E. See Bouilhac, C., 6997C
Coates, G. W. See Cohen, C. T., 5182C
Coelho, J. F. J.
—; Silva, A. M. F. P.; Popov, A. V.; Percec, V.; Abreu, M. V.; Gonçalves, P. M. O. F.; Gil, M. H.: Single Electron Transfer–Degenerative Chain Transfer Living Radical Polymerization of *N*-Butyl Acrylate Catalyzed by Na2S2O4 in Water Media, 2809C
—; Silva, A. M. F. P.; Popov, A. V.; Percec, V.; Abreu, M. V.; Gonçalves, P. M. O. F.; Gil, M. H.: Synthesis of Poly(vinyl chloride)-*b*-Poly(*n*-butyl acrylate)-*b*Poly(vinyl chloride) by the Competitive Single-Electron-Transfer/ Degenerative-Chain-Transfer-Mediated Living Radical Polymerization in Water, 3001C
Cohen, C. T.
—; Coates, G. W.: Alternating Copolymerization of Propylene Oxide and Carbon Dioxide with Highly Efficient and Selective (Salen)Co(III) Catalysts: Effect of Ligand and Cocatalyst Variation, 5182C
Cohen, Y. See Dror, Y., 3265P; Zussman, E., 1428P
Cohenour, R. See Chien, A., 1898P
Colak, D.
—; Cianga, I.; Muftuoglu, A. E.; Yagci, Y.: Synthesis and Characterization of Mid- and End-Chain Functional Telechelics by Controlled Polymerization Methods and Coupling Processes, 727C
Colakoglu, B. See Durmaz, H., 1667C
Colby, R. H. See Dou, S., 2001P
Condit, D. See Huang, X., 2346P
Cook, A. G. See Canadell, J., 6728C7
Coote, M. L. See Barner-Kowollik, C., 5809C
Coppée, S. See Gabriele, S., 3022P
Corrales, T. See Peinado, C., 5291C
Corsi, A.
—; Milchev, A.; Rostiashvili, V. G.; Vilgis, T. A.: Multiblock Copolymers at Selective Liquid-Liquid Interfaces: Toward a Block Size Chromatography, 2572P
Costa, A. I.
—; Prata, J. V.: Synthesis and Rh(I)-Catalyzed Polymerization of 1,3-Diphenylyne–Calix[4]arene Compounds: Novel Conjugated, Calixarene-Based Polymers, 7054C
Costabile, C. See Napoli, M., 5525C
—; Pragliola, S.; Longo, P.: Role of Back-Biting in the Stereoselectivity of Ni(II)-Catalyzed Butadiene Polymerization, 1343C
Costamagna, V.
—; Strumia, M.; López-González, M.; Riande, E.: Gas Transport in Surface-Modified Low-Density Polyethylene Film with Acrylic Acid as a Grafting Agent, 2828P
Costoyas, A. See Ramos, J., 4461C
Coughlin, E. B. See Quevedo-Sanchez, B., 3724C
Coutinho, J. A. P. See Oliveira, N. S., 1010P
Cramail, H. See Bouilhac, C., 6997C
Cramer, N. B. See O'Brien, A. K., 2007C
Cremer, P. S. See Furyk, S.,1492C
Crivello, J. V.
—; Bulut, U.: DualPhoto and Thermally Initiated Cationic Polymerization of Epoxy Monomers, 6750C
—; Cationic Photopolymerization of Alkyl Glycidyl Ethers, 3036C
—; Design and Synthesis of Multifunctional Glycidyl Ethers That Undergo Frontal Polymerization, 6435C
Crossetti, G. L. See Dias, M. L., 458C
Cruz, V. L. See Martínez, S., 4752C
Cuervo-Rodríguez, R.
—; Bordegé, V.; Sánchez-Chaves, M.; Fernández-García, M.: Free-Radical Copolymerization of Ethyl α-Hydroxymethylacrylate with Methyl Methacrylate by Reversible Addition–Fragmentation Chain Transfer, 5618C
Cui, J. See Yang, J., 3215P
Cui, L.
—; Zhang, Yong; Zhang, Yinxi: Crystallization, Melting Behavior, and Morphology of PP/Novolac Blends, 3288P
Cui, X. See Lou, Y., 2837C
Cunningham, M. F. See Bian, K., 414C; Lin, M., 5974C; Simms, R. W., 1628C
—; Ng, D. C. T.; Milton, S. G.; Keoshkerian, B.: Low Temperature TEMPO-Mediated Styrene Polymerization in Miniemulsion, 232C
Cuomo, C.
—; Milione, S.; Grassi, A.: Olefin Polymerization Catalyzed by Amide Vanadium(IV) Complexes: The Stereo-and Regiochemistry of Propylene Insertion, 3279C
Curcó, D.
—; Alemán, C.: Modeling the Amorphous Phase of Comb-Like Polymers, 953P
Curtis, A. S. G. See Lecomte, H. A., 1785C

Dadmun, M. D. See Rasheed, A., 3053P
Daga, V. K.
—; Helgeson, M. E.; Wagner, N. J.: Electrospinning of Neat and Laponite-Filled Aqueous Poly(ethylene oxide) Solutions, 1608P
Dai, C.-A. See Jeng, J., 4603C
Dali, S.
—; Lefebvre, H.; El Gharbi, R.; Fradet, A.: Synthesis of Poly(glycolic acid) in Ionic Liquids, 3025C
Dalnoki-Veress, K. See Carvalho, J. L., 3448P
Damman, P. See Gabriele, S., 3022P
Dang, T. D. See Park, S.-Y., 1948C
Danilovtseva, E. N. See Annenkov, V. V., 820C

Danno, T. See Nasir, M., 779P
Daoulas, K. Ch.
—; Müller, M.; Stoykovich, M. P.; Papakonstantopoulos, Y. J.; De Pablo, J. J.; Nealey, P. F.; Park, S.-M.; Solak, H. H.: Directed Assembly of Copolymer Materials on Patterned Substrates: Balance of Simple Symmetries in Complex Structures, 2589P
Dargaville, T. R.
—; Elliott, J. M.; Celina, M.: Evaluation of Piezoelectric PVDF Polymers for Use in Space Environments. III. Comparison of the Effects of Vacuum UV and Gamma Radiation, 3253P
Daridon, J. L. See Oliveira, N. S., 1010P
Da Silva, L. P. See Dias, M. L., 458C
Datta, R. See Choi, P., 2183P
Daum, J.
—; Erdodi, G.; Kennedy, J. P.: Cyclolinear Polysiloxanes. I. Synthesis and Characterization, 4039C
—; Erdodi, G.; Kennedy, J. P.: Cyclolinear Polysiloxanes. II. Crosslinking and Characterization, 4053C
David, G. See De Bruyn, H., 5832C
Davis, T. P. See Barner, L., 857C; Morrison, D. A., 6171C; Nguyen, T. L. U., 4372C; Stenzel, M. H., 2363C; Szablan, Z., 3692C; Zhang, L., 2177C
De Abajo, J. See Ayala, V., 1414C; Calderón, V., 4063C
De Bruyn, H.
—; Sprong, E.; Gaborieau, M.; David, G.; Roper, J. A. III; Gilbert, R. G.: Starch-*graft*-Copolymer Latexes Initiated and Stabilized by Ozonolyzed Amylopectin, 5832C
Debuigne, A.
—; Caille, J.-R.; Jérôme, R.: Quinone Transfer Radical Polymerization of Styrene: Synthesis of the Actual Initiator, 1233C
De Carlo, F.
—; Capacchione, C.; Schiavo, V.; Proto, A.: Reactivity of Styrene and Substituted Styrenes in the Presence of a Homogeneous Isospecific Titanium Catalyst, 1486C
Deepa, P.
—; Divya, K.; Jayakannan, M.: Synthesis and Liquid Crystalline Properties of New Amide-Modified Poly(1,4-Cyclohexanedimethylene-terephthalate), 42C
—; Jayakannan, M.: Microporous Polyurethanes: Synthesis and Investigation of the Mechanism of the Pore Formation, 1296P
—; Sona, C.; Jayakannan, M.: Synthesis and Investigation of the Effect of Nematic Phases on the Glass-Trension Behavior of Novel Cycloaliphatic Liquid-Crystalline Poly(ester amide)s, 5557C
Deepak, V. D.
—; Rajan, J.; Asha, S. K.: Hydrogen Bonding and Rate Enhancement in the Photoinduced Polymerization of Telechelic Urethane Methacrylates Based on a Cycloaliphatic System: Tricyclodecane Dimethanol, 4384C
Deffieux, A. See Bouilhac, C., 6997C
Degée, P. See Duquesne, E., 744C; Paneva, D., 5468C
De Geus, M.
—; Schormans, L.; Palmans, A. R. A.; Koning, C. E.; Heise, A.: Block Copolymers by Chemoenzymatic Cascade Polymerization: A Comparison of Consecutive and Simultaneous Reactions, 4290C
De La Campa, J. G. See Ayala, V., 1414C; Calderón, V., 4063C
De La Fuente, J. L.
—; Cañamero, P. F.; Fernández-García, M.: Synthesis and Characterization of Glycidyl Methcrylate/Butyl Acrylate Copolymers Obtained at a Low Temperature by Atom Transfer Radical Polymerization, 1807C
de la Fuente, J. L. See París, R., 5304C
Delaite, C. See Glaied, O., 1796C
De La Peña, J. L. See Calderón, V., 2270C
De La Peña, J. L. See Calderón, V., 4063C
Deluca, N. W.
—; Elabd, Y. A.: Polymer Electrolyte Membranes for the Direct Methanol Fuel Cell: A Review, 2201P
De Luise, V. See Carlini, C., 200C; Carlini, C., 620C
Demiray, M. See Çaykara, T., 1645P
Demirci, S. See Çaykara, T., 426P
Deng, J.-Y. See Fan, J. W., 653C
Deng, Q. See Chen, Y., 3071C; Chen, Y., 3434C
De Pablo, J. J. See Daoulas, K. Ch., 2589P
Desprez, S. See Gabriele, S., 3022P
Deteresa, S. See Chien, A., 1898P
Detrembleur, C. See Lenoir, S., 1214C; Sciannamea, V., 6299C
De Wet-Roos, D.
—; Du Toit, A.; Joubert, D. J.: Homogeneous Tandemc Catalysis of the Bis-(Diphenylphosphino)-Amine/ Chromium Tetramerization Catalyst with Metrallocene Catalysts, 6847C
Dezhuang, Y. See Yu, G., 177P
Dhamodharan, R. See Munirasu, S., 2848C; Ramakrishnan, A., 1758C
Diana, F. S. See Kim, S., 3227P
Dias, M. L.
—; Da Silva, L. P.; Crossetti, G. L.; Galland, G. B.; Filgueiras, C. A. L.; Ziglio, C. M.: Propylene Polymerization with Nickel–Diimine Complexes Containing Pseudohalides, 458C
Díaz-Calleja, R. See Sanchis, M. J., 3135P
Dichtel, W. R.
—; Baek, K.-Y.; Fréchet, J. M. J.; Rietveld, I. B.; Vinogradov, S. A.: Amphiphilic Diblock Star Polymer Catalysts via Atom Transfer Radical Polymerization, 4939C
Dilly, S. J.
—; Carlisle, S. J.; Clark, A. J.; Shepherd, A. R.; Smith, S. C.; Taylor, P. C.; Marsh, A.: Practical Synthesis of [1,3,5]-Triazine Dendritic Molecules on Solid Supports, 2248C
Di Lorenzo, M. L. See Pyda, M., 1364P

Di Marzio, E. A.
—; What's So Special About Polymers? A Little Known Organizing Principle Gives Rise to an Abundance of Polymer Phase Transitions, 2612P
Dimos, V.
—; Sanopoulou, M.: Experimental and Theoretical Investigation of Anomalous Sorption Kinetics in the Methanol Vapor-Poly(methyl methacrylate) System at 35 °C, 3173P
Ding, L. See Liao, L., 2307C
Ding, M. See Zhang, M., 959C
Ding, P.
—; Qu, B.: Structure, Thermal Stability, and Photocrosslinking Characterization of HDPE/LDH Nanocomposites Synthesized by Melt-Intercalation, 3165P
Dirks, A. J. See Spijker, H. J., 4242C
Discher, D. E. See Ortiz, V., 1907P; Vijayan, K., 3431P
Divya, K. See Deepa, P., 42C
Dixit, N. See Bajpai, A., 3290C
Dizman, B.
—; Elasri, M. O.; Mathias, L. J.: Synthesis and Antibacterial Activities of Water-Soluble Methacrylate Polymers Containing Quaternary Ammonium Compounds, 5965C
Djouani, F.
—; Israëli, Y.; Frezet, L.; Rivaton, A.; Lessard, R. A.; Bolte, M.: New Combined Polymer/Chromium Approach for Investigating the Phototransformations Involved in Hologram Formation in Dichromated Poly(vinyl alcohol), 1317C
Do, L.-M. See Lim, E., 4709C
Dobrzynski, P.
—; Kasperczyk, J.: Synthesis of Biodegradable Copolymers with Low-Toxicity Zirconium Compounds. IV. Copolymerization of Glycolide with Trimethylene Carbonate and 2,2-Dimethyltrimethylene Carbonate: Microstructure Analysis of Copolymer Chains by High-Resolution Nuclear Magnetic Resonance Spectroscopy, 98C
—; Kasperczyk, J.: Synthesis of Biodegradable Copolymers with Low-Toxicity Zirconium Compounds. V. Multiblock and Random Copolymers of L-Lactide with Trimethylene Carbonate Obtained in Copolymerizations Initiated with Zirconium (IV) Acetylacetonate, 3184C
Doll, K. M.
—; Shogren, R. L.; Willett, J. L.: Solvent-Free Polymerization of Citric Acid and D-Sorbitol, 4259C
Dolmaire, N.
—; Méchin, F.; Espuche, E.; Pascault, J. P.: Modification of a Hydrophilic Linear Polyurethane by Crosslinking with a Polydimethylsiloxane. Influence of the Crosslink Density and of the Hydrophobic/Hydrophilic Balance on the Water Transport Properties, 48P
Dominguez, D. D. See Laskoski, M., 4559C
Domínguez-Espinosa, G. See Sanchis, M. J., 3135P
Dondero, W. E.
—; Gorga, R. E.: Morphological and Mechanical Properties of Carbon Nanotube/Polymer Composites via Melt Compounding, 864P
Dondos, A
—; Treating the Polyelectrolytes as Polymers with a Draining Effect. II. The Behavior in the Gel Permeation Chromatography, 1106P
Dong, C.-M. See Cai, C., 2034C; Feng, H., 5353C; Wang, L., 2226C
Dong, J.-Y. See Fan, G., 539C
Dong, L. See Li, Y., 9P
Dong, S. See Zhao, Y., 2412P
Dong, Y. See Hua, J., 3538-C; Li, Z., 5672C
Dong, Y. Q. See Hua, J., 3538-C
Dorgan, J. See Oliveira, N. S., 1010P
Doro, M. See Shibaya, M., 573P
Dos Santos, L. See Puskas, J. E., 6494C
Dou, S.
—; Colby, R. H.: Charge Density Effects in Salt-Free Polyelectrolyte Solution Rheology, 2001P
Douglas, E. P. See Luo, S.-C., 79P
Drache, M. See Barner-Kowollik, C., 5809C
Dragan, E. S.
—; Mihai, M.; Airinei, A.: Thermochemically Induced Binding of Methyl Orange to Polycations Containing Primary Amine Groups, 5898C
Dror, Y.
—; Cohen, Y.; Yerushalmi-Rozen, R.: Structure of Gum Arabic in Aqueous Solution, 3265P
Du, F.
—; Guthy, C.; Kashiwagi, T.; Fischer, J. E.; Winey, K. I.: An Infiltration Method for Preparing Single-Wall Nanotube/Epoxy Composites with Improved Thermal Conductivity, 1513P
Du, F.-S. See Zhang, X., 304C
Du, H. See Tang, Z., 4932C
Du, J. See Fang, Q., 3797C
Du, Q. See Xu, P., 3911C
Du, Y. See Wei, Z., 4904C
Du, Z.-J. See Liu, Y.-X., 6880C
Duan, Q
—; Miura, Y.; Narumi, A.; Shen, X.; Sato, S.-I.; Satoh, T.; Kakuchi, T.: Synthesis and Thermoresponsive Property of End-Functionalized Poly(*N*-isopropylacrylamide) with Pyrenyl Group, 1117C
Dubey, K. A.
—; Bhardwaj, Y. K.; Chaudhari, C. V.; Bhattacharya, S.; Gupta, S. K.; Sabharwal, S.: Radiation Effects on SBR-EPDM Blends: A Correlation with Blend Morphology, 1676P
Dubkov, K. A.
—; Semikolenov, S. V.; Babushkin, D. E.; Echevskaya, L. G.; Matsko, M. A.; Ivanov, D. P.; Zakharov, V. A.; Parmon, V. N.; Panov, G. I.: New Reaction for the Preparation of Liquid Rubber, 2510C
DuBois, P. See Pluta, M., 299P, 312P
Dubois, P. See Duquesne, E., 744C; Paneva, D., 5468C
Duchet, J. See Jacquelot, E., 431P
Dumas, P. See Glaied, O., 1796C
Du Prez, F. E. See Van Durme, K., 461P
Duquesne, E.
—; Labruyére, C.; Habimana, J.; Degee, P.; Dubois, P.:

Copper-Based Supported Catalysts for the Atom Transfer Radical Polymerization of Methyl Methacrylate: How Can Activity and Control Be Tuned Up?, 744C

Durmaz, H. See 1396C; Erdogan, T.

—; Colakoglu, B.; Tunca, U.; Hizal, G.: Preparation of Block Copolymers via Diels–Alder Reaction of Maleimide- and Anthracene-End Functionalized Polymers, 1667C

—; Karatas, F.; Tunca, U.; Hizal, G.: Heteroarm H-Shaped Terpolymers through the Combination of the Diels–Alder Reaction and Controlled/Living Radical Polymerization Techniques, 3947C

—; Karatas, F.; Tunca, U.; Hizal, G.: Preparation of ABC Miktoarm Star Terpolymer Containing Poly(ethylene glycol), Polystyrene, and Poly(*tert*-butylacrylate) Arms by Combining Diels–Alder Reaction, Atom Transfer Radical, and Stable Free Radical Polymerization Routes, 499C

Dutcher, J. R. See Roth, C. B., 3011P

Du Toit, A. See De Wet-Roos, D., 6847C

Dvořánková, B. See Toman, L., 2891C

Dvořanková, B. See Toman, L., 6378C

Dvornic, P. R.

—; PAMAMOS: The First Commercial Silicon-Containing Dendrimers and Their Applications, 2755C

Eagles, K. See Nguyen, T. L. U., 4372C

Ebeling, A. See Capacchione, C., 1908C

Echevskaya, L. G. See Dubkov, K. A., 2510C

Eftekhari, A.

—; Afshani, R.: Electrochemical Polymerization of Aniline in Phosphoric Acid, 3304C

Eichhorn, K.-J. See Serghei, A., 3006P

Ekin, A.

—; Webster, D. C.: Library Synthesis and Characterization of 3-Aminopropyl-Terminated Poly(dimethylsiloxane)s and Poly(ϵ-caprolactone)-*b*-Poly(dimethylsiloxane)s, 4880C

—; Webster, D. C.: Library Synthesis and Characterization of 3-Aminopropyl-Terminated Poly(dimethylsiloxane)s and Poly(ϵ-caprolactone)-*b*-Poly(dimethylsiloxane)s, 6146C

Elabd, Y. A. See Deluca, N. W., 2201P

Elaäissari, A. See Montagne, F., 2642C

Elasri, M. O. See Dizman, B., 5965C

El Gharbi, R. See Dali, S., 3025C

Elices, M. See Plaza, G. R., 994P

Elliott, J. M. See Dargaville, T. R., 3253P

Ellmann, J. See Beginn, U., 1299C

Elmér, A. M.

—; Jannasch, P.: Synthesis and Characterization of Poly(ethylene oxide-*co*-ethylene carbonate) Macromonomers and Their Use in the Preparation of Crosslinked Polymer Electrolytes, 2195C

El-Toufaili, F.-A.

—; Feix, G.; Reichert, K.-H.: Mechanistic Investigations of Antimony-Catalyzed Polycondensattion in the Synthesis of Poly(ethylene terephthalate), 1049C

Eltringham, W. See Abbott, A. P., 1072P

Elzein, T.

—; Kreim, V.; Bistac, S.: Confinement of Polystyrene at Interfaces: Consequences on Chain Orientation, 1268P

—; Kreim, V.; Ghorbal, A.; Bistac, S.: Structural Anisotropy in Friction-Deposited Layers of Polystyrene, 3272P

Emre, D. See Bicak, N., 1900C

Emrick, T. See Glogowski, E., 5076C

Endo, K.

—; Kitagawa, T.; Nakatani, K.: Effect of an Alkyl Substituted in Salen Ligands on 1,4-Cis Selectivity and Molecular Weight Control in the Polymerization of 1,3-Butadiene with (Salen) Co(II) Complexes in Combination with Methylaluminoxane, 4088C

Endo, T. See Hino, T., 395C; Itagaki, Y., 681C; Iwamura, T., 2714C; Kamimura, Y., 2448C; Komatsu, H., 3966C; Kume, M., 7040C; Kume, M., 3666C; Morinaga, H., 1985C; Morinaga, H., 3778C; Morinaga, H., 6633C; Motokucho, S., 6324C; Nagai, D., 2937C; Nagai, D., 3233C; Nagai, D., 4281C; Nagai, D., 4795C; Nagasawa, T., 5519C; Ochiai, B., 2802C

Engels, T. A. P.

—; Govaert, L. E.; Peters, G. W. M.; Meijer, H. E. H.: Processing-Induced Properties in Glassy Polymers: Application of Structural Relaxation to Yield Stress Development, 1212P

Ennis, D.

—; Betz, H.; Ade, H.: Direct Spincasting of Polystyrene Thin Films onto Poly(methyl methacrylate), 3234P

Enomoto, M. See Shibaya, M., 573P

Erdodi, G. See Daum, J., 4039C; Daum, J., 4053C; He, C., 1474P

Erdogan, T. See Ilhanli, O. B., 3374C

—; Gungor, E.; Durmaz, H.; Hizal, G.; Tunca, U.: Photoresponsive Poly(methyl methacrylate)$_2$–(Polystyrene)$_2$ Miktoarm Star Copolymer Containing an Azobenzene Moiety at the Core, 1396C

Erman, B. See Gursoy, A., 3667P

Eroğlu, M. S. See Çaykara, T., 426P

Eslami, H.

—; Zhu, S.: Emulsion Atom Transfer Radical Block Copolymerization of 2-Ethylhexyl Methacrylate and Methyl Methacrylate, 1914C

Esnault, P. See Achalla, P., 492P

Espinet, P. See Albéniz, A. C., 5682C

Espinosa, M. A. See Andreu, R., 1529C

Espuche, E. See Dolmaire, N., 48P; Jacquelot, E., 431P

Evstratova, S. I.
—; Antrim, D.; Fillingane, C.; Pojman, J. A.: Isothermal Fontral Polymerization: Confirmation of the Isothermal Nature of the Process and the Effect of Oxygen and Polymer Seed Molecular Weight on Front Propagation, 3601C

Ezell, R. C.
—; Gorman, I.; Lokitz, B.; Ayres, N.; McMormick, C. L.: Stimuli-Responsive Ampholytic Terpolymers of *N*-Acryloyl-valine, Acrylamide, and (3-Acrylamidopropyl)trimethyl-ammonium Chloride: Synthesis, Characterization, and Solution Properties, 3125C

Ezell, R. G.
—; Gorman, I.; Lokitz, B.; Treat, N.; McConaughy, S. D.; McCormick, C. L.: Polyampholyte Terpolymers of Amphoteric, Amino Acid-Based Monomers with Acrylamide and (3-Acrylamidopropyl)trimethyl ammonium Chloride, 4479C

Falciola, L. See Ferruti, P., 2316C

Fan, B. See Hou, J., 1279C

Fan, D.
—; He, J.; Xu, J.; Tang, W.; Liu, Y.; Yang, Y.: Synthesis of SAN-Containing Block Copolymers Using RAFT Polymerization, 2260C

Fan, G.
—; Dong, J.-Y.; Wang, Z.; Chung, T.-C.: A New Synthetic Route to Borane-Terminated Isotactic Polypropylenes via Styrene/Hydrogen Consecutive Chain Transfer Reaction, 539C

Fan, H. See Qiu, S., 2841P

Fan, J.-W.
—; Deng, J.-Y.; Xing, C.-M.; Yang, W.-T.: Fabrication of a Pore-Connected Macroporous, Crosslinked Polystyrene Monolith with Anhydride Groups Bonded onto a Pore Surface, 653C

Fan, L. See Li, H.-S., 2665C; Wang, K., 1997C

Fan, Q.-L. See Huang, Y.-Q., 5424C; Huang, Y.-Q., 5778C; Jiang, H.-J., 4346C; Wang, W.-Z., 3513C

Fan, W. See Burnham, K. S., 6909C

Fan, X. See Kong, J., 3930C

Fan, X.-D. See Si, Q.-F., 3261C

Fan, X.-H. See Zhao, X.-D., 4656C; Zhou, J.-L., 4532C; Zhou, J.-L., 6047C

Fang, C. See Huang, Y.-Q., 5778C

Fang, P. See Wang, L., 2864P

Fang, Q. See Yang, J., 2045C
—; Ren, S.; Xu, B.; Du, J.; Cao, A.: New π-Conjugated Polyaryleneetynylenes Containing a 1,3,5-Triazine Unit in the Main Chain: Synthesis and Optical and Electrochemical Properties, 3797C

Fang, Y.-K. See Liou, G.-S., 6466C

Fang, Z. See Li, J., 1499P

Farmer, B. L. See Pandey, R. B., 3580P; Pandey, R. B., 2512P; Park, S.-Y., 1948C

Farrell, T. See Nehls, B. S., 5533C

Favis, B. D. See Bhadane, P. A., 1919P; Yaun, Z., 711P

Fefelova, N. A. See Nurkeeva, Z. S., 845P

Feix, G. See El-Toufaili, F.-A., 1049C

Fenenko, L. See Mikroyannidis, J. A., 6790C

Feng, H.
—; Dong, C.-M.: Preparation and Characterization of Chitosan-*graft*-Poly(ϵ-caprolactone) with an Organic Catalyst, 5353C

Feng, J. See Wang, L., 1714P; Wang, L., 2864P

Feng, J.-C. See Jiang, H.-J., 4346C

Feng, W. See Chen, R., 1252C; Lin, Y., 3650C

Feng, Z.-G. See Yu, H., 3717C

Fernández-García, M. See Cuervo-Rodríguez, R., 5618C; De La Fuente, J. L., 1807C

Ferreira, A. See Oliveira, N. S., 1010P

Ferreiro, V. See Persyn, O., 1690P

Ferruti, P.
—; Ranucci, E.; Bianchi, S.; Falciola, L.; Mussini, P.; Rossi, M.: Novel Polyamidoamine-Based Hydrogel with an Innovative Molecular Architecture as a Co^{2+}-, Ni^{2+}-, and Cu^{2+}-Sorbing Material: Cyclovoltammetry and Extended X-Ray Absorption Fine Structure Studies, 2316C

Feshler, M. See Huang, X., 2346P

Filardo, G. See Galia, A., 2406C; Giaconia, A., 4122C

Filgueiras, C. A. L. See Dias, M. L., 458C

Filina, E. A. See Annenkov, V. V., 820C

Fillingane,C. See Evstratova, S. I., 3601C

Finelli, L. See Siracusa, V., 1562P

Finlay, J. A. See Gädda, T. M., 2237C; Grunlan, M. A., 2551C

Finn, M. G. See Li, C., 5513C

Finne, A. See Odelius, K., 596C

Fischer, J. E. See Du, F., 1513P

Fontaine, L. See Fournier, D., 5316C

Foot, P. J. S. See Kemp, N. T., 1331P

Forcada, J. See Imaz, A., 443C; Liu, S., 4187C; Ramos, J., 4461C

Forster, A. M.
—; Mays, J. W.; Kilbey, S. M. II: Effect of Temperature on the Frictional Forces between Polystyrene Brushes, 649P

Fortenberry, D. I. See Binici, B.,1387C

Fossum, E. See Kaiti, S., 2099C

Foster, P. See So, Y.-H., 1591C

Fouassier, J. P. See Lelevée, J., 3577C

Fournier, D.
—; Pascual, S.; Montembault, V.; Fontaine, L.: Elaboration of Well-Defined Rasta Resins and Their Use as Supported Catalytic Systems for Atom Transfer Radical Polymerization, 5316C

Fradet, A. See Dali, S., 3025C

Fragouli, P.
—; Iatrou, H.; Hadjichristidis, N.; Sakurai, T.; Matsunaga, Y.; Hirao, A.: Synthesis of Well-Defined Miktoarm Star Polymers of Poly (dimethylsiloxane) by the Combination of Chlorosilane and Benzyl Chloride Linking Chemistry, 6587C

Fragouli, P. G.
—; Iatrou, H.; Hadjichristidis, N.; Sakurai, T.; Hirao, A.: Synthesis and Characterization of Model 3-Miktoarm Star Copolymers of Poly(dimethylsiloxane) and Poly(2-vinylpyridine), 614C
Francis, B.
—; Thomas, S.; Asari, G. V.; Ramaswamy, R.; Jose, S.; Rao, V. L.: Synthesis of Hydroxyl-Terminated Poly(ether ether ketone) with Pendent *tert*-Butyl Groups and Its Use as a Toughener for Epoxy Resins, 541P
Francis, R. S.
—; Patterson, G. D.; Kim, S. H.: Liquid-like Structure of Polymer Solutions Near the Overlap Concentration, 703P
Franco, L. See Botines, E., 1199C; Zurita, R., 993C
Fréchet, J. M. J. See Dichtel, W. R., 4939C
Fredin, N. J. See Zhang, J., 5161C
Fredrickson, G. H. See Bosse, A. W., 2495P
Freeman, B. D. See Kalakkunnath, S., 2058P
Frezet, L. See Djouani, F., 1317C
Friess, K. See Tokarev, A., 832P
Fritsch, D. See Kricheldorf, H. R., 5344C
Fu, C.-W. See Liaw, D.-J., 4428C
Fu, H.-K. See Yei, D.-R., 347P
Fu, Q. See Jia, Z., 3836C; Jia, Z., 6071C
Fu, S. See Li, M., 5887C
Fu, T. See Wang, Z., 1967C
Fu, Z. See Shi, Y., 2069C; Shi, Y., 2468C
Fujikawa, S.-I. See Ohmae, M., 5014C
Fujiki, M. See Saxena, A., 5060C
Fujimori, A. See Masuya, R., 416P
Fujita, T. See Naundorf, C., 3103C
Fujiwara, H.
—; Narita, T.; Hamana, H.: Cyclopolymerization of Perfluoroisopropenyl Vinylacetate, 3220C
Fukuda, T. See Barner-Kowollik, C., 5809C
Fukushima, T. See Motoyanagi, J., 5120C
Fulchiron, R. See Bustos, F., 1597P
Furukawa, D. See Matsumoto, A., 4952C
Furyk, S.
—; Zhang, Y.; Ortiz-Acosta, D.; Cremer, P. S.; Bergbreiter, D. E.: Effects of End Group Polarity and Molecular Weight on the Lower Critical Solution Temperature of Poly(*N*-isopropylacrylamide), 1492C
Fytas, G. See Michailidou, V. N., 3590P

Gaborieau, M. See De Bruyn, H., 5832C
Gabriele, S.
—; Damman, P.; Sclavons, S.; Desprez, S.; Coppée, S.; Reiter, G.; Hamieh, M.; Al Akhrass, S.; Vilmin, T.; Raphaël, E.: Viscoelastic Dewetting of Constrained Polymer Thin Films, 3022P
Gadaginamath, G. S. See Raghu, A. V., 6032C
Gädda, T. M.
—; Kus, E.; Mansfeld, F.; Finlay, J. A.; Callow, J. A.; Callow, M. E.; Kowalke, G. L.; Wendt, D. E.; Weber, W. P.: Synthesis and Properties of Q-Silicon Crosslinked Siloxane Networks: H_3PO_4-Catalyzed Sol–Gel Dehydration/Crosslinking of $\alpha,\omega-$Bis(hydroxy) oligodimethylsiloxanes with Tetrakis (hydroxydimethylsiloxy)silane, 2237C
—; Weber, W. P.: Polydiphenylsiloxane–Polydimethylsiloxane–Polydiphenylsiloxane Triblock Copolymers, 3629C
—; Weber, W. P.: Ring-Opening and Polymerization of 1-[2′-(Heptaphenylcyclotetrasiloxanyl)ethyl]-1,3,3,5,5-pentamethylcyclotrisiloxane, 137C
—; Weber, W. P.: Synthesis and Characterization of *alt*-Copoly [Oligosiloxane/1,4-Bis(ethylenediphenylsilyl) benzene]s, 4825C
Gal, Y.-S. See Naidu, B. V. K., 1555C; Naidu, B. V. K., 6498C
Galaev, I. Y. See Savina, I. N., 1952C
Galbrecht, F. See Nehls, B. S., 5533C
Galeski, A. See Jin, Y., 1795P
Galia, A. See Giaconia, A., 4122C
—; Giaconia, A.; Scialdone, O.; Apostolo, M.; Filardo, G.: Polymerization of Vinylidene Fluoride with Perfluoropolyether Surfactants in Supercritical Carbon Dioxide as a Dispersing Medium, 2406C
Galià, M. See Andreu, R., 1529C; Lligadas, G., 634C; Lligadas, G., 5630C; Lligadas, G., 6717C; Mercado, L. A., 1447C; Mercado, L. A., 1676C; Mercado, L. A., 5580C
Galiá, M. See Martín, C., 6332C
Galland, G. B. See Dias, M. L., 458C
Gallego Ferrer, G. See Boxberg, Y., 656P
Galleni, M. See Lenoir, S., 1214C
Galletti, A. M. R. See Carlini, C., 200C; Carlini, C., 1514C
Galli, G. See Bicak, N., 6708C
Galperin, A.
—; Margel, S.: Synthesis and Characterization of New Radiopaque Microspheres by the Dispersion Polymerization of an Iodinated Acrylate Monomer for X-ray Imaging Applications, 3859C
Gan, L. See Wang, N., 5863C
Gan, X. See Qiu, S., 2841P
Ganster, B. See Ullrich, G., 1686C
Gao, C. See Qiu, S., 2841P
Gao, H.
—; Chen, Y.; Zhu, F.; Wu, Q.: Copolymerization of Norbornene and Styrene Catalyzed by a Novel Anilido–Imino Nickel Complex/Methylaluminoxane System, 5237C
Gao, J. See Sun, K., 1378P; Yu, X., 409
Gao, L. See Zhang, M., 959C
Gao, L.-C. See Zhou, J.-L., 4532C
García, F. See Calderón, V., 4063C; Calderón, V., 6252C
García, F. C. See Calderón, V., 2270C
García, J. J. See Calderón, V., 6252C
García, J. M. See Calderón, V., 2270C; Calderón, V., 4063C
García-Cervera, C. J. See Bosse, A. W., 2495P
García-Serrano, J.
—; Herrera, A. M.; Pérez-Moreno, F.; Valdez, M. A.;

Pal, U.: Synthesis of Novel Ionic Polymers Containing Arsonic Acid Group, 1627P
Gardette, J. L. See Longiéras, N., 865C
Gargallo, L. See Sanchis, M. J., 3135P
Garrido, M. See Mercado, L. A., 1447C
—; Larrechi, M. S.; Rius, F. X.; Ronda, J. C.; Cádiz, V.: Curing Reaction of Glycidylthioether Resins: Kinetic Model Study by Near Infrared Spectroscopy and Multivariate Curve Resolution, 4846C
Garrou, P. See So, Y.-H., 1591C
Gasa, J. V.
—; Weiss, R. A.; Shaw, M. T.: Influence of Blend Miscibility on the Proton Conductivity and Methanol Permeability of Polymer Electrolyte Blends, 2253P
Gasemjit, P.
—; Johannsmann, D.: Thickness of the Soft Layer on Glassy Polystyrene Surfaces, 3031P
Gawdzik, B. See Podkościelna, B., 7014C
Gaymans, R. J. See Van Der Schuur, M., 4769C
Gazi, M. See Bicak, N., 6708C
Gazzno, M. See Siracusa, V., 1562P
Ge, J. See Trujillo-Lemon, M., 3921C
Ge, X. See Song, L., 2533C
Ge, Z.
—; Lou, S.; Liu, S.: Syntheses and Self-Assembly of Poly(benzyl ether)-*b*-Poly(*N*-isopropylacrylamide) Dendritic–Linear Diblock Copolymers, 1357C
Gedde, U. W. See Ritums, J. E., 641P
Geissler, E. See Horkay, F., 3679P
Gendler, S.
—; Groysman, S.; Goldschmidt, Z.; Shuster, M.; Kol, M.: Polymerization of 4-Methylpentene and Vinylcyclohexane by Amine Bis(phenolate) Titanium and Zirconium Complexes, 1136C
Geng, J. See Zhou, Y., 764P
Georga, S. N. See Psarras, G. C., 3078P
Georges, M. K. See Chan-Seng, D., 4027C; Szurhan, A. R., 5708C
Gérard, J.-F. See Jacquelot, E., 431P
Germack, D. S.
—; Harrisson, S.; Brown, G. O.; Wooley, K. L.: Influence of the Structure of Nanoscopic Building Blocks on the Assembly of Micropatterned Surfaces, 5218C
Ghorbal, A. See Elzein, T., 3272P
—; Bistac, S.; Schmitt, M.: Friction and Nanowear of Polystyrene Against Hydrophobic and Hydrophilic Substrates, 2449P
Giaconia, A. See Galia, A., 2406C
—; Filardo, G.; Scialdone, O.; Galia, A.: Continuous Reaction System to Investigate the Dispersion Polymerization of Vinyl Monomers in Supercritical Carbon Dioxide, 4122C
Giamberini, M. See Callau, L., 1877C; Ribera, D., 6270C
—; Reina, J. A.; Ronda, J. C.: Influence of the Side Group Shape on the Arrangement of Liquid-Crystalline Polyethers Obtained by Ring Opening Polymerization of Oxiranes, 1722C
Gibbons, O.
—; Carroll, W. M.; Aldabbagh, F.; Yamada, B.: Nitroxide-Mediated Controlled Statistical Copolymerizations of *N*-Isopropylacrylamide with *N-tert*-Butylacrylamide, 6410C
Gil, M. H. See Coelho, J. F. J., 2809C; Coelho, J. F. J., 3001C
Gilbert, R. G. See De Bruyn, H., 5832C
Ginzburg, V. V. See He, G., 2389P
Glaied, O.
—; Delaite, C.; Dumas, P.: Synthesis of A_2B Star Block Copolymers from a Heterotrifunctional Initiator, 1796C
Glass, T. E. See Roy, A., 2226P
Glogowski, E.
—; Tangirala, R.; Russell, T. P.; Emrick, T.: Functionalization of Nanoparticles for Dispersion in Polymers and Assembly in Fluids, 5076C
Gnanou, Y. See Quèmener, D., 2784C
Gobsch, G. See Ashraf, R. S., 6952C
Goel, V.
—; Chatterjee, T.; Bombalski, L.; Yurekli, K.; Matyjaszewski, K.; Krishnamoorti, R.: Visoelastic Properties of Silica-Grafted Poly(styrene–acrylonitrile) Nanocomposites, 2014P
Goeta, A. E. See Lagrille, O., 1926C
Goldschmidt, Z. See Gendler, S., 1136C
Golovanov, D. G. See Lozinskaya, K. A., 380C
Gomes, D.
—; Buder, I.; Nunes, S. P.: Sulfonated Silica-Based Electrolyte Nanocomposite Membranes, 2278P
Gonçalves, P. M. O. F. See Coelho, J. F. J., 2809C; Coelho, J. F. J., 3001C
Gong, P. See Nap, R., 2638P
González, L.
—; Ramis, X.; Salla, J. M.; Mantecón, A.; Serra, A.: Reduction of the Shrinkage of Thermosets by the Cationic Curing of Mixtures of Diglycidyl Ether of Bisphenol A and 6,6-Dimethyl-(4,8-dioxaspiro[2.5]octane-5,7-dione), 6869C
Gopakumar, S.
—; Nair, M. R. G.: Solution Properties of NR/PU Block Copolymers by Size-Exclusion Chromatography and Viscometry, 2104P
Gopalan, A. See Huang, L.-M., 3843C
Gopalan, A. I. See Reddy, K. R., 3355C
Gordon, J.
—; Ballato, J.; Jin, J.; Smith, D. W., Jr.: Spectroscopic Properties as a Function of Fluorine Content in Eu^{3+}: PMMA, 1592P
Gorga, R. E. See Dondero, W. E., 864P
Gorman, I. See Ezell, R. C., 3125C; Ezell, R. G., 4479C
Gosen, C. See Zhu, J., 192C
Goto, A. See Barner-Kowollik, C., 5809C
Goto, H.
—; Akagi, K.: Vertically Aligned Polypyrrole Drawing a Fingerprint Array Prepared by Electrochemical

Polymerization in Chiral Nematic Electrolyte, 1042C
Gotoh, Y. See Khan, M. R., 3418P; Uddin, A. J., 398P
Govaert, L. E. See Engels, T. A. P., 1212P
Gower, M. D.
—; Shanks, R. A.: Acrylic Acid Level and Adhesive Performance and Peel Master-Curves of Acrylic Pressure-Sensitive Adhesives, 1237P
Grande, H. See Marcilla, R., 3958C
Graneβ, G. See Wendler, F., 1702P
Granick, S.
—; Bae, S. C.: Viewpoint: Open Questions about Polymer Interfacial Diffusion, 3434P
Grassi, A. See Cuomo, C., 3279C
Gregoriou, V. G. See Tzavalas, S., 914P
Gridnev, A. A. See Morrison, D. A., 6171C
Grigalevicius, S.
—; Ma, L.; Xie, Z.-Y.; Scherf, U.: Synthesis and Characterization of New Carbazole/Fluorene-Based Derivatives for Blue-Light-Emitting Devices, 5987C
Groeninckx, G. See Salmerón Sánchez, M., 815P
Grolier, J.-P. E. See Boyer, S. A. E., 185P
Groysman, S. See Gendler, S., 1136C
Grubb, D. T. See Murthy, N. S., 1277P
Grubbs, R. B. See Xia, Q., 5128C
Grunlan, M. A.
—; Lee, N. S.; Mansfeld, F.; Kus, E.; Finlay, J. A.; Callow, J. A.; Callow, M. E.; Weber, W. P.: Minimally Adhesive Polymer Surfaces Prepared from Star Oligosiloxanes and Star Oligofluorosiloxanes, 2551C
Gu, A. See Li, J., 1499P
Gu, J. See Lu, C., 3406P
Gu, J. J. See Zhu, Y. G., 3157P
Gu, L. See Zhang, X., 6888C
Gu, M. See Zhou, T., 371C
Guadagno, L. See Pucciariello, R., 22P
Guevara, J. L. See López-Majada, J. M., 1253P
Guillén-Castellanos, S. A.
—; Parent, J. S.; Whitney, R. A.: Synthesis and Characterization of Ether Derivatives of Brominated Poly(isobutylene-*co*-isoprene), 983C
Guinea, G. V. See Plaza, G. R., 994P
Guiot, J.
—; Ameduri, B.; Boutevin, B.; Lannuzel, T.: Original Crosslinking of Poly(vinylidene fluoride) via Trialkoxysilane-Containing Cure-Site Monomers, 3896C
Guiver, M. D. See Liu, B., 2299P
Gujraty, K. V. See Carrillo, A., 928C
Gunaratne, L. M. W. K.
—; Shanks, R. A.: Thermal Memory of Poly(3-hydroxybutyrate) Using Temperature-Modulated Differential Scanning Calorimetry, 70P
Günday, S. T.
—; Bozkurt, A.; Meyer, W. H.; Wegner, G.: Effects of Different Acid Functional Groups on Proton Conductivity of Polymer-1,2,4-Triazole Blends, 3315P
Gündüz, G. See Alkan, C., 5692C
Gungor, E. See 1396C; Erdogan, T.
Gunji, T.
—; Shimano, R.; Arimitsu, K.; Abe, Y.: Preparation and Characterization of Mesoporous Silica Thin Films from Polyethoxysiloxanes, 2542C
Guo, B.-H. See Yan, L.-T., 2902P
Guo, Q. See Liu, B., 1618P
—; Chen, F.; Wang, K.; Chen, L.: Nanostructured Thermoset Epoxy Resin Templated by an Amphiphilic Poly(ethylene oxide)-*block*-Poly(dimethylsiloxane) Diblock Copolymer, 3042P
—; Habrard, A.; Park, Y.; Halley, P. J.; Simon, G. P.: Phase Separation, Porous Sructure, and Cure Kinetics in Aliphatic Epoxy Resin Containing Hyperbranched Polyester, 889P
—; Wang, K.; Chen, L.; Zheng, S.; Halley, P. J.: Phase Behavior, Crystallization, and Nanostructures in Thermoset Blends of Epoxy Resin and Amphiphilic Star-Shaped Block Copolymers, 975P
Guo, R. See Han, J., 4229C
—; Li, Z. C.; Liu, T. Q. ; Electrochemical Polymerization of Aniline in the SDS/*n*-$C_5H_{11}OH$/H_2SO_4(aq) Lyotropic Liquid Crystal, 2388C
Guo, S. See Lu, C., 1520P; Lu, C., 3406P
Guo, S.-R. See Zhang, N., 1271C
Guo, Y. See Jing, X., 1014C; Quirk, R. P., 2684C
Guo-Qing, W. See Lin, Y., 3650C
Gupta, S. K. See Dubey, K. A., 1676P
Gupta, V. D. See Srivastava, S., 504P
Gursoy, A.
—; Keskin, O.; Turkay, M.; Erman, B.: Relationships Between Unfolded Configurations of Proteins and Dynamics of Folding to the Native State, 3667P
Guthier, C. See Ramier, J., 143P
Guthy, C. See Du, F., 1513P
Gutiérrez, J. A. See Mata-Mata, J. L., 6926C
Güven, O. See Çaykara, T., 426P; Çaykara, T., 1645P
Guy, L. See Ramier, J., 143P
Guyard, A.
—; Persello, J.; Boisvert, J.-P.; Cabane, B.: Relationship Between the Polymer/Silica Interaction and Properties of Silica Composite Materials, 1134P

Ha, C.-S. See Abraham, S., 2774C; Chung, I., 295C; Mathews, A. S., 5254C
Ha, J. See Ito, Y., 4338C
Ha, J. U.
—; Kim, M.; Lee, J.; Choe, S.; Cheong, I. W.; Shim, S. E.: A Novel Synthesis of Polymer Brush on Multiwall Carbon Nanotubes Bearing Terminal Monomeric Unit, 6394C
Haag, R. See Adeli, M., 5740C
Haba, O. See Kamimura, Y., 2448C
Habenschuss, A. See Qiu, W., 3461P
Habimana, J. See Duquesne, E., 744C
Habrard, A. See Guo, Q., 889P

Hadjichristidis, N. See Bilalis, P., 659C; Bilalis, P., 5719C; Ciolino, A., 1579C; Fragouli, P., 6587C; Fragouli, P. G., 614C; Sakellariou, G., 769C
Hagiwara, T.
—; Matsumaru, S.; Okada, Y.; Sasaki, D.; Yano, S.; Sawaguchi, T.: Functionalization and Applications of Telechelic Oligopropylenes. II. Introduction of Succinic Anhydride Units and Preparation of Multiblock Copolyolefins by Polycondensation, 3406C
Haidong, F.
—; Prediction of Infinite Dilution Solvent Activity Coefficient in Rubbery Polymer Solutions Using Engaged Species Induced Clustering (ENSIC) Model, 1668P
Hairong, L. See Vetrichelvan, M., 3763C
Hakem, I. F.
—; Lal, J.; Bockstaller, M. R.: Mixed Solvent Effect on Lithium-Coordination of Poly(ethylene oxide), 3642P
Haley, J. C. See Lodge, T. P., 756P
Halley, P. J. See Guo, Q., 889P; Guo, Q., 975P
Halligudi, S. B. See Raghu, A. V., 6032C
Hamana, H. See Fujiwara, H., 3220C
Ham H. T.
—; Choi, Y. S.; Chee, M. G.; Chung, I, J.: Singlewall Carbon Nanotubes Covered with Polystyrene Nanoparticles by *In Situ* Miniemulsion Polymerization, 573C
Hamieh, M. See Gabriele, S., 3022P
Hammouda, B. See Ho, D. L., 557P
—; Salvation Characteristics of a Model Water-Soluble Polymer, 3195P
Han, B. R. See Lee, S. J., 888C
Han, D.-H.
—; Pan, C.-Y.: Simple Route for Synthesis of H-Shaped Copolymers, 2794C
Han, D. K. See Lee, S. J., 888C
Han, H. See Bhowmik, P. K., 1028C
—; Vantine, P. R.; Nedeltchev, A. K.; Bhowmik, P. K. Main-Chain Ionene Polymers Based on *trans*-1,2-Bis(4-pyridyl)ethylene Exhibiting Both Thermotropic Liquid-Crystalline and Light-Emitting Properties, 1541C
Han, J. See Kim, W., 3612P
—; Song, G.; Guo, R.: Synthesis of Rectangular Tubes of Polyaniline/NiO Composites, 4229C
Han, S. See Cao, D., 2395C
Han, S. S. See Lee, S. G., 3567C
Hanabusa, K. See Suzuki, M., 3817C
Hao, Q. See Li, F., 1635P
Harada, A.
—; Supramolecular Polymers Based on Cyclodextrins, 5113C
Harada, M.
—; Akamatsu, N.; Ochi, M.; Tobita, M.: Investigation of Fracture Mechanism on Liquid Crystalline Epoxy Networks Arranged by a Magnetic Field, 1406P
—; Watanabe, Y.; Tanaka, Y.; Ochi, M.: Thermal Properties and Fracture Toughness of a Liquid-Crystalline Epoxy Resin Cured with an Aromatic Diamine Crosslinker Having a Mesogenic Group, 2486P
Harrelson, S. K. See Romack, T. J., 4136C
Harrison, J. S. See Park, C., 1751P
Harrisson, S. See Germack, D. S., 5218C
Hasegawa, T. See Onouchi, H., 5039C
Hashimoto, K.
—; Saito, H.; Ohsawa, R.: Glycopolymeric Inhibitors of β-Glucuronidase. III. Configurational Effects of Hydroxy Groups in Pendant Gltco-Units in Polymers upon Inhibition of β-Glucuronidase, 4895C
Hashimoto, T. See Kim, D., 3621P
Hassan, M. K.
—; Mauritz, K. A.; Storey, R. F.; Wiggins, J. S.: Biodegradable Aliphatic Thermoplastic Polyurethane Based on Poly(ϵ-caprolactone) and L-Lysine Diisocyanate, 2990C
Haung, F.
—; Hou, L.; Shen, H.; Yang, R.; Hou, Q.; Cao, Y.: Synthesis and Optical and Electroluminescent Properties of Novel Conjugated Polyelectrolytes and Their Neutral Precursors Derived from Fluorene and Benzoselenadiazole, 2521C
Haupert, F. See Xian, G., 854P
Hawker, C. J. See O'Reilly, R. K., 5203C; Tuteja, A., 1930P
Hay, A. S. See Chen, K., 900C; Xu, J., 3328C
Hayano, S.
—; Sugawara, T.; Tsunogae, Y.: Synthesis, Characterization, and Properties of Crystalline Poly(*endo*-dicyclopentadiene) Resin Made via Cis-and Isoselective Bulk Ring-Opening Metathesis Polymerization, 3153C
Hayashi, S. See Yin, Y., 3751C
He, C. See Hou, J., 1279C; Zhou, E., 4916C
—; Erdodi, G.; Kennedy, J. P.: Individual and Simultaneous Swelling of Amphiphilic Conetworks in Water and *n*-Heptane, 1474P
He, G.
—; Ginzburg, V. V.; Balazs, A. C.: Determining the Phase Behavior of Nanoparticle-Filled Binary Blends, 2389P
He, J. See Chen, P., 1020P; Fan, D., 2260C
He, L. See Zheng, Q., 1309P
He, X. See Chen, Y., 3434C
He, Z. See Zhang, X., 304C
Hecht, A.-M. See Horkay, F., 3679P
Hecht, S. See Khan, A., 1619C
Hedenqvist, M. S. See Ritums, J. E., 641P
Heeg, J. See Pyda, M., 1364P
Heinze, T. See Wendler, F., 1702P
Heise, A. See De Geus, M., 4290C
Helgeson, M. E. See Daga, V. K., 1608P
Henson, M. A. See Quevedo-Sanchez, B., 3724C
Hermanson, K. D.
—; Liu, S.; Kaler, E. W.: Kinetic Modeling of Controlled Living Microemulsion Polymerizations That Use Reversible Addition—Fragmentation Chain Transfer, 6055C
Herminghaus, S. See Seemann, R., 2968P

Hernández-López, S. See Villegas-Coss, I., 256P
Hèroguez, V. See Quèmener, D., 2784C
Herrera, A. M. See García-Serrano, J., 1627P
Hervaud, Y. See Lam, O. A., 4762C
Hetzner, J. See So, Y.-H., 1591C
Heuchel, M.
—; Böhning, M.; Hölck, O.; Siegert, M. R.; Hofmann, D.: Atomistic Packing Models for Experimentally Investigated Swelling States Induced by CO_2 in Glassy Polysulfone and Poly(ether sulfone), 1874P
Heuts, J. P. A. See Morrison, D. A., 6171C
Hexig, B. See Alata, H., 1813P
Hickner, M. A. See Roy, A., 2226P
Hietala, S.
—; Nyström, A.; Tenhu, H.; Hult, A.: Solution Properties of Dendronized Poly(hydroxy ethyl methacrylate) Polymers, 3674C
Hill, A. J. See Wilks, B. R., 215P
Hill, M. See Cho, C. G., 6007C
Hillman, A. R. See Abbott, A. P., 1072P
Hiltner, A. See Jin, Y., 1795P
Hino, T. See Komatsu, H., 3966C
—; Inoue, N.; Endo, T.: Detailed Study of the Ring-Opening Metathesis Polymerization of Norbornene Bearing a Five- or Six-Membered Ring Cyclic Carbonate along with Volume Expansion, 395C
—; Taniguchi, S.; Kuramoto, N.: Syntheses of Conductive Adhesives Based on Epoxy Resin and Polyailines by using *N-tert*-Butyl-5-methylisoxazolium Perchlorate as a Thermally Latent Curing Reagent, 718C
Hirabaru, Y. See Kanazawa, A., 5795C
Hirabayashi, T. See Takasu, A., 5247C
Hirai, M. See Yasuda, T., 3995C
Hirano, A. See Kume, M., 3666C
Hirano, T. See Sato, T., 2328C
—; Okumura, Y.; Kitajima, H.; Seno, M.; Sato, T.: Dual Roles of Alkyl Alcohols as Syndiotactic-Specificity Inducers and Accelerators in the Radical Polymerization of *N*-Isopropylacrylamide and Some Properties of Syndiotactic Poly(*N*-isopropylacrylamide), 4450C
Hirao, A. See Fragouli, P., 6587C; Fragouli, P. G., 614C; Narumi, A., 4864C
—; Sugiyama, K.; Tsunoda, Y.; Matsuo, A.; Watanabe, T.: Precise Synthesis of Well-Defined Dendrimer-Like Star-Branched Polymers by Ilerative Methodology Based on Living Anionic Polymerization, 6659C
Hirt, D. E. See Janorkar, A. V., 6534C
Hizal, G. See Altintas, O., 3242C; Altintas, O., 5699C; Altintas, O., 6458C; 1396C; Durmaz, H., 499C; Durmaz, H., 1667C; Durmaz, H., 3947C; Erdogan, T.; Ilhanli, O. B., 3374C; Mert, H., 5923C
—; Tunca, U.; Aras, S.; Mert, H.: Air-Stable and Recoverable Catalyst for Copper-Catalyzed Controlled/Living Radical Polymerization of Styrene; *In Situ* Generation of Cu(I) Species via Electron Transfer Reaction, 77C
Hlídková, H. See Cimrová, V., 524P
Ho, D. L. See Tuteja, A., 1930P
—; Hammouda, B.; Kline, S. R.; Chen, W.-R.: Unusual Phase Behavior in Mixtures of Poly(ethylene oxide) and Ethyl Alcohol, 557P
Ho, W. D. See Wu, K. H., 2657C
Hodge, T. See Achalla, P., 492P
Hodgson, L. M.
—; White, A. J. P.; Williams, C. K.: Rapid Communication: Yttrium(III) Complex as a Highly Active Catalyst for Lactide Polymerization, 6646C
Hofmann, D. See Heuchel, M., 1874P
Hogen-Esch, T. E.
—; Synthesis and Characterization of Macrocyclic Vinyl Aromatic Polymers, 2139C
Hölck, O. See Heuchel, M., 1874P
Holdcroft, S. See Siu, A., 2240P
Holler, P. See Toman, L., 6378C
Hollink, E. See Steffensen, M. B., 3411C
Hong, C. See Wang, D., 6226C
Hong, C.-Y.
—; You, Y.-Z.; Pan, C.-Y.: Functionalized Multi-Walled Carbon Nanotubes with Poly(*N*-(2-hydroxypropyl) methacrylamide) by RAFT Polymerization, 2419C
Hong, J. See Lei, P., 6600C
Hong, K. H.
—; Park, J. L.; Sul, I. H.; Youk, J. H.; Kang, T. J.: Preparation of Antimicrobial Poly(vinyl alcohol) Nanofibers Containing Silver Nanoparticles, 2468P
Hong, S.-M. See Liaw, D.-J., 6287C
Hoogenboom, R. See Becer, C. R., 6202C
Hope, E. G. See Abbott, A. P., 1072P
Hopf, A. See Karssenberg, F. G., 747P
Hoppe, H. See Ashraf, R. S., 6952C
Horák, D. See Macková, H., 968C
Hori, H. See Urakawa, O., 967P
Horkay, F.
—; Hecht, A.-M.; Geissler, E.: Similarities Between Polyelectrolyte Gels and Biopolymer Solutions, 3679P
Horsfall, J. See Siu, A., 2240P
Hoshino, M. See Oyaizu, K., 5403C
Hosoya, K. See Aoki, H., 949C
Hou, C.
—; Ji, C.; Wang, C.; Qu, R.: A Copper-Based Reverse Atom-Transfer Radical Polymerization Process for the Living Radical Polymerization of Polyacrylonitrile, 226C
—; Qu, R.; Ji, C.; Wang, Chunhua; Wang, Chengguo : Synthesis of Polyacrylonitrile via Reverse Atom Transfer Radical Polymerization Catalyzed by $FeCl_3$/Isophthalic Acid, 219C
Hou, J. See Zhang, D., 264C; Zhou, E., 2206C
—; Fan, B.; Huo, L.; He, C.; Yang, C.; Li, Y.: Poly(alkylthio-*p*-phenylenevinylene): Synthesis and Electroluminescent and Photovoltaic Properties, 1279C
Hou, L. See Haung, F., 2521C
Hou, Q. See Haung, F., 2521C; Zhuang, W., 4174C

Housni, A. See Narain, R., 6558C
Hoy, R. S.
—; Robbins, M. O.: Strain Hardening of Polymer Glasses: Effect of Entanglement Density, Temperature, and Rate, 3487P
Hsiao, B. S. See Somani, R. H., 3553P
Hsiao, S.-H. See Chung, C.-L., 3092C; Liou, G.-S., 6466C; Yang, C.-P., 5909C
—; Chang, Y.-M.; Chen, H.-W.; Liou, G.-S.: Novel Aromatic Polyamides and Polyimides Functionalized with 4-*tert*-Butyltriphenylamine Groups, 4579C
Hsieh, C.-C. See Lin, K.-F., 5572C
Hsieh, C.-H. See Chen, K.-B., 5378C
Hsieh, C.-Y. See Liu, Y.-L., 905C
Hsieh, S.-J. See Liang, W.-J., 2135P
Hsiue, G.-H.
—; Lee, R.-H.: Molecular and Collective Relaxations of Ferroelectric Side Chain Liquid Crystalline Polysiloxanes, 2035P
Hsu, C.-S. See Chen, K.-B., 5378C; Huang, C.-H., 519C
Hsu, C.-Y. See Liang, W.-J., 3444C; Liang, W.-J., 2135P
Hsu, J. C. C. See Lin, M., 5974C
Hsu, J. S. See Wu, K. H., 2657C
Hsu, K.-Y. See Liu, Y.-L., 3825C
Hsu, S.-F.
—; Wu, T.-M.; Liao, C.-S.: Isothermal Crystallization Kinetics of Poly(3-hydroxybutyrate)/Layered Double Hydroxide Nanocomposites, 3337P
Hsu, S. L.-C. See Chuang, S.-W., 4508C
Hu, C. P. See Su, T., 3365C
Hu, C.-S. See Yang, S.-H., 6738C
Hu, M. See Xu, X., 4409C
Hu, T.
—; Chen, S.; Tian, Y.; Pojman, J. A.; Chen, L.: Frontal Free-Radical Copolymerization of Urethane–Acrylates, 3018C
Hu, W. See Wang, E., 2707C
Hu, X. See Zhao, Y., 2412P
Hu, Y. See Kono, T., 5943C
Hu, Z.
—; Yin, Y.; Chen, S.; Yamada, O.; Tanaka, K.; Kita, H.; Okamoto, K.-I.: Synthesis and Properties of Novel Sulfonated (co)Polyimides Bearing Sulfonated Aromatic Pendant Groups for PEFC Applications, 2862C
Hua, C. C. See Wen, Y. H., 1199P
—; Wu, M. S.: Viscometric Properties of Dilute Polystyrene/Dioctyl Phthalate Solutions, 787P
Hua, F.
—; Jiang, X.; Li, D.; Zhao, B.: Well-Defined Thermosensitive, Water-Soluble Polyacrylates and Polystyrenics with Short Pendant Oligo(ethylene glycol) Groups Synthesized by Nitroxide-Mediated Radical Polymerization, 2454C
Hua, J.
—; Lam, J. W. Y.; Li, Z.; Qin, A.; Sun, J.; Dong, Y. Q.; Dong, Y.; Tang, B. Z.: Synthesis of Liquid Crystalline Poly(1-pentyne)s and Fabrication of Polyacetylene–Perovskite Hybrids, 3538C
Huang, C. See Liaw, D.-J., 3382C; Wang, N., 5863C
Huang, C.-C. See Liaw, D.-J., 2901C; Liaw, D.-J., 4428C; Liaw, D.-J., 6287C
—; Yang, M.-S.; Liang, M.: Synthesis of New Thermosetting Poly(2,6-dimethyl-1,4-phenylene oxide)s Containing Epoxide Pendant Groups, 5875C
Huang, C.-F. See Kuo, S.-W., 673P
Huang, C.-H.
—; Yang, S.-H.; Chen, K.-B.; Hsu, C.-S.: Synthesis and Light Emitting Properties of Polyacetylenes Having Pendent Fluorene Groups, 519C
Huang, C.-I.
—; Tsai, S.-H.; Chen, C.-M.: Isothermal Crystallization Behavior of Poly(L-lactide) in Poly(L-lactide)-*block*-Poly(ethylene glycol) Diblock Copolymers, 2438P
Huang, G. C. See Huang, L.-M., 6624C
Huang, G.-H. See Lin, H.-C., 783C
Huang, G. S. See Kong, F., 3037P
Huang, H.-X.
—; Yang, K.-K.; Wang, Y.-Z.; Wang, X.-L.; Li, J.: Synthesis, Characterization, and Thermal Properties of a Novel Pentaerythritol-Initiated Star-Shaped Poly(*p*-dioxanone), 1245C
Huang, J. See Huang, J., 3684C; Jia, Z., 3836C; Jia, Z., 6071C; Li, Z., 4361C; Xu, X., 467C; Xu, X., 1048C; Xu, X., 4396C
—; Li, Z.; Xu, X.; Ren, Y.; Huang, J.: Preparation of Novel Poly(ethylene oxide-*co*-glycidol)-graft-Poly(ε-caprolactone) Copolymers and Inclusion Complexation of the Grafted Chains with α-Cyclodextrin, 3684C
Huang, L.-M.
—; Huang, G. C.; Wen, T.-C.: Role of Anions in the Polymerization of 2,5-Dimethoxyaniline in the Presence of Poly(styrene sulfonic acid), 6624C
—; Tsai, C.-C.; Wen, T.-C.; Gopalan, A.: Simultaneous Synthesis of Silver Nanoparticles and Poly(2,5-dimethoxyaniline) in Poly(styrene sulfonic acid), 3843C
Huang, N.-K. See Liou, G.-S., 4095C
Huang, R. See Lu, J., 3148P
Huang, S. H. See Li, Z. X., 5729C
Huang, W. See Huang, Y.-Q., 5424C; Huang, Y.-Q., 5778C; Jiang, H.-J., 4346C; Wang, W.-Z., 3513C
Huang, W.-J. See Kuo, S.-W., 673P
Huang, X. See Lu, G., 5438C; Peng, D., 6857C; Yin, W., 3121P; Zhang, X., 6888C
—; Solasi, R.; Zou, Y.; Feshler, M.; Reifsnider, K.; Condit, D.; Burlatsky, S.; Madden, T.: Mechanical Endurance of Polymer Electrolyte Membrane and PEM Fuel Cell Durability, 2346P
Huang, Y. See Wu, N., 1835P
Huang, Y.-P. See Lin, J.-H., 3357P
Huang, Y.-Q.
—; Fan, Q.-L.; Li, S.-B.; Lu, X.-M.; Cheng, F.; Zhang, G.-W.; Chen, Y.; Wang, L.-H.; Huang, W.: Para-Linked and Meta-Linked Cationic Water-

Soluble Fluorene-Containing Poly(aryleneethynylene)s: Conformational Changes and Their Effects on Iron–Sulfur Protein Detection, 5424C
—; Fan, Q.-L.; Lu, X.-M.; Fang, C.; Liu, S.-J.; Yu-Wen, L.-H.; Wang, L.-H.; Huang, W.: Cationic, Water-Soluble, Fluorene-Containing Poly(arylene ethynylene)s: Effects of Water Solubility on Aggregation, Photoluminescence Efficiency, and Amplified Fluorescence Quenching in Aqueous Solutions, 5778C
Hübner, G. See Mitov, S., 3323P
Hui, C.-Y.
—; Lin, Y. Y.; Chuang, F.-C.; Shull, K. R.; Lin, W.-C.: A Contact Mechanics Method for Characterizing the Elastic Properties and Permeability of Gels, 359P
Hult, A. See Hietala, S., 3674C
Huneault, M. A. See Bhadane, P. A., 1919P
Hung, F.-Y. See Wei, K.-L., 646C
Hunt, B. J. See Canadell, J., 6728C
Huo, L. See Hou, J., 1279C
Hurd, J. See Abd-El-Aziz, A. S., 3053C
Huth, H. See Pyda, M., 1364P
—; Minakov, A. A.; Schick, C.: Differential AC-Chip Calorimeter for Glass Transition Measurements in Ultrathin Films, 2996P
Hvilsted, S. See Thomsen, A. D., 6360C
Hwang, C.-K. See Naidu, B. V. K., 1555C
Hwang, D.-H. See Lee, J., 2943C
Hwang, H.-S. See Naidu, B. V. K., 1555C
Hwang, J.-J. See Lee, H.-T., 5801C
Hwang, T. Y. See Lin, C. H., 3454C
Hyeon, T. See Park, M. J., 3571P
Hyun, H. See Kim, M. S., 5413C
—; Kim, M. S.; Khang, G.; Lee, H. B.: Ring-Opening Polymerization of Trimethylene Carbonate by Poly(ethylene glycol) in the Presence of $HCl{\cdot}Et_2O$ as a Monomer Activator, 4235C
Iannace, S. See Maio, E. D., 1863P
Iatrou, H. See Fragouli, P., 6587C; Fragouli, P. G., 614C
Ibarboure, E.
—; Rodríguez-Hernández, I.; Papon, E.: Thermotropic Liquid Crystal Behavior on PBLG-PDMS-PBLG Triblock Copolymers, 4668C
Ichimori, T. See Kimura, K., 2732C
Igarashi, T. See Tanaka, K., 25C; Tanaka, K., 88C
Ihara, E.
—; Wake, T.; Mokume, N.; Itoh, T.; Inoue, K.: α,α-Dibromotoluene as a Monomer for Poly(substituted methylene) Synthesis: Magnesium-Mediated Polycondensation of α,α-Dibromotoluene and Magnesium/Copper-Mediated Copolycondensation of α,α-Dibromotoluene with 1,6-Dibromohexane, 5661C
—; Yoshida, N.; Ikeda, J.-I.; Itoh, T.; Inoue, K.: Cationic Polymerization of Isobutyl Vinyl Ether Initiated with Transition-Methalate Complexes, 2636C
Iijima, M.
—; Nagasaki, Y.: Synthesis of Poly[*N*-isopropylacrylamide-*g*-poly(ethylene glycol)] with a Reactive Group at the Poly(ethylene glycol) End and Its Thermosensitive Self-Assembling Character, 1457C
Ikeda, J.-I. See Ihara, E., 2636C
Ilhanli, O. B.
—; Erdogan, T.; Tunca, U.; Hizal, G.: Acrylonitrile-Containing Polymers via a Combination of Metal-Catalyzed Living Radical and Nitroxide-Mediated Free-Radical Polymerization Routes, 3374C
Im, J.-H. See So, Y.-H., 1591C
Im, S. S. See Lim, J. S., 2852P
Imai, T. See Oyaizu, K., 5403C; Satoh, T., 406C
Imaoka, T.
—; Tanaka, R.; Yamamoto, K.: Synergetic Activation of Carbon Dioxide Molecule Using Phenylazomethine Dendrimers as a Catalyst, 5229C
Imaz, A.
—; Ayerbe, M.; Ramos, J.; Forcada, J.: Synthesis and Characterization of Saccharide-Based Latex Particles, 443C
In, I.
—; Kim, S. Y.: Poly(arylene thioether) Synthesis via Nitro-Displacement Reaction, 2440C
Inagi, S. See Naka, K., 2027C
Inai, I. See Kato, M., 1182C
Inoue, K. See Ihara, E., 2636C; Ihara, E., 5661C
Inoue, N. See Hino, T., 395C
Inoue, T. See Matsumiya, Y., 3501P
Inoue, Y. See Alata, H., 1813P
Ionkin, A. S.
—; Marshall, W. J.; Adelman, D. J.; Shoe, A. L.; Spence, R. T.; Xie, T.: Nitro-Substituted Iron(II) Tridentate Bis(imino)pyridine Complexes as High-Temperature Catalysts for the Production of α-Olefins, 2615C
Iraqi, A.
—; Pegington, R. C.; Simmance, T. G.: Postmodification of Poly(9-alkyl-pH-carbazole-2,7-diyl)s as a Route to New Main-Chain-Functionalized Carbazole Polymers, 3336C
Irie, S. See Sasaki, T., 2475P
Irisawa, T. See Nasir, M., 779P
Isayev, A. I.
—; Shyu, G. D.; Li, C. T.: Residual Stresses and Birefringence in Injection Molding of Amorphous Polymers: Simulation and Comparison with Experiment, 622P
Ishiguro, H. See Onouchi, H., 5039C
Ishihara, H. See Satoh, T., 406C; Shibaya, M., 573P
Ishii, N. See Motoyanagi, J., 5120C
Ishikawa, M. See Oyaizu, K., 5403C
Ishizone, T. See Ito, M., 4832C
Ishizu, K.
—; Katsuhara, H.; Itoya, K.: Synthesis of Amphiphilic Star Block Copolymers via Diethyldithiocarbamate-Mediated Living Radical Polymerization, 3321C
Ishizuka, N. See Aoki, H., 949C

Israêli, Y. See Djouani, F., 1317C
Itagaki, Y.
—; Sudo, A.; Endo, T.: Unexpected Substituent Effect by a Comonomer Unit on the Reactivity of an Isocyanate Group in a Copolymer Side Chain, 681C
Ito, K. See Araki, J., 532C; Araki, J., 6312C; Samitsu, S., 1985C
Ito, M.
—; Ishizone, T.: Living Anionic Polymerization of *N*-Methoxymethyl-*N*-isopropylacrylamide: Synthesis of Well-Defined Poly (*N*-isopropylacrylamide) Having Various Stereoregularity, 4832C
Ito, Y.
—; Shimada, T.; Ha, J.; Vacha, M.; Sato, H.: Synthesis and Characterization of a Novel Electroluminescent Polymer Based on a Phenoxazine Derivative, 4338C
Itoh, T. See Ihara, E., 2636C; Ihara, E., 5661C
Itoya, K. See Ishizu, K., 3312C
Ivanov, D. P. See Dubkov, K. A., 2510C
Ivanović, N.
—; Radisavljević, I.; Marjanović, D.; Bojanić, S.; Carreras, C.: Molecular Size and Conformational Effects on Oligophenylene's Electronic and Vibrational Properties, 1783P
Iwamoto, R.
—; Matsuda, T.; Amiya, S.; Yamamoto, T.: Interactions of Water with OH Groups in Poly(ethylene-*co*-vinyl alcohol), 2425P
Iwamura, T.
—; Nakagawa, T.; Endo, T.: Synthesis and Radical Polymerization Behavior of Bifunctioinal Vinyl Monomer Derived from *N*-Vinylacetamide and *p*-Chloromethylstyrene, 2714C
Iwan, A.
—; Kaczmarczyk, B.; Kasperczyk, J.; Jurusik, J.; Janeczek, H.; Sek, D.; Mazurak, Z.: Polyketanils. Polymers Protonated with Bronsted Acid, 5645C
Iyer, S.
—; Schiraldi, D. A.: Role of Ionic Interactions in the Compatibility of Polyester Ionomers with Poly(ethylene terephthalate) and Nylon 6, 2091P
Izzo, L.
—; Puranen, A. J.; Repo, T.; Oliva, L.: Comparison of the C_1-Symmetric Diastereoisomers of a Zirconocene-Based Catalyst in Ethylene Polymerization: A Benzyl Substituent as a Regulator in Branch Formation, 3551C

Jacobs, K. See Seemann, R., 2968P
Jacquelot, E.
—; Espuche, E.; Gérard, J.-F.; Duchet, J.; Mazabraud, P.: Morphology and Gas Barrier Properties of Polyethylene-Based Nanocomposites, 431P
Jaffrennou, B. See Soulé, E. R., 2821P
Jalani, N. H. See Choi, P., 2183P
Jamieson, A. M. See Zhao, Y., 2412P
Janata, M. See Toman, L., 2891C; Toman, L., 6378C
Janeczek, H. See Iwan, A., 5645C
—; Synthesis of Polyisoprene–Poly(methyl methacrylate) Block Copolymers via a Two-Electron-Transfer Mechanism, 1086C
Janke, A. See Thunga, M., 2776P
Jannasch, P. See Elmér, A. M., 2195C
Janorkar, A. V.
—; Proulx, S. E.; Metters, A. T.; Hirt, D. E.: Surface-Confined Photopolymerization of Single- and Mixed-Monomer Systems to Tailor the Wettability of Poly(L-lactide) Film, 6534C
Jasso, A. R. See Sanenz-Galindo, A., 676C
Jasti, B. See Wamsley, A., 4328C
Jawalkar, S. S. See Raghu, A. V., 6032C
Jayakannan, M. See Deepa, P., 42C; Deepa, P., 5557C; Deepa, P., 1296P
Jaycox, G. D.
—; Stimuli-Responsive Polymers. VIII. Polyesters and Poly(ester amides) Containing Azobenzene and Chiral Binaphthylene Segments: Highly Adaptive Materials Endowed with Light-, Heat-, and Solvent-Regulated Optical Rotatory Power, 207C
Jedrzejewska, B. See Kabatc, J., 6345C
Jen, A. K-Y. See Yang, C.-C., 5495C
Jeng, J.
—; Dai, C.-A.; Chiu, W.-Y.; Chern, C.-S.; Lin, K.-F.; Young, P.-Y.: Influence of Hexadecane on the Formation of Droplets and Growth of Particles for Methyl Methacrylate Miniemulsion Polymerization, 4603C
Jerome, R. See Varshney, S. K., 3400C
Jérôme, R. See Debuigne, A., 1233C; Lenoir, S., 1214C; Riva, R., 6015C; Sciannamea, V., 6299C
Jewrajka, S. K.
—; Chatterjee, U.: Block Copolymer Mediated Synthesis of Amphiphilic Gold Nanoparticles in Water and an Aqueous Tetrahydrofuran Medium: An Approach for the Preparation of Polymer-Gold Nanocomposites, 1841C
Ji, C. See Hou, C., 219C; Hou, C., 226C
Jia, L. See Yang, J., 2045C
Jia, Z. See Xu, X., 4396C
—; Fu, Q.; Huang, J.: Synthesis of Poly(ethylene oxide) with Pending 2,2,6,6-Tetramethylpiperidine-1-oxyl Groups and Its Further Initiation of the Grafting Polymerization of Styrene, 3836C
—; Xu, X.; Fu, Q.; Huang, J.: Synthesis and Self-Assembly Morphologies of Amphiphilic Multiblock Copolymers [Poly(ethylene oxide)-*b*-polystyrene]$_n$ via Trithiocarbonate-Embedded PEO Marco-RAFT Agent, 6071C
Jia, Z.. See Xue, J., 2050P
Jian, L. See Wang, N., 5863C
Jiang, H.-J.
—; Wang, H.-Y.; Feng, J.-C.; Wang, C.-M.; Fan, Q.-L.; Wei, W.; Huang, W.: Novel Oligomers Based on Fluorene and 2,4-Difluorobnenzene: Correlation between the Structures and Optical Properties, 4346C

Jiang, L. See Yin, W., 3121P
Jiang, X. See Hua, F., 2454C; Wang, H., 3738C
Jiang, Y. See Zhang, W., 6640C
Jie, S. See Zhang, D., 264C
Jin, F.-L.
—; Park, S.-J.: Thermal Properties and Toughness Performance of Hyperbranched-Polyimide-Modified Epoxy Resins, 3348P
Jin, J. See Gordon, J., 1592P
Jin, J.-I. See Mikroyannidis, J. A., 4494C
Jin, S.-H. See Naidu, B. V. K., 1555C; Naidu, B. V. K., 6498C
Jin, Y. See Zhou, T., 371C
—; Hiltner, A.; Baer, E.; Masirek, R.; Piorkowska, E.; Galeski, A.: Formation and Transformation of Smectic Polypropylene Nanodroplets, 1795P
Jing, X. See Sun H., 3469C; Tang, Z., 4932C; Wang, W., 5505C
—; Wang, Y.; Wu, D.; She, L.; Guo, Y.: Polyaniline Nanofibers Prepared with Ultrasonic Irradiation, 1014C
Jirachaithorn, P. See Anantawaraskul, S., 2749P
Johannsmann, D. See Gasemjit, P., 3031P
Joralemon, M. J. See O'Reilly, R. K., 5203C
Jose, S. See Francis, B., 541P
Joubert, D. J. See De Wet-Roos, D., 6847C
Ju, C. H. See Chang, J.-H., 387P
Ju, J.-Y. See Liaw, D.-J., 3382C
Jung, B.-J. See Lim, E., 243C; Lim, E., 4709C
Jung, S.-H.
—; Kim, D. Y.; Cho, H.-N.; Suh, D. H.: Synthesis and Properties of New Fluorene-Based Polyquinoxalines with an Ether Linkage in the Main Chain for Light-Emitting Diodes, 1189C
Jung, S. O. See Kim, Y.-H., 4923C
Jung, S.-Y. See Kim, Y.-H., 4923C
Jung, Y. K.
—; Lee, J.; Lee, S. K.; Cho, H.-J.; Shim, H.-K.: Fluorene Copolymers Containing Bithiophene/2,5-or 2,6-Pyridine Units: A Study of their Optical, Electrochemical, and Electroluminescence Properties, 4611C
Jungnickel, B.-K. See Liu, J., 338P
Jurusik, J. See Iwan, A., 5645C

Kabatc, J.
—; Jedrzejewska, B.; Paczkowski, J.: New Heterobicationic Hemicyanine Dyes: Synthesis, Spectroscopic Properties, and Photoinitiating Ability, 6345C
Kacker, S. See Baugh, L. S., 1817C
Kaczmarczyk, B. See Iwan, A., 5645C
Kaga, H. See Narumi, A., 3978C; Narumi, A., 4864C; Sakai, R., 325C; Satoh, T., 406C
Kagawa, Y. See Naous, W., 1466P
Kai, T.
—; Suma, Y.; Ono, S.; Yamaguchi, T.; Nakao, S.: Effect of the Pore Surface Modification of an Inorganic Substrate on the Plasma-Grafting Behavior of Pore-Filling-Type Organic/Inorganic Composite Membranes, 846C
Kaim, A.
—; Megiel, E.: Transition States for Deactivation Reactions in the Modeled 2,2,6,6-Tetramethyl-1-piperidinyloxy-Mediated Free-Radical Polymerization of Acrylonitrile, 914C
Kaiser, A. B. See Kemp, N. T., 1331P
Kaiti, S.
—; Fossum, E.: Effect of Reaction Conditions on the Molecular Weight and Polydispersity of Linear Poly(arylene ether phosphine oxide)s Prepared from an AB Monomer, 2099C
Kakiage, M. See Uehara, H., 1731P
—; Yamanobe, T.; Komoto, T.; Murakami, S.; Uehara, H.: Effects of Molecular Characteristics and Processing Conditions on Melt-Drawing Behavior of Ultrahigh Molecular Weight Polyethylene, 2455P
Kakuchi, R. See Sakai, R., 325C
Kakuchi, T. See Duan, Q., 1117C; Miura, Y., 1436C; Narumi, A., 3978C; Narumi, A., 4864C; Sakai, R., 325C; Satoh, T., 406C
Kalakkunnath, S.
—; Kalika, D. S.; Lin, H.; Freeman, B. D.: Viscoelastic Characteristics of UV Polymerized Poly(ethylene glycol) Diacrylate Networks with Varying Extents of Crosslinking, 2058P
Kaler, E. W. See Hermanson, K. D., 6055C
Kaliaguine, S. See Liu, B., 2299P
Kalika, D. S. See Kalakkunnath, S., 2058P
Kaluzynski, K. See Pretula, J., 2358C
Kamigaito, M. See Mizuno, N., 6214C; Shibata, T, 3609C; Sugiyama, Y., 2086C; Terashima, T., 4966C; Yamamoto, C., 5087C
—; Satoh, K.: Stereospecific Living Radical Polymerization for Simultaneous Control of Molecular Weight and Tacticity, 6147C
Kamimura, Y.
—; Haba, O.; Endo, T.: Latent Reactive Polymers Containing Isocyanate Moiety That Show Extreme Stability Under Aerobic Atmosphere, 2448C
Kaminsky, W. See Karssenberg, F. G., 747P; Piel, C., 1600C
Kamiya, Y. See Yamamoto, C., 5087C
Kanamoto, T. See Sawai, D., 3369P; Sawai, D.,153P
Kanaoka, S. See Kanazawa, A., 5795C
Kanazawa, A.
—; Hirabaru, Y.; Kanaoka, S.; Aoshima, S.: Fast Living Cationic Polymerization of Vinyl Ethers with Iron(III) Chloride in the Presence of a Cyclic Ether: Most Active and Environmentally Benign Catalyst for the Living Cationic Polymerization of Vinyl Ethers, 5795C
Kane, R. S. See Carrillo, A., 928C
Kaneko, H. See Narumi, A., 3978C
Kaneko, N. See Narumi, A., 4864C

Kang, E.-T. See Liaw, D.-J., 2901C
Kang, J.-M. See Lee, J., 2943C
Kang, T. J. See Hong, K. H., 2468P
Kang, Y. S. See Kim, J. H., 1168P; Kim, J. H., 1434P
Kappaun, S. See Buchgraber, C., 4317C
—; Zelzer, M.; Bartl, K.; Saf, R.; Stelzer, F.; Slugovc, C.: Preparation of Poly(fluorene)s Using *trans*-Bis(dicyclohexylamine)palladium Diacetrate as a Catalyst: Scope and Limitations 2130C
Karagoz, B. See Bicak, N., 1900C; Bicak, N., 6025C
Karahaliou, P. K. See Psarras, G. C., 3078P
Karakawa, H. See Mouri, E., 2789P
Karastatiris, P. See Cimrová, V., 524P
Karasz, F. E. See Liao, L., 2307C
Karatas, F. See Durmaz, H., 499C; Durmaz, H., 3947C
Karesoja, M. See Sereaidaris, T., 4743C
Karim, A. See Achalla, P., 492P
Karim, M. R.
—; Lee, C. J.; Lee, M. S.: Synthesis and Characterization of Conducting Polythiophene/Carbon Nanotubes Composites, 5283C
Karssenberg, F. G.
—; Mathot, V. B. F.; Zwartkruis, T. J. G.: Chain Microstructure of Homogeneous Ethylene-1-Alkene Copolymers and Characteristics of Single Site Catalysts Using a Direct ^{13}C NMR Peak Method I. Theory and Models, 722P
—; Piel, C.; Hopf, A.; Mathot, V. B. F.; Kaminsky, W.: Chain Microstructure of Homogeneous Ethylene-1-Alkene Copolymers and Characteristics of Single Site Catalysts Using a Direct ^{13}C NMR Peak Method. Part III. Application to Ethylene–Propylene Copolymers Showing No Inversion, 747P
Kasahara, T. see Szurhan, A. R., 5708C
Kashiwagi, D. See Onouchi, H., 5039C
Kashiwagi, T. See Du, F., 1513P
Kasperczyk, J. See Dobrzynski, P., 98C; Dobrzynski, P., 3184C; Iwan, A., 5645C
Kaszas, G. See Puskas, J. E., 1770C; Puskas, J. E., 1777C; Puskas, J. E., 6494C
Kataoka, T. See Samitsu, S., 1985C
Katapodi, K. See Zhang, L., 2177C
Katime, I. See Rodríguez-Castro, M., 2404P
Kato, M.
—; Tsukigase, A.; Tanaka, H.; Usuki, A.; Inai, I.: Preparation and Properties of Isobutylene–Isoprene Rubber–Clay Nanocomposites, 1182C
Kato, T. See Sugawara, A., 5153C
—; Nagahara, T.; Agari, Y.; Ochi, M.: High Thermal Conductivity of Polymerizable Liquid Crystal Acrylic Film Having a Twisted Molecular Orientation, 1419P
Katsov, K. See Bosse, A. W., 2495P
Katsuhara, H. See Ishizu, K., 3312C
Kaur, G. See Romack, T. J., 4136C
Kaur, S. See Brar, A. S., 1745C
Kausch, C. M. See Sangermano, M., 6943C
Kawagoe, S. See Sasaki, T., 2475P
Kawahara, S.
—; Saito, T.: Preparation of Carbonated Natural Rubber, 1561C
Kawata, T. See Matsuda, Y., 1179P
Keller, T. M. See Kolel-Veetil, M. K., 147C; Laskoski, M., 4559C
Kemp, N. T.
—; Kaiser, A. B.; Trodahl, H. J.; Chapman, B.; Buckley, R. G.; Partridge, A. C.; Foot, P. J. S.: Effect of Ammonia on the Temperature-Dependent Conductivity and Thermopower of Polypyrrole, 1331P
Kennedy, J. P. See Daum, J., 4039C; Daum, J., 4053C; He, C., 1474P
Kenward, A. G. See Romack, T. J., 4136C
Keoshkerian, B. See Cunningham, M. F., 232C
Kern, W. See Buchgraber, C., 4317C
Kerres, J. A.
—; Xing, D.; Schönberger, F.: Comparative Investigation of Novel PBI Blend Ionomer Membranes from Nonfluorinated and Partially Fluorinated Poly Arylene Ethers, 2311P
Keskin, O. See Gursoy, A., 3667P
Keul, H. See Reemers, S., 1372C
Khafagy, R. M.
—; *In Situ* FT-Raman Spectroscopic Study of the Conformational Changes Occurring in Isotactic Polypropylene During its Melting and Crystallization Processes, 2173P
Khalfin, R. See Zussman, E., 1428P
Khan, A.
—; Hecht, S.: Poly(*ortho*-phenylene ethylene)s: Synthetic Accessibility and Optical Properties, 1619C
Khan, I. A. See Srivastava, S., 504P
Khan, M. R.
—; Gotoh, Y.; Miura, M.; Morikawa, H.; Nagura, M.: Influence of an Iodine Treatment on the Structure and Physical Properties of *Bombyx mori* Silk Fibroin Fiber, 3418P
Khang, G. See Hyun, H., 4235C; Kim, M. S., 5413C
Khire, V. S.
—; Benoit, D. S. W.; Anseth, K. S.; Bowman, C. N.: Ultrathin Gradient Films Using Thiol-Ene Polymerizations, 7027C
Khokhlov, A. R. See Berezkin, A. V., 2698P
Khutoryanskiy, V. V. See Mun G. A., 195P; Nurkeeva, Z. S., 845P
Kilbey, S. M. II. See Forster, A. M., 649P
Kim, B. C. See Chae, D. W., 371P
Kim, B. R.
—; Son, J. M.; Ko, M. J.: Assessment of Thermal Expansion Coefficient of Methylsilsesquioxane Thin Film, 3109P

Kim, C. See Kim, C. K., 254C; Kim, C. K., 5855C

Kim, C. K. See Kim, L. U., 2025P

—; Song, E. S.; Kim, H. J.; Park, C.; Kim, J. K.; Kim, Y. C.; Yu, J. W.; Kim, C.: Conjugated Dendrimers with Triazine Peripheries and a Distyrylanthracene Core, 5855C

—; Song, E. S.; Kim, H. J.; Park, C.; Kim, Y. C.; Kim, J. K.; Yu, J. W.; Kim, C.: Synthesis and Luminescence Characteristics of Conjugated Dendrimers with 2,4,6-Triaryl-1,3,5-triazine Periphery, 254C

Kim, D.

—; Kyu, T.; Hashimoto, T.: Phase Equilibria and Phase Separation Dynamics in a Polymer Composite Containing a Main-Chain Liquid Crystalline Polymer, 3621P

Kim, D. Y. See Jung, S.-H., 1189C

Kim, G. See Pugh, C., 4076C

Kim, G. H.

—; Electrospinning Process Using Field-Controllable Electrodes, 1426P

Kim, H. J. See Kim, C. K., 254C; Kim, C. K., 5855C; Kim, T. H., 2059C

Kim, H. K. See Park, J. K., 1326C

Kim, I. See Abraham, S., 2774C; Mathews, A. S., 5254C

Kim, J. H.

—; Min, B. R.; Won, J.; Kang, Y. S.: Effect of the Polymer Matrix on the Formation of Silver Nanoparticles in Polymer–Silver Salt Complex Membranes, 1168P

—; Min, B. R.; Won, J.; Kang, Y. S.: Structure and Separation Properties of π-Complex Membranes Comprising Poly(hexamethylenevinylene) and Silver Tetrafluoroborate, 1434P

—; You, N.-H.; Lee, H.: Electroluminescent Copolymers Based on Dihexylfluorene and 2-malononitrile Units, 3729C

Kim, J. K. See Kim, C. K., 254C; Kim, C. K., 5855C

Kim, J. P. See Lee, S. G., 3567C

Kim, J. Y.

—; Kim, S. H.: Influence of Multiwall Carbon Nanotube on Physical Properties of Poly(ethylene 2,6-naphthalate) Nanocomposites, 1062P

Kim, K. See Oh, S., 62C

Kim, L. U.

—; Kim, C. K.: A Novel Method for the Pore Size Control of the Battery Separator Using the Phase Instability of the Ternary Mixtures, 2025P

Kim, M. See Ha, J. U., 6394C

Kim, M. S. See Hyun, H., 4235C; Reddy, K. R., 3355C

—; Hyun, H.; Seo, K. S.; Cho, Y. H.; Lee, J. W.; Lee, C. R.; Khang, G.; Lee, H. B.: Preparation and Characterization of MPEG–PCL Diblock Copolymers with Thermo-Responsive Sol–Gel–Sol Phase Transition, 5413C

Kim, S.

—; Diana, F. S.; Petroff, P. M.; Kramer, E. J.; Ootsu, T.; Murase, T.: Encapsulation of ZnS:Mn^{2+} Nanocrystals with Diblock Copolymers, 3227P

Kim, S. C. See Lee, S. J., 888C

Kim, S.-C. See Naidu, B. V. K., 6498C

Kim, S. H. See Chang, J.-H., 387P; Francis, R. S., 703P; Kim, J. Y., 1062P

Kim, S. Y. See Byun, G.-S., 1263C; In, I., 2440C

Kim, S.-Y. See Saxena, A., 5060C

Kim, T. H.

—; Kim, H. J.; Kwak, C. G.; Park, W. H.; Lee, T. S.: Aromatic Oxadiazole-Based Conjugated Polymers with Excited-State Intremolecular Proton Transfer: Their Synthesis and Sensing Ability for Explosive Nitroaromatic Compounds, 2059C

Kim, W.

—; Han, J.; Ryu, C. Y.; Yang, H.: Chemical Composition Effects on the Fracture of Polystyrene-block-Poly(methyl methacrylate) Block Copolymers, 3612P

Kim, Y. See Sangermano, M., 6943C

Kim, Y. C. See Kim, C. K., 254C; Kim, C. K., 5855C

Kim, Y. H. See Choi, H. S., 2428C

Kim, Y.-H.

—; Jung, S.-Y.; Jung, S. O.; Park, M.-H.; Kwon, S.-K.: Synthesis and Characterization of New Blue-Light-Emitting Polymers Based on PPP and PPV Having Fluorene Pendant at Vinyl Bridge, 4923C

—; Zhao, Q.; Kwon, S.-K.: Synthesis and Characterization of Poly(fluorene)-Based Copolymer Containing Triphenylamine Group, 172C

Kim, Y. J. See Quirk, R. P., 2684C

Kim, Y. M. See Lim, E., 4709C

Kim, Y. S. See Cho, C. G., 6007C

Kimizuka, N. See Kuroiwa, K., 5192C

Kimura, K.

—; Kohama, S.-I.; Kuroda, J.; Shimizu, Y.; Ichimori, T.; Yamashita, Y.: Selective Preparation of Poly(*p*-oxybenzoyl) by Using Fractional Polycondensation, 2732C

Kissin, Y. V.

—; Qian, C.; Xie, G.; Chen, Y.: Multi-Center Nature of Ethylene Polymerization Catalysts Based on 2,6-Bis(imino)pyridyl Complexes of Iron and Cobalt, 6159C

Kita, H. See Hu, Z., 2862C; Yin, Y., 3751C

Kitagawa, T. See Endo, K., 4088C

Kitajima, H. See Hirano, T., 4450C

Kitajyo, Y. See Narumi, A., 4864C; Satoh, T., 406C

Kitami, T. See Shinohara, K., 801C

Kitamura, A. See Oyama, T., 2694C

Klapper, M. See Naundorf, C., 3103C

Klein, M. L. See Ortiz, V., 1907P

Klemm, E. See Ashraf, R. S., 6952C

Kline, S. R. See Ho, D. L., 557P

Klumperman, B. See Barner-Kowollik, C., 5809C; Bussels, R., 6419C

Knauss, D. M. See Bender, J. T., 828C

Knoll, K. See Thunga, M., 2776P

Ko, M. J. See Kim, B. R., 3109P

Kobayashi, S. See Ohmae, M., 5014C; Takeuchi, Y., 671C
Koch, R. See Lagrille, O., 1926C
Kodama, D. See Takei, F., 585C
Koga, Y.
—; Ueno, K.; Matsubara, K.: New Preparative Procedure for Photoluminescent Metallopolymers Having a Biphenyl-2,2 ¢-diyl Iridium (III) Unit Bound to a Phosphine Copolymer Ligand, 4204C
Kogami, Y. See Ohshima, T., 2079P
Koguchi, K. See Akabori, K.-I., 3598P
Kogure, T. See Sugawara, A., 5153C
Koh, Y. P.
—; McKenna, G. B.; Simon, S. L.: Calorimetric Glass-Transition Temperature and Absolute Heat Capacity of Polystyrene Ultrathin Films, 3518P
Kohama, S.-I. See Kimura, K., 2732C
Kohlbrecher, J. See Mohanty, B., 1635P
Koike, Y. See Yang, Y., 1613C
—; Cakmak, M.: The Influence of Molten Fraction on the Uniaxial Deformation Behavior of Polypropylene: Real Time Mechano-Optical and Atomic Force Microscopy Observations, 925P
Kol, M. See Gendler, S., 1136C
Kolel-Veetil, M. K.
—; Keller, T. M.: Formation of Elastomeric Network Polymers from Ambient Heterogeneous Hydrosilations of Carboranylenesiloxane and Branched Siloxane Monomers, 147C
Komarova, L. I. See Lozinskaya, K. A., 380C
Komatsu, H.
—; Hino, T.; Endo, T.: Thermal Dissociation Behavior of Copolymers Bearing Hemiacetal Ester Moieties and Their Reactions with Epoxides, 3966C
Komoto, T. See Kakiage, M., 2455P; Uehara, H., 1731P
Kong, F.
—; Huang, G. S.; Yang, Y. M.; Yang, C. Z.; Bao, X. M.; Yuan, R. K.: Conformation and Luminescence Characteristics of Nanopoly[2-metoxy-5-(2′-ethyl-hexyloxy)-*p*-phenylene vinylene] in Two-Dimensional Arrays, 3037P
Kong, J. See Si, Q.-F., 3261C
—; Fan, X.; Si, Q.; Zhang, G.; Wang, S.; Wang, X.: Hyperbranched Polycarbosiloxane with Dendritic Boron Cores: Synthesis, Characterization, and Structure Regulation, 3930C
Koning, C. See Bussels, R., 6419C
Koning, C. E. See De Geus, M., 4290C; Smit, M., 2883C; Smit, M., 6652C
Kono, T.
—; Sakaguchi, T.; Hu, Y.; Shiotsuki, M.; Sanda, F.; Masuda, T.: Synthesis and Properties of Poly(phenylacetylenes) Having Two Polar Groups or One Cyclic Polar Group on the Phenyl Ring, 5943C
Kontani, T. See Ouchi, T., 6402C
Kosaka, A. See Motoyanagi, J., 5120C
Kostov, G., 1470C, Cee Mladenov, G.
Kotek, R. See Pang, K., 6801C
Kotseruba, M. V. See Lozinskaya, K. A., 380C
Koutsioubas, A. G.
—; Spiliopoulos, N.; Anastassopoulos, D. L.; Vradis, A. A.; Toprakcioglu, C.; Priftis, G. D.: Adsorption Behavior of PS-PEO Diblock Copolymers on Silver and Alumina Surfaces: A Surface Plasmon Resonance Study, 1580P
Kowalke, G. L. See Gädda, T. M., 2237C
Krafft, M. P.
—; Highly Fluorinated Compounds Induce Phase Separation in, and Nanostructuration of Liquid Media. Possible Impact on and Use in Chemical Reactivity Control, 4251C
Kramer, E. J. See Kim, S., 3227P
Krassenberg, F. G.
—; Mathot, V. B. F.: Chain Microstructure of Homogeneous Ethylene-1-Alkene Copolymers and Characteristics of Single Site Catalysts Using a Direct ^{13}C NMR Peak Method. Part II. Application to Ethylene–Propylene Copolymers Showing Inversion, 738P
Kreim, V. See Elzein, T., 1268P; Elzein, T., 3272P
Kremer, F. See Serghei, A., 3006P
Kricheldorf, H. R. See Chatti, S., 3616C
—; Behnken, G.; Schwarz, G.: Ring-Opening Polymerization of ϵ-Caprolactone via the Bismuth-2-Mercaptoethanol Complex, 3175C
—; Lomadze, N.; Fritsch, D.; Schwarz, G.: Cyclic and Telechelic Ladder Polymers Derived from Tetrahydroxy-tetramethylspirobisindane and 1,4-Dicyanotetra-fluorobenzene, 5344C
—; Schellenberg, J.; Schwarz, G.: Multicyclic Polyethers by the Polycondensation of 1,2- or 1,3-Dicyanotetrafluorobenzene with Flexible Diphenols, 5546C
—; Von Lossow, C.; Schwarz, G.: Tertiary Amine Catalyzed Polymerization of α-Amino Acid *N*-Carboxyanhydrides: The Role of Cyclization, 4680C
Krishnamoorti, R. See Goel, V., 2014P
Kronek, J. See Lustoň, J., 343C
Krontiras, C. A. See Psarras, G. C., 3078P
Kuan, H. C. See Wu, H.-L., 1096P
Kuan, H.-C. See Wu, H.-L., 565P
Kubisa, P. See Baśko, M., 7071C; Bednarek, M., 6484C
Kubota, M. See Sawai, D.,153P
Kuckling, D. See Zhang, W., 6640C
Kudo, H.
—; Maruyama, K.; Shindo, S.; Nishikubo, T.; Nishimura, I.: Syntheses and Propertries of Hyperbranched Polybenzoxazole by Thermal Cyclodehydration of Hyperbranched Poly[*o*-(*t*-butoxycarbonyl)amide] via $A_2 + B_3$ Approach, 3640C
Kulbaba, K. See Puskas, J. E., 1770C; Puskas, J. E., 1777C

Kulkarni, A. S.
—; Beaucage, G.: Quantification of Branching in Disordered Materials, 1395P
Kulkeratiyut, Suntree. See Kulkeratiyut, Suriyaphongse, 2071P
Kulkeratiyut, Suriyaphongse
—; Kulkeratiyut, Suntree.; Blum, F. D.: Bound Carbonyls in PMMA Adsorbed on Silica Using Transmission FTIR, 2071P
Kumar, A. See Ojha, U. P., 3479C
Kumar, S. K. See Bansal, A., 2944P; Chen, X., 3453P
Kume, M.
—; Hirano, A.; Ochiai, B.; Endo, T.: Copolymers Containing a Spiro Orthoester Moiety That Undergo No Shrinkage during Cationic Crosslinking, 3666C
—; Maki, Y.; Ochiai, B.; Endo, T.: Synthesis of Copolymers Containing a Spiro Orthocarbonate Moiety and Evaluation of the Volume Change during Their Cationic Crosslinking, 7040C
Kunitake, T. See Kuroiwa, K., 5192C
Kuo, P.-L. See Liang, W.-J., 3444C; Liang, W.-J., 2135P
Kuo, S.-W.
—; Lin, H.-C.; Huang, W.-J.; Huang, C.-F.; Chang, F.-C.: Hydrogen Bonding Interactions and Miscibility Between Phenolic Resin and Octa(acetoxystyryl) Polyhedral Oligomeric Silsesquioxane (AS-POSS) Nanocomposites, 679P
Kuramoto, N. See Hino, T., 718C
Kuroda, J. See Kimura, K., 2732C
Kuroda, R. See Uddin, A. J., 398P
Kuroiwa, K.
—; Shibata, T.; Sasaki, S.; Ohba, M.; Takahara, A.; Kunitake, T.; Kimizuka, N.: Supramolecular Control of Spin-Crossover Phenomena in Lipophilic Fe(II)-1,2,4-triazole Complexes, 5192C
Kuroki, H. See Sawai, D., 3369P
Kus, E. See Gädda, T. M., 2237C; Grunlan, M. A., 2551C
Kuschel, F. See Steffensen, M. B., 3411C
Kutter, S. See Vandoolaeghe, W. L., 2679P
Kwak, C. G. See Kim, T. H., 2059C
Kwak, G. See Saxena, A., 5060C
Kwak, S. M.
—; Yeon, J. H.; Yoon, T. H.: Synthesis and Characterization of Polyimides from Bis(3-aminophenyl)-4-(1-adamantyl)phenoxyphenyl Phosphine Oxide, 2567C
Kwok, H. S. See Chen, J., 2487C
Kwon, I. C. See Lee, S. G., 3567C
Kwon, S.-K. See Kim, Y.-H., 172C; Kim, Y.-H., 4923C
Kyriakides, S. See Liu, D., 1453P
Kyu, T. See Kim, D., 3621P

Labruyére, C. See Duquesne, E., 744C
Lacroix-Desmazes, P. See Boyer, C., 5763C; Rixens, B., 13C
Lagrille, O.
—; Cameron, N. R.; Lovell, P. A.; Blanchard, R.; Goeta, A. E.; Koch, R.: Novel Acyclic Nitroxides for Nitroxide-Mediated Polymerization: Kinetic, Electron Paramagnetic Resonance Spectroscopic, X-Ray Diffraction, and Molecular Modeling Investigations, 1926C
Lai, J. T.
—; Shea, R.: Controlled Radical Polymerization by Carboxyl- and Hydroxyl-Terminated Dithiocarbamates and Xanthates, 4298C
Lai, J.-Y. See Liu, B., 2299P
Lai, L. M.
—; Lam, J. W. Y.; Tang, B. Z.: Facile Synthesis and High Optical Activity of Poly(1-pentyne)s Carrying Amino-Acid Pendant Groups, 6190C
—; Lam, J. W. Y.; Tang, B. Z.: Synthesis and Chiroptical Propertries of L-Valine-Containing Poly(phenylacetylene)s with (A)chiral Pendant Terminal Groups, 2117C
Lai, Y.-H. See Wang, W.-L., 4154C
Lal, J. See Haken, I. F., 3642P; Zhao, Y., 2412P
Lalevée, J.
—; Allonas, X.; Fouassier, J. P.: Direct Measurements of the Addition and Recombination of Acrylate Radicals: Access to Propagation and Termination Rate Constants?, 3577C
Lam, J. See Yin, S., 2346C
Lam, J. W. Y. See Hua, J., 3538-C; Lai, L. M., 2117C; Lai, L. M.,6190C; Li, Z., 5672C
Lam, K. Y. See Wang, W. X., 326P
Lam, O. A.
—; Hervaud, Y.; Boutevin, B.: Homopolymerization and Copolymerization of Isocyanatoethyl Methacrylate, 4762C
Landfester, K. See Seemann, R., 2968P
Lane, L. See Narain, R., 6558C
Lannuzel, T. See Guiot, J., 3896C
Larrechi, M. S. See Garrido, M., 4846C; Mercado, L. A., 1447C
Laskoski, M.
—; Dominguez, D. D.; Keller, T. M.: Oligomeric Cyanate Ester Resins: Application of a Modified Ullmann Synthesis in the Preparation of Thermosetting Polymers, 4559C
Látalová, P. See Toman, L., 2891C; Toman, L., 6378C
Lau, C.-S. See Chiu, F.-C., 2798P
Leard, K. C. See Binici, B.,1387C
Lecomte, H. A.
—; Liggat, J. J.; Curtis, A. S. G.: Synhesis and Characterization of Novel Biodegradable Aliphatic Poly(ester amide)s Containing Cyclohexane Units, 1785C
Lecomte, P. See Riva, R., 6015C
Lee, B. H. See Oh, S., 62C
Lee, C.-F. See Lin, C.-L., 356C
Lee, C.-H. See Lin, K.-F., 5572C
Lee, C. J. See Karmin, M. R., 5283C
Lee, C.-K. See Chung, I., 295C
Lee, C. R. See Kim, M. S., 5413C
Lee, D. H. See Park, J. K., 1326C
Lee, D. I.
—; Nanostructured Latexes Made by a Sequential Multistage Emulsion Polymerization, 2826C
Lee, H. See Kim, J. H., 3729C

Lee, H. B. See Hyun, H., 4235C; Kim, M. S., 5413C
Lee, H.-C. See Liu, Y.-L., 4632C
Lee, H. H. See Lin, C. H., 3454C
Lee, H.-J.
—; Lee, K.; Lee, S. N.: Star Polystyrenes by Anionic Star-Star Coupling Reactions with Divinylbenzene, 2579C
Lee, H.-T.
—; Hwang, J.-J.; Liu, H.-J.: Effects of Ionic Interactions between Clay and Waterborne Polyurethanes on the Structure and Physical Properties of Their Nanocomposite Dispersions, 5801C
—; Liu, Y.-C.; Lin, L.-H.: Characteristics of Polypyrrole Electrodeposited onto Roughened Substrates Composed of Gold–Silver Bimetallic Nanoparticles, 2724C
Lee, J. See Ha, J. U., 6394C; Jung, Y. K., 4611C; Lim, E., 4709C
—; Cho, H.-J.; Cho, N.-S.; Hwang, D.-H.; Kang, J.-M.; Lim, E.; Lee, J.-I.; Shim, H.-K.: Enhanced Efficiency of Polyfluorene Derivatives: Organic–Inorganic Hybrid Polymer Light-Emitting Diodes, 2943C
Lee, J.-I. See Lim, E., 4709C
Lee, J.-I.. See Lee, J., 2943C
Lee, J. W. See Kim, M. S., 5413C; Naidu, B. V. K., 1555C
Lee, J.-W. See Naidu, B. V. K., 6498C; Park, S.-Y., 1948C
Lee, K. See Lee, H.-J., 2579C
Lee, K. H. See Chae, D. W., 371P
Lee, K.-P. See Reddy, K. R., 3355C
Lee, L.-T.
—; Woo, E. M.: Thermal and Spectroscop Studies on Ternary Miscibility and Phase Behavior in Blends Comprising Poly(4-Vinyl phenol) and Two Aryl Polyesters, 1339P
Lee, M. S. See Karmin, M. R., 5283C
Lee, N. S. See Grunlan, M. A., 2551C
Lee, R.-H. See Hsiue, G.-H., 2035P
Lee, R.-S.
—; Lin, Z.-K..; Yang, J.-M.; Lin, F.-H.: Synthesis and Characterization of Biodegradable A–B–A Triblock Copolymers Containing Poly(ϵ-caprolactone) A Blocks and Poly(*trans*-hydroxy-L-proline) B Blocks, 4268C
Lee, S. C. See Mun G. A., 195P
Lee, S. G.
—; Kim, J. P.; Kwon, I. C.; Park, K. H.; Noh, S. K.; Han, S. S.; Lyoo, W. S.: Heterogeneous Surface Saponification of Suspension-Polymerized Monodisperse Poly(vinyl acetate) Microspheres Using Various Ions, 3567C
Lee, S.-H. See Mikroyannidis, J. A., 4494C
Lee, S. J.
—; Han, B. R.; Park, S. Y.; Han, D. K.; Kim, S. C.: Sol–Gel Transition Behavior of Biodegradable Three-arm and Four-arm Star-Shaped PLGA–PEG Block Copolymer Aqueous Solution, 888C
Lee, S. K. See Jung, Y. K., 4611C
Lee, S. N. See Lee, H.-J., 2579C
Lee, T.-M.
—; Ma, C.-C. M.: Nonaqueous Synthesis of Nanosilica in Epoxy Resin Matrix and Thermal Properties of Their Cured Nanocomposites, 757C
Lee, T. S. See Kim, T. H., 2059C
Lee, Y.-H. See Lin, K.-F., 5572C
Lee K.-W.
—; Wei, K.-H.; Lin, H.-C.: Synthesis and Characterization of Liquid-Crystalline Block Copolymers with Cyanoterphenyl Moieties by Atom Transfer Radical Polymerization, 4593C
Lefebvre, H. See Dali, S., 3025C
Lefebvre, J.-M. See Persyn, O., 1690P
Legge, T. M.
—; Slark, A. T.; Perrier, S.: Thermal Stability of Reversible Addition-Fragmentation Chain Transfer/Macromolecular Architecture Design by Interchange of Xanthates Chain–Transfer Agents, 6980C
Lehmann, C. W. See Nehls, B. S., 5533C
Lei, P.
—; Wang, Q.; Hong, J.; Li, Y.: Synthesis of Poly(*n*-butyl acrylate) Containing Multiblocks with a Narrow Molecular Weight Distribution Using Cyclic Trithiocarbonates, 6600C
Lele, A. See Varghese, S., 666C
Lenoir, S.
—; Pagnoulle, C.; Detrembleur, C.; Galleni, M.; Jérôme, R.: New Antibacterial Cationic Surfactants Prepared by Atom Transfer Radical Polymerization, 1214C
Lenuta, H. See Buruiana, E. C., 5271C
Leskelä, M. See Aitola, E., 6569C; Sereaidaris, T., 4743C
Lesko, J. J. See Liu, D., 1453P
Lessard, R. A. See Djouani, F., 1317C
Leu, T. S. See Lin, C. H., 3454C; Lin, C. H., 3487C
Li, A.
—; Lu, Z.; Zhou, Q.; Qiu, F.; Yang, Y.: Synthesis of a Novel Centipede-Like Copolymer of Styrene, Isoprene, and Methyl Methacrylate, 3942C
Li, A.-L.
—; Wang, Y.; Liang, H.; Lu, J.: Controlled Radical Copolymerization of β-Pinene and Acrylonitrile, 2376C
Li, B. See Shi, Y., 2468C; Yang, L., 2293C
Li, C. See Bansal, A., 2944P; Liu, X., 900P
—; Finn, M. G.: Click Chemistry in Materials Synthesis. II. Acid-Swellable Crosslinked Polymers Made by Copper-Catalyzed Azide–Alkyne Cycloaddition, 5513C
Li, C.-H. See Wu, H.-L., 3128P
Li, C.-J. See Liu, Y.-X., 6880C
Li, C. T. See Isayev, A. I., 622P
Li, D. See Hua, F., 2454C; Sha, K., 3393C
Li, F. See Wan, T., 6688C
—; Xu, X.; Hao, Q.; Li, Q.; Yu, J.; Cao, A.: Effects of Comonomer Sequential Structure on Thermal and Crystallization Behaviors of Biodegradable Poly(butylene succinate-*co*-butylene terephthalate)s, 1635P
Li, F.-M. See Zhang, X., 304C
Li, G. See Yang, J., 3215P; Yin, S., 2346C; Zhou, Y., 764P

Li, H. See Liu, X., 1287P; Shen, F., 378P; Wang, E., 2707C; Wang, W. X., 326P
—; Sun, X.; Wang, J.; Yan, S.; Schultz, J. M.: On the Development of Special Positive Isotactic Polypropylene Spherulites, 1114P
—; Zhang, Y. M.; Zhang, H.; Xue, M. Z.; Liu, Y. G.: Novel, Well-Defined Polystyrene with a Fluorine Cluster End-Capped Group: Synthesis, Characterization, and Surface Properties, 3853C
Li, H.-C. See Yang, S.-H., 6738C
Li, H.-Q. See Liu, Y.-X., 6880C
Li, H.-S.
—; Liu, J.-G.; Rui, J.-M.; Fan, L.; Yang, S.-Y.: Synthesis and Characterization of Novel Fluorinated Aromatic Polyimides Derived from 1,1-Bis(4-amino-3,5-dimethylpphenyl)-1-(3,5-ditrifluoromethylphenyl)-2,2,2-trifluoroethane and Various Aromatic Dianhydrides, 2665C
Li, J. See Huang, H.-X., 1245C; Tao, Y., 5329C; Zhu, G., 3282P
—; Fang, Z.; Tong, L.; Gu, A.; Liu, F.: Polymorphism of Nylon-6 in Multiwalled Carbon Nanotubes/Nylon-6 Composites, 1499P
—; Zhang, J.; Liu, Z.: Bimodal Molecular Weight Distribution of Poly(styrene-*co*-acrylonitrile) Formed by Conventional Free-Radical Copolymerization of Acrylonitrile and Styrene in Room Temperature Ionic Liquids, 4420C
Li, K.-B. See Zhang, X., 304C
Li, L. See Lu, J., 3148P
—; Zhang, L.: The Influence of Thermoelastomers on the Crystallization Behavior of Isotactic Polypropylene Under Shear, 1188P
Li, M.
—; Yang, W.; Chen, Z.; Qian, J.; Wang, C.; Fu, S.: Phase Behavior and Polymerization of Lyotropic Phases. II. A Series of Polymerizable Amphiphiles with Systematically Varied Critical Packing Parameters, 5887C
Li, M. C. See Wu, K. H., 335C
Li, P. See Li, Z., 4361C
Li, Q. See Li, F., 1635P; Li, Z., 5672C; Yang, J., 2045C
Li, R. C.
—; Broyer, R. M.; Maynard, H. D.: Well-Defined Polymers with Acetal Side Chains as Reactive Scaffolds Synthesized by Atom Transfer Radical Polymerization, 5004C
Li, S. See Liu, X., 3102P; Song, L., 2533C; Zhan, G., 517P
Li, S.-B. See Huang, Y.-Q., 5424C
—; Zhang, L.-X.: Conformational Structures and Thermodynamic Properties of Compact Polymer Chains Conined between Two Parallel Plane Boundaries, 2888P
Li, S.-H. See Liu, H.-L., 1147P
Li, X. See Wamsley, A., 4328C; Wang, Z., 1967C; Yu, X., 409; Zhou, J., 3202C
Li, X.-F. See Song, C.-L., 1964C
Li, Y. See Yasuda, T., 3995C
—; Shimizu, H.: Effects of Spacing between the Exfoliated Clay Platelets on the Crystallization Behavior of Polyamide-6 in Polyamide-6/Clay Nanocomposites, 284P
Li, Y. See Hou, J., 1279C; Lei, P., 6600C; Liu, D., 1453P; Liu, Y.-X., 6880C; Roy, A., 2226P; Sha, K., 3393C; Wang, N., 5863C; Xiao, Z., 1084P; Yang, J., 2045C; Zhou, E., 2206C; Zhou, E., 4916C
—; Cheng, R.: Viscometric Study of Gelatyin in Dilute Aqueous Solutions, 1804P
—; Xiao, F.; Moon, K.-S.; Wong, C. P.: Novel Curing Agent for Lead-Free Electronics: Amino Acid, 1020C
—; Yang, Y; Yu, F.; Dong, L.: Surface and Interface Morphology of Polystyrene/Poly(methyl methacrylate) Thin–Film Blends and Bilayers, 9P
Li, Y.-F. See Shao, Y., 6836C
Li, Y.-G. See Song, C.-L., 1964C; Tang, L.-M., 5846C
Li, Y.-S. See Liu, X.-H., 490C; Song, C.-L., 1964C; Tang, L.-M., 5846C
Li, Z. See Hua, J., 3538-C; Huang, J., 3684C; Lu, C., 3406P
—; Li, P.; Huang, J.: Synthesis of Amphiphilic Copolymer Brushes: Poly(ethylene oxide)-*graft*-Polystyrene, 4361C
—; Li, Q.; Qin, A.; Dong, Y.; Lam, J. W. Y.; Dong, Y.; Ye, C.; Qin, J.; Tang, B. Z.: Synthesis and Characterization of a New Disubstituted Polyacetylene Containing Indolylazo Moieties in Side Chains, 5672C
Li, Z. C. See Guo, R., 2388C
Li, Z.-C. See Zhang, X., 304C
Li, Z. Q. See Zhu, Y. G., 1161P; Zhu, Y. G., 3157P
Li, Z.-Q. See Zhu, Y.-G., 986P; Zhu, Y.-G., 1351P
Li, Z. X.
—; Lin, L. Q.; Zhang, W. M.; Wu, T.; Pu, J. L.: Synthesis and Characterization of Polyimides Derived from (3-Amino-2,4,6-trimethylphenyl)-(3′-aminophenyl)methanone and Aromatic Dianhydrides, 1291C
—; Liu, J. H.; Yang, S. Y.; Huang, S. H.; Lu, J. D.; Pu, J. L.: Synthesis and Characterization of Novel Hyperbranched Polybenzimidazoles Based on an AB_2 Monomer Containing Four Amino Groups and One Carboxylic Group, 5729C
Liang, H. See Li, A.-L., 2376C
Liang, M. See Huang, C.-C., 5875C
Liang, W.-J.
—; Hsieh, S.-J.; Hsu, C.-Y.; Chen, W.-F.; Kuo, P.-L.: Microstructure and Protonic Conductivity of H_3PO_4-doped Polyethylenimine–Siloxane Chemically Covalently Organic–Inorganic Hybrids, 2135P
—; Wu, C.-P.; Hsu, C.-Y.; Kuo, P.-L.: Synthesis, Characterization and Proton-Conducting Properties of Organic–Inorganic Hybrid Membranes Based on Polysiloxane Zwitterionomer, 3444C
Liao, C.-S. See Hsu, S.-F., 3337P

Liao, L.
—; Cirpan, A.; Ding, L.; Karasz, F. E.; Pang, Y.: Efficient Blue-Green-Emitting Poly[5-diphenylamino-1,3-phenylenevinylene)-*alt*-(2,5-dihexyloxy-1,4-phenylenevinylene)] Derivatives: Synthesis and Optical Properties, 2307C
Liaw, D.-J.
—; Huang, C.-C., Fu, C.-W.: Novel Organosoluble Polynorbornene Bearing a Polar, Pendant, Ester-Bridged Epoxy Group via Living Ring-Opening Metathesis Polymerization, 4428C
—; Huang, C.-C.; Hong, S.-M.: Novel Doubly Polymerizable Functional Norbornene: Its Synthesis, Reactivity, and Macromolecular Architectures from a Dual Cure via Ring-Opening Metathesis Polymerization and Radical Photopolymerization, 6287C
—; Huang, C.-C.; Ju, J.-Y.: Novel Multifunctional Polymeric Materials with Predominant Cis Microstructures Derived from α-Norbornenyl Macromonomer and Stable Macroinitiator via Ring-Opening Metathesis Polymerization and Atom Transfer Radical Polymerization, 3382C
—; Huang, C.-C.; Kang, E.-T.: Effects of the Architecture and Environment on Polymeric Molecular Assemblies of Novel Amphiphilic Diblock Copolynorbornenes with Narrow Polydispersity via Living Ring-Opening Metathesis Polymerization, 2901C
Liggat, J. J. See Lecomte, H. A., 1785C
Likhoshway, Y. V. See Annenkov, V. V., 820C
Lillehei, P. T. See Park, C., 1751P
Lim, E. See Lee, J., 2943C
—; Jung, B.-J.; Shim, H.-K.: Improved EL Efficiency of Fluorene-Thieno[3,2-*b*] thiophene-Based Conjugated Copolymers with Hole-Transporting or Electron-Transporting Units in the Main Chain, 243C
—; Kim, Y. M.; Lee, J.-I.; Jung, B.-J.; Cho, N. S.; Lee, J.; Do, L.-M.; Shim, H.-K.: Relationship between the Liquid Crystallinity and Field-Effect-Transistor Behavior of Fluorene–Thiophene-Based Conjugated Copolymers, 4709C
Lim, J. S.
—; Noda, I.; Im, S. S.: Miscibility and Crystallization Behavior of Poly(3-hydroxybutyrate-*co*-3-hydroxyhexanoate) and Methoxy Poly(ethylene glycol) Blends, 2852P
Lim, K.-T. See Naidu, B. V. K., 1555C
Limtrakul, J. See Anantawaraskul, S., 2749P
Lin, C. H. See Lin, C. H., 3487C
—; Cai, S. X.; Leu, T. S.; Hwang, T. Y.; Lee, H. H.: Synthesis and Properties of Flame-Retardant Benzoxazines by Three Approaches, 3454C
—; Yang, K. Z.; Leu, T. S.; Lin, C. H.; Sie, J. W.: Synthesis, Characterization and Properties of Novel Epoxy Resins and Cyanate Esters, 3487C
Lin, C.-L.
—; Chiu, W.-Y.; Lee, C.-F.: Preparation, Morphology, and Thermoresponsive Properties of Poly(*N*-isopropylacrylamide)-Based Copolymer Microgels, 356C
Lin, C.-S. See Lin, K.-F., 5572C
Lin, F.-H. See Lee, R.-S., 4268C
Lin, H. See Kalakkunnath, S., 2058P; Lu, W., 1846P
—; Mattice, W. L.; Von Meerwall, E. D.: Dynamics of Polyethylene Melts Studied by Monte Carlo Simulations on a High Coordination Lattice, 2556P
Lin, H.-C. See Kuo, S.-W., 673P; Lee, K.-W., 4593C; Wu, C.-W., 6765C
—; Tsai, C.-M.; Huang, G.-H.; Lin, J.-M: Synthesis and Characterization of Light-Emitting Oligo(*p*-phenylene-vinylene)s and Polymeric Derivatives Containing Three- and Five-Conjugated Phenylene Rings, 783C
—; Tsai, C.-M.; Tao, Y.-T.: Synthesis and Characterization of Light-Emitting Oligo(*p*-phenylene-vinylene)s and Polymeric Derivatives Containing Three-and Five-Conjugated Phenylene Rings. II. Electro-Optical Properties and Optimization of PLED Performance, 2922C
Lin, J. See Zhang, X., 2161P
Lin, J.-H.
—; Woo, E.-M.; Huang, Y.-P.: Effects of Lithium Salt and Poly(4-vinyl phenol) on Crystalline and Amorphous Phases in Poly(ethylene oxide), 3357P
Lin, J.-J. See Wei, K.-L., 646C
Lin, J.-M. See Lin, H.-C., 783C
Lin, K.-F. See Chow, H.-L., 62P; Jeng, J., 4603C
—; Lin, S.-C.; Chien, A.-T.; Hsieh, C.-C.; Yen, M.-H.; Lee, C.-H.; Lin, C.-S.; Chiu, W.-Y.; Lee, Y.-H.: Exfoliation of Montmorillonite by the Insertion of Disklike Micelles via the Soap-Free Emulsion Polymerization of Methyl Methacrylate, 5572C
Lin, L.-H. See Lee, H.-T., 2724C
Lin, L. Q. See Li, Z. X., 1291C
Lin, M.
—; Hsu, J. C. C.; Cunningham, M. F.: Role of Sodium Dodecylbenzenesulfonate in 2,2,6,6-Tetramethy-1-piperidinyloxy-Mediated Styrene Miniemulsion Polymerization, 5974C
Lin, S. See Zhang, X., 304C
Lin, S.-C. See Lin, K.-F., 5572C
Lin, S.-H. See Wu, T.-M., 6449C; Wu, T.-M., 1413P
Lin, W.-C. See Hui, C.-Y., 359P
Lin, Y.
—; Zeng-Guo, F.; Yu-Mei, Z.; Feng, W.; Shi, C.; Guo-Qing, W.: Synthesis and Application as Polymer Electrolyte of Hyperbranched Polyether Made by Cationic Ring-Opening Polymerization of 3–3′-methyl-oxetane, 3650C
Lin, Y. Y. See Hui, C.-Y., 359P
Lin, Y.-Y.
—; Chen, H.-Y.: Effect of Large Deformation and Material Nonlinearity on the JKR (Johnson–Kendall–Roberts) Test of Soft Elastic Materials, 2912P
Lin, Z.-K. See Lee, R.-S., 4268C

Lin, C.-L.
—; Chiu, W.-Y.: Polypyrrole/Poly(*N*-isopropylacrylamide-*co*-acrylic acid) Thermosensitive and Electrically Conductive Composite Microgels, 1648C

Ling, X.
—; Spruiell, J. E.: Analysis of the Complex Thermal Behavior of Poly(L-lactic acid) Film. I. Samples Crystallized from the Glassy State, 3200P
—; Spruiell, J. E.: Analysis of the Complex Thermal Behavior of Poly(L-lactic acid) Film. II. Samples Crystallized from the Melt, 3378P

Liou, G.-S. See Hsiao, S.-H., 4579C
—; Chen, H.-W.; Yen, H.-J.: Synthesis and Photoluminescent and Electrochromic Properties of Aromatic Poly(amine amide)s Bearing Pendent *N*-Carbazolylphenyl Moieties, 4108C
—; Hsiao, S.-H.; Fank, Y.-K.: Synthesis and Properties of Noncoplanar Rigid-Rod Aromatic Polyhydrazides and Ploy(1,3,4-oxadiazole)s Containing Phenyl or Naphthyl Substituents, 6466C
—; Huang, N.-K.; Yang, Y.-L.: Blue-Light-Emitting and Anodically Electrochromic Materials of New Wholly Aromatic Polyamides Derived from the High-Efficiency Chromophore 4,4′-Dicarboxy-4″-methyltriphenylamine, 4095C
—; Yang, Y.-L.; Su, Y.-O.: Synthesis and Evaluation of Photoluminescent and Electrochemical Properties of New Aromatic Polyamides and Polyimides with Kink 1,2-Phenylenediamine Moiety, 2587C
—; Yen, H.-J.: Synthesis, Photoluminescence, and Electrochromic Properties of Wholly Aromatic Polyamides Bearing Naphthylamine Chromophores, 6094C

Lippert, T. See Buruiana, E. C., 5271C

Lipponen, S. See Aitola, E., 6569C

Lipson, J. E. G.
—; Milner, S. T.: Multiple Glass Transitions and Local Composition Effects on Polymer Solvent Mixtures, 3528P

Liska, R. See Ullrich, G., 115C; Ullrich, G., 1686C

Liu, B.
—; Robertson, G. P.; Guiver, M. D.; Sun, Y.-M.; Liu, Y.-L.; Lai, J.-Y.; Mikhailenko, S.; Kaliaguine, S.: Sulfonated Poly(aryl ether ether ketone ketone)s Containing Fluorinated Moieties as Proton Exchange Membrane Materials, 2299P
—; Tian, C.; Zhang, L.; Yan, W.; Zhang, W.: Copolymerization of Carbon Dioxide and Cyclohexene Oxide with Zinc/β-Ketoiminato Complexes: Investigating the Influence of the Electron Structure of Zinc/β-Ketoiminato Complexes on the Catalytic Activity and Resultant Copolymer Properties, 6243C
—; Zhang, W.; Zheng, S.; Guo, Q.: Competitive Specific Interactions on Miscible Blends of Poly(hydroxyether terephthalate ester) and Poly(4-vinyl pyridine), 1618P

Liu, C.-H.
—; Chen, S.-H.; Chen, Y.: Synthesis and Optical and Electochemical Properties of Copolymers Containing 9,9-Dihexylfluorene and 9-Dimethylaminopropylcarbazole Chromophores, 3882C

Liu, D. See Chen, Y., 3434C
—; Kyriakides, S.; Case, S. W.; Lesko, J. J.; Li, Y.; McGrath, J. E.: Tensile Behavior of Nafion and Sulfonated Poly(arylene ether sulfone) Copolymer Membranes and Its Morphological Correlations, 1453P

Liu, F. See Li, J., 1499P

Liu, G. See Cheng, H., 770P

Liu, H. See Ramanathan, T., 470P; Wang, N., 5863C; Wu, N., 1835P; Xu, R., 826P
—; Shen, Z.; Stiriba, S.-E.; Chen, Y.; Zhang, W.; Wei, L.: Core–Shell-Type Multiarm Star Polyethylenimine-*block*-Poly(ϵ-caprolactone): Synthesis and Guest Encapsulation Potential, 4165C
—; Xie, T.; Zhang, Y.; Ou, Y.; Yang, G.: Phase Morphology Development in PP/PA6 Blends Induced by a Maleated Thermoplastic Elastomer, 1050P

Liu, H.-J. See Lee, H.-T., 5801C

Liu, H.-L.
—; Li, S.-H.; Woo, E. M.: Interactions and Prediction of Phase Diagrams in Ternary Blends Comprising Poly(vinyl acetate), Poly(vinyl *p*-phenol), and Poly(methyl methacrylate), 1147P

Liu, J. See Sun, K., 1378P
—; Jungnickel, B.-K.: Composition Distributions within Poly(vinylidene fluoride) Spherulites as Grown in Blends with Poly(methyl methylacrylate), 338P

Liu, J. G. See Wang, K., 1997C

Liu, J.-G. See Li, H.-S., 2665C

Liu, J. H. See Li, Z. X., 5729C

Liu, J.-H.
—; Yang, P.-C.; Chiu, Y.-H.: Fabrication of High-Performance Gradient-Refractive-Index Plastic Rods with Surfmer-Cluster-Stabilized Nanoparticles, 5933C

Liu, J.-Y. See Liu, X.-H., 490C

Liu, L. See Lu, C., 3406P; Yang, J., 3215P
—; Wong, W.-Y.; Shi, J.-X.; Cheah, K.-W.: Exploring 9-Arylcarbazole Moiety As the Building Block for the Synthesis of Photoluminescent Group 10–12 Heavy Metal Diynes and Polyynes with High-Energy Triplet States, 5588C

Liu, Q. See Cao, D., 2395C; Zhang, P., 3312C
—; Chen, Y.: Synthesis of Well-Defined Macromonomers by the Combination of Atom Transfer ¯ ıdical Polymerization and a Click Reaction, 6103C

Liu, S. See Cao, D., 2395C; Ge, Z., 1357C; Hermanson, K. D., 6055C; Zhang, X., 665P
—; Forcada, J.: Preparation and Characterization of Magnetic Polymeric Composite Particles by Miniemulsion Polymerization, 4187C

Liu, S.-J. See Huang, Y.-Q., 5778C

Liu, T.
—; Ozisik, R.; Siegel, R. W.: Pore Structure and Glass-Transition Temperature of Nanoporous Poly(ether imide), 3546P

Liu, T. Q. See Guo, R., 2388C

Liu, W. See Yang, Y., 1613C

Liu, X. See Sha, K., 3393C; Wang, N., 5863C; Zhang, W., 6640C
—; Chen, J.; Li, H.: Phase Morphology and Rheological Properties of Metallocene-Catalyzed Linear Low-Density Polyethylene with a Small Amount of Diatomite/Oligomer Hybrids, 1287P
—; Li, C.; Zhang, D.; Xiao, Y.: Melting Behaviors, Crystallization Kinetics, and Sphereulitic Morphologies of Poly(butylene succinate) and Its Copolyester Modified with Rosin Maleopimaric Acid Anhydride, 900P
—; Zhan, G.; Yu, Y.; Li, S.: Rheological Study on Structural Transition in Polyethersulfone-Modified Bismaleimide Resin During Isothermal Curing, 3102P

Liu, X.-H.
—; Zhang, G.-B.; Lu, X.-F.; Liu, J.-Y.; Pan, D.; Li, Y.-S.: Dibenzyl Trithiocarbonate Mediated Reversible Addition-Fragmentation Chain Transfer Polymerization of Acrylonitrile, 490C

Liu, Y. See Cai, J., 3093P; Fan, D., 2260C; Wan, T., 6688C; Wang, D., 6226C; Zhang, W., 6640C
—; Zheng, S.: Inorganic–Organic Nanocomposites of Polybenzoxazine with Octa(propylglycidyl ether) Polyhedral Oligomeric Silsesquioxane, 1168C

Liu, Y.-C. See Lee, H.-T., 2724C

Liu, Y. G. See Li, H., 3853C

Liu, Y.-L. See Liu, B., 2299P
—; Chang, G.-P.; Hsu, K.-Y.; Chang, F.-C.: Epoxy/Polyhedral Oligomeric Silsesquioxane Nanocomposite from Octakis (glycidyldimethylsiloxy) octasilsesquioxane and Small-Molecule Curing Agents, 3825C
—; Chang, G.-P.: Novel Approach to Preparing Epoxy/Polyhedral Oligometric Silsesquioxane Hybrid Materials Possessing High Mass Fractions of Polyhedral Oligometric Silsesquioxane and Good Homogeneity, 1869C
—; Hsieh, C.-Y.: Crosslinked Epoxy Materials Exhibiting Thermal Remendability and Removability from Multifunctional Maleimide and Furan Compounds, 905C
—; Lee, H. -C.: Preparation and Properties of Polyhedral Oligosilsequioxane Tethered Aromatic Polyamide Nanocomposites through Michael Addition between Maleimide-Containing Polyamides and an Amino-Functionalized Polyhedral Oligosilsequioxane, 4632C
—; Yu, J.-M.: Cocuring Behaviors of Benzoxazine and Maleimide Derivatives and the Thermal Properties of the Cured Products, 1890C

Liu, Y.-X.
—; Du, Z.-J.; Li, Y.; Zhang, C.; Li, C.-J.; Yang, X.-P.; Li, H.-Q.: Surface Covalent Encapsulation of Multiwalled Carbon Nanotubes with Poly(acryloyl chloride) Grafted Poly(ethylene glycol), 6880C

Liu, Y.-Y. See Si, Q.-F., 3261C

Liu, Z. See Li, J., 4420C; Sun H., 3469C

Lligadas, G. See Martín, C., 6332C
—; Ronda, J. C.; Galià, M.; Biermann, U.; Metzger, J. O.: Synthesis and Characterization of Polyurethanes from Epoxidized Methyl Oleate Based Polyether Polyols as Renewable Resources, 634C
—; Ronda, J. C.; Galià, M.; Cádiz, V.: Synthesis and Properties of Thermosetting Polymers from a Phosphorous-Containing Fatty Acid Derivative, 5630C
—; Ronda, J. C.; Gallà, M.; Cádiz, V.: Development of Novel Phosphorus-Containing Epoxy Resins from Renewable Resources, 6717C

Lodge, T. P. See Chastek, T. Q., 481P
—; Wood, E. R.; Haley, J. C.: Two Calorimetric Glass Transitions Do Not Necessarily Indicate Immiscibility: The Case of PEO/PMMA, 756P

Löfgren, B. See Sereaidaris, T., 4743C

Lokitz, B. See Ezell, R. C., 3125C; Ezell, R. G., 4479C

Lomadze, N. See Kricheldorf, H. R., 5344C

Longiéras, N.
—; Sebban, M.; Palmas, P.; Rivaton, A.; Gardette, J. L.: Multiscale Approach to Investigate the Radiochemical Degradation of Epoxy Resins under High-Energy Electron-Beam Irradiation, 865C

Longo, P. See Costabile, C., 1343C; Napoli, M., 5525C

Lookman, T. See Welch, P. M., 2605P

Loontjens, T. See Pretula, J., 2358C

Loos, J. See Smit, M., 2883C; Smit, M., 6652C

Lopez-Cabarcos, E. See Marcilla, R., 3958C

López-Fernández, R. See Albéniz, A. C., 5682C

López-González, M. See Costamagna, V., 2828P

López-Majada, J. M.
—; Palza, H.; Guevara, J. L.; Quijada, R.; Martínez, M. C.; Benavente, R.; Pereña, J. M.; Pérez, E.; Cerrada, M. L.: Metallocene Copolymers of Propene and 1-Hexene: The Influence of the Comonomer Content and Thermal History on the Structure and Mechanical Properties, 1253P

Lopez-Ruiz, B. See Marcilla, R., 3958C

Loppinet, B. See Michailidou, V. N., 3590P

Lorenzo, A. T.
—; Arnal, M. L.; Sánchez, J. J.; Müller, A. J.: Effect of Annealing Time on the Self-Nucleation Behavior of Semicrystalline Polymers, 1738P

Lotti, N. See Siracusa, V., 1562P

Lou, S. See Ge, Z., 1357C

Lovell, K. V. See Siu, A., 2240P

Lovell, P. A. See Lagrille, O., 1926C
Lowe, A. B. See Barner-Kowollik, C., 5809C
Lozano, Á. E. See Ayala, V., 1414C; Calderón, V., 4063C
Lozinskaya, E. I.
—; Shaplov, A. S.; Kotseruba, M. V.; Komarova, L. I.; Lyssenko, K. A.; Antipin, M. Y.; Golovanov, D. G.; Vygodskii, Y. S.: "One-Pot" Synthesis of Aromatic Poly(1,3,4-oxadiazole)s in Novel Solvents—Ionic Liquids, 380C
Lu, C.
—; Guo, S.; Liu, L.; Zhang, Y.; Li, Z.; Gu, J.: Aggregation Behavior of MPEG-PCL Diblock Copolymers in Aqueous Solutions and Morphologies of the Aggregates, 3406P
—; Yu, X.; Guo, S.: The Mechanim of Ultrasonic Improvement of Weld Line Strengh of Injection Molded Polystyrene and Polystyrene/Polyethylene Blend Parts, 1520P
Lu, C.-X. See Zhou, J.-L., 4532C; Zhou, J.-L., 6047C
Lu, F. See Wang, N., 5863C
Lu, G. See Peng, D., 6857C; Zhang, X., 6888C
—; Zhang, S.; Huang, X.: Synthesis and Characterization of a Novel ABA Triblock Copolymer via 4,4′-Bis(trifluorovinyloxy)biphenyl and Methyl Methacrylate, 5438C
Lu, H. See Chen, X., 2112P; Trujillo-Lemon, M., 3921C
Lu, J. See Li, A.-L., 2376C
—; Huang, R.; Chen, Y.; Li, L.: Extended-Chain Crystals in High-Pressure Crystallized Poly(ethylene terephthalate)/Bisphenol A Polycarbonate Blends, 3148P
Lu, J. D. See Li, Z. X., 5729C
Lu, M. See Zhang, P., 3312C
Lu, W.
—; Lin, H.; Chen, G.: Nonuniversal Transport Behavior in Heterogeneous High-Density Polyethylene/Graphite Nanosheet Composites, 1846P
Lu, X. See Chao, D., 477C; Chua, Y. C., 1040P
Lu, X.-F. See Liu, X.-H., 490C
Lu, X.-M. See Huang, Y.-Q., 5424C; Huang, Y.-Q., 5778C
Lu, Z. See Li, A., 3942C
Luan, B.
—; Zhang, B.-Q.; Pan, C.-Y.: Synthesis and Characterizations of Well-Defined Branched Polymers with AB_2 Branches by Combination of RAFT Polymerization and ROP as well as ATRP, 549C
Luckachan, G. E.
—; Pillai, C. K. S.: Random Multiblock Poly(ester amide)s Containing Poly (L-lactide) and Cycloaliphatic Amide Segments: Synthesis and Biodegradation Studies, 3250C
Ludovice, P. J. See Wilks, B. R., 215P
Luo, J.
—; Sun, Y.: Acyclic *N*-Halamine-Based Fibrous Materials: Preparation, Characterization, and Biocidal Functions, 3588C
Luo, S.-C.
—; Douglas, E. P.: Ruptured Conjugated Polymer Thin Films Formed during Spin Coating, 79P
Luo, Y. See Yang, L., 2293C
—; Cui, X.: Reversible Addition–Fragmentation Chain Transfer Polymerization of Methyl Methacrylate in Emulsion, 2837C
Lustoň, J.
—; Kronek, J.; Böhme, F.: Synthesis and Polymerization Reactions of Cyclic Imino Ethers. I. Ring-Opening Homopolyaddition of AB-Type Hydroxyphenyl-Substituted 2-Oxazolines, 343C
Lv, H.-L.
—; Wang, B.-G.: Prediction of Solvent Diffusion Coefficient in Amorphous Polymers Based on an Equation-of-State, 1000P
Lv, R. See Na, B., 2880P; Xu, P., 3911C
Lynn, D. M. See Zhang, J., 5161C
Lyoo, W. S. See Lee, S. G., 3567C
Lyssenko, K. A. See Lozinskaya, K. A., 380C
Ma, C.-C. M. See Lee, T.-M., 757C; Wu, H.-L., 565P; Wu, H.-L., 1096P; Wu, H.-L., 3128P
Ma, D. See Sun H., 3469C; Xiao, Z., 1084P
Ma, L. See Grigalevicius, S., 5987C
Ma, T. See Shao, Y., 6836C
Ma, X.
—; Yu, J.; Wang, N.: Compatibility Characterization of Poly(lactic acid)/Poly(propylene carbonate) Blends, 94P
Macchiarola, K. See Tzavalas, S., 914P
Machkova, J. See Tokarev, A., 832P
Mackay, M. E. See Tuteja, A., 1930P
Macková, H.
—; Horák, D.: Effects of the Reaction Parameters on the Properties of Thermosensitive Poly (*N*-isopropylacrylamide) MIcrospheres Prepared by Precipitation and Dispersion Polymerization, 968C
Madden, T. See Huang, X., 2346P
Madhavan, K.
—; Reddy, B. S. R.: Synthesis and Characterization of Poly(dimethylsiloxane-urethane) Elastomers: Effect of Hard Segments of Polyurethane on Morpho logical and Mechanical Properties, 2980C
Madkour, T. M.
—; Azzam, R. A.; Mark, J. E.: Recent Advances in the Modeling and Simulation of Metallocene Catalysis, Sequence Distribution, Chain Conformations, and Crystallization of Polymers, 2524P
Madrigal, A. R. See Mata-Mata, J. L., 6926C
Maeda, K. See Onouchi, H., 5039C
Maeda, T. See Satoh, T., 406C
Magnet, S. See Nicolas, J., 4142C
Mai, Y.-W. See Yang, Y., 3869C
Maillard, B. See Thibaud, S., 5954C
Maio, E. D.
—; Iannace, S.; Mensitieri, G.; Nicolais, L.: A Predictive Approach Based on the

Simha–Someynsky Free-Volume Theory for the Effect of Dissolved Gas on Viscosity and Glass Transition Temperature of Polymeric Mixtures, 1863P

Maiti, M.
—; Bhowmick, A. K.: Structure and Properties of Some Novel Fluoroelastomer/Clay Nanocomposites with Special Reference to Their Interaction, 162P

Majsztrik, P. W. See Satterfield, M. B., 2327P

Maki, Y. See Kume, M., 7040C

Mallarino, S.
—; Chailan, J. F.; Vernet, J. L.: Sizing Effects on Main Relaxation Process of Cyanate Ester Glass Fiber Composites Using Dynamic Mechanical and Microthermal Analyses, 205P

Malmström, E. See Thomsen, A. D., 6360C

Malucelli, G. See Sangermano, M., 6943C

Manolova, N. See Paneva, D., 5468C

Mansfeld, F. See Gädda, T. M., 2237C; Grunlan, M. A., 2551C

Mantecón, A. See Callau, L., 1877C; Canadell, J., 6728C7; Cervellera, R., 2873C; Cervellera, R., 4546C; González, L., 6869C; Mas, C., 1711C; Ribera, D., 6270C

Manteón, A. See Canadell, J. 4722C

Manunu, S. L. See Andersson, M., 3305P

Marchant, R. E. See Zhu, J., 192C

Marcilla, R.
—; Sanchez-Paniagua, M.; Lopez-Ruiz, B.; Lopez-Cabarcos, E.; Ochoteco, E.; Grande, H.; Mecerreyes, D.: Synthesis and Characterization of New Polymeric Ionic Liquid Microgels, 3958C

Margel, S. See Galperin, A., 3859C

Marjanović, D. See Ivanović, N., 1783P

Mark, J. E. See Madkour, T. M., 2524P

Marrucho, I. M. See Oliveira, N. S., 1010P

Marsh, A. See Dilly, S. J., 2248C

Marshall, W. J. See Ionkin, A. S., 2615C

Martín, C.
—; Lligadas, G.; Ronda, J. C.; Galliá, M.; Cádiz, V.: Synthesis of Novel Boron-Containing Epoxy—Novolac Resins and Properties of Cured Products, 6332C
—; Ronda, J. C.; Cádiz, V.: Development of Novel Flame-Retardant Thermosets Based on Boron-Modified Phenol–Formaldehyde Resins, 3503C
—; Ronda, J. C.; Cádiz, V.: Novel Flame-Retardant Thermosets: Diglycidyl Ether of Bisphenol A as a Curing Agent of Boron-Containing Phenolic Resins, 1701C

Martin, D. C. See Chen, J., 3631P

Martin, J. I.
—; Zhang, C.-Z.; Wang, Z.-G.: Polymer-Tethered Ligand-Receptor Interactions Between Surfaces, 2621P

Martin, R. See Beginn, U., 1299C

Martín, V. See Peinado, C., 5291C

Martinelli, M. See Carlini, C., 620C; Carlini, C., 1514C

Martínez, G.
—; Synthesis of PVC-*g*-PS Through Stereoselective Nucleophilic Substitution on PVC, 2476C

Martínez, M. C. See López-Majada, J. M., 1253P

Martínez, S.
—; Ramos, J.; Cruz, V. L.; Martínez-Salazar, J.: Isomeric Effect of the $Et(H_4Ind)_2Zr(CH_3)_2$ Catalyst on the Copolymerization of Ethylene and Styrene: A Computational Study, 4752C

Martínez-Richa, A. See Mata-Mata, J. L., 6926C

Martínez-Salazar, J. See Martínez, S., 4752C

Maruyama, K. See Kudo, H., 3640C

Mas, C.
—; Ramis, X.; Salla, J. M.; Mantecón, A.; Serra, A.: Cationic Copolymerization of Diglycidyl Ether of Bisphenol A with Phthalide or 3,3′-Diphtalide Catalyzed by Lanthanide Triflates, 1711C

Mashelkar, R. See Varghese, S., 666C

Mashima, Y. See Uddin, A. J., 398P

Masirek, R. See Jin, Y., 1795P

Massa, M. V. See Carvalho, J. L., 3448P

Mastai, Y. See Menahem, T., 3009C

Masuda, T. See Kono, T., 5943C; Rahim, E. A., 810C; Sakaguchi, T., 5028C; Sutthasupa, S., 5337C

Masuoko, T. See Masuya, R., 416P

Masuya, R.
—; Ninomiya, N.; Fujimori, A.; Nakahara, H.; Masuko, T.: Fine Structure and Phase Transition Behavior of Fluorinated Comb Copolymers, 416P

Matahwa, H.
—; McLeary, J. B.; Sanderson, R. D.: Comparative Study of Classical Surfactants and Polymerizable Surfactants (Surfmers) in the Reversible Addition–Fragmentation Chain Transfer Mediated Miniemulsion Polymerization of Styrene and Methyl Methacrylate, 427C

Mata-Mata, J. L.
—; Gutiérrez, J. A.; Paz-Sandoval, M. Á.; Madrigal, A. R.; Martínez-Richa, A.: Ring-Opening Polymerization of ϵ-Caprolactone Initiated with Different Ruthenium Derivatives: Kinetics and Mechanism Studies, 6926C

Mateva, R., 1470C, Cee Mladenov, G.

Mather, P. T. See Burke, K. A., 5049C

Mathews, A. S.
—; Kim, I.; Ha, C.-S.: Synthesis and Characterization of Novel Fully Aliphatic Polyimidosiloxanes Based on Alicyclic or Adamantyl Diamines, 5254C

Mathias, L. J. See Dizman, B., 5965C

Mathiason, T. M. See Chen, Y., 2604C

Mathot, V. See Salmerón Sánchez, M., 815P

Mathot, V. B. F. See Karssenberg, F. G., 722P; Karssenberg, F. G., 738P; Karssenberg, F. G., 747P

Matsko, M. A. See Dubkov, K. A., 2510C

Matsubara, K. See Koga, Y., 4204C
—; Matsumoto, M.: Cobalt(I)-Mediated Living Radical Polymerization of Methyl Methacrylate, 4222C
Matsuda, T. See Iwamoto, R., 2425P; Narumi, A., 3978C
Matsuda, Y.
—; Kawata, T.; Sugihara, S.; Aoshima, S.; Sato, T.: Structural Analysis of Aggregates Formed by a Thermoresponsive Homopolymer in Dilute Aqueous Solutions, 1179P
Matsui, S. See Naundorf, C., 3103C
Matsukawa, K. See Tamai, T., 2107C
Matsumaru, S. See Hagiwara, T., 3406C
Matsumiya, Y.
—; Inoue, T.; Oishi, Y.; Watanabe, H.: Orientational Anisotropy of Bead-Spring Star Chains During Creep Process, 3501P
Matsumoto, A.
—; Furukawa, D.; Nakazawa, H.: Stereocontrol of Diene Polymers by Topochemical Polymerization of Substituted Benzyl Muconates and Their Crystallization Properties, 4952C
Matsumoto, H. See Nasir, M., 779P
Matsumoto, K.
—; Nakashita, J.; Matsuoka, H.: Synthesis of Silicon Nitride Based Ceramic Nanoparticles by the Pyrolysis of Silazane Block Copolymer Micelles, 4696C
Matsumoto, M. See Matsubara, K., 4222C
Matsumoto, T. See Aono, H., 2155P
Matsunaga, Y. See Fragouli, P., 6587C
Matsuo, A. See Hirao, A., 6659C
Matsuoka, H. See Matsumoto, K., 4696C
Matsuura, Y. See Tamai, T., 2107C
Mattiasson, B. See Savina, I. N., 1952C
Mattice, W. L. See Lin, H., 2556P
Mattozzi, A. See Ritums, J. E., 641P
Matyjaszewski, K. See Goel, V., 2014P; Oh, J. K., 3787C; Ohno, S., 5454C; Tsarevsky, N. V., 5098C
Mauritz, K. A. See Hassan, M. K., 2990C
Maxwell, R. S. See Chien, A., 1898P
May, L. J. See Abd-El-Aziz, A. S., 3053C
Maya, E. M. See Calderón, V., 2270C; Calderón, V., 4063C
Maynard, H. D., 5004C, Li, R. C.
Mays, J. W. See Forster, A. M., 649P; Sakellariou, G., 769C
Mazabraud, P. See Jacquelot, E., 431P
Mazurak, Z. See Iwan, A., 5645C
Mazzotti, M. See Bonavoglia, B., 1531P
McConaughy, S. D. See Ezell, R. G., 4479C
McCormick, C. L. See Ezell, R. C., 3125C; Ezell, R. G., 4479C
McCormick, J. See Achalla, P., 492P
McGrath, J. E. See Cho, C. G., 6007C; Liu, D., 1453P; Roy, A., 2226P
McKenna, G. B. See Banda, L., 801P; Koh, Y. P., 3518P; Qin, Q., 3475P
McKenzie, B. M. See Burke, K. A., 5049C
McLeary, J. B. See Barner-Kowollik, C., 5809C; Matahwa, H., 427C
McQuade, D. T. See Park, J.-I., 3271C; Steinbacher, J. L., 6505C
Meakin, P. See Wilks, B. R., 215P
Mecerreyes, D. See Marcilla, R., 3958C
Méchin, F. See Dolmaire, N., 48P; Soulé, E. R., 2821P
Megiel, E. See Kaim, A., 914C
Mehta, A. K. See Stueber, D., 2760P
Mei, C. See Sun H., 3469C
Meijer, E. W. See Van Der Mee, L., 2166C
Meijer, H. E. H. See Engels, T. A. P., 1212P
Meister, F. See Wendler, F., 1702P
Menahem, T.
—; Mastai, Y.: Chiral Soluble Polymers and Microspheres for Enantioselective Crystallization, 3009C
Meng, Y. Z. See Xu, J., 3328C
Mensitieri, G. See Maio, E. D., 1863P
Mercado, L. A.
—; Galià, M.; Reina, J. A.; Garrido, M.; Larrechi, M. S.; Rius, F. X.: Reactivity of Silicon-Based Epoxy Monomers as Studied by Near-Infrared Spectroscopy and Multivariate Curve Resolution Methods, 1447C
—; Reina, J. A.; Galià, M.: Flame Retardant Epoxy Resins Based on Diglycidyloxymethylphenylsilane, 5580C
—; Ribera, G.; Galià, M.; Cádiz, V.: Curing Studies of Epoxy Resins with Phosphorus-Containing Amines, 1676C
Mert, H. See Hizal, G., 77C
—; Tunca, U.; Hizal, G.: Thiophenol Derivatives as a Reducing Agent for *In Situ* Generation of Cu(I) Species via Electron Transfer Reaction in Copper-Catalyzed Living/Controlled Radical Polymerization of Styrene, 5923C
Mespouille, L. See Paneva, D., 5468C
Messerle, B. See Morrison, D. A., 6171C
Messman, J. M.
—; Storey, R. F.: Synthesis and Characterization of Multiblock Copolymers Composed of Poly(methyl-5-benzyloxycarbonyl-1,3-dioxan-2-one) Outer Blocks and Poly(L-lactide) Inner Blocks, 6817C
Metters, A. T. See Janorkar, A. V., 6534C
Metzger, J. O. See Lligadas, G., 634C
Meuldjik, J. See Bussels, R., 6419C
Meyer, H. See Peter, S., 2951P
Meyer, W. H. See Günday, S. T., 3315P
Miao, L. See Qiu, Z., 1556P
Michailidou, V. N.
—; Loppinet, B, Vo, D. C.; Prucker, O.; Rühe, J.; Fytas, G.: Dynamics of End-Grafted Polystyrene Brushes in Theta Solvents, 3590P
Michálek, J. See Toman, L., 2891C
Michels, M. A. J. See Chen, Z., 33P

Michielsen, S. See Thompson, K., 126C
Mihai, M. See Dragan, E. S., 5898C
Mikeš, F. See Yang, Y., 1613C
Mikhailenko, S. See Liu, B., 2299P
Mikhailova, Y. See Serghei, A., 3006P
Mikroyannidis, J. A. See Barberis, V. P., 3556C; Barberis, V. P., 5750C; Cimrová, V., 524P
—; Moshopoulou, H. A.; Anastasopoulos, J. A.; Stylianakis, M. M.; Fenenko, L.; Adachi, C.: Novel Blue-Greenish Electroluminescent Poly(fluorenevinylene-dibenzothiophenevinylene)s and Their Model Compounds, 6790C
—; Polyfluorenes Containing Tetraphenylthiophene Segments: Synthesis, Photophysics, and Electroluminescence, 4015C
—; Yu, Y.-J.; Lee, S.-H.; Jin, J.-I.: Poly(fluorenevinylene) Derivatives by Heck Coupling: Synthesis, Photophysics, and Electroluminescence, 4494C
Milchev, A. See Corsi, A., 2572P
Milczewska, K.
—; Voelkel, A.: The Use of Flory–Huggins Parameters as a Measure of Interactions in Polymer-Filler Systems, 1853P
Milione, S. See Cuomo, C., 3279C
Milner, S. T. See Lipson, J. E. G., 3528P
Milton, S. G. See Cunningham, M. F., 232C
Min, B. R. See Kim, J. H., 1168P; Kim, J. H., 1434P
Minagawa, M. See Nasir, M., 779P
Minakov, A. A. See Huth, H., 2996P; Pyda, M., 1364P
Minakuchi, M. See Ohshima, T., 2079P
Mirabella, F. M.
—; Crystallization and Melting of Polyethylene Copolymers: Differential Scanning Calorimetry and Atomic Force Microscopy Studies, 2369P
Miri, V. See Persyn, O., 1690P
Mitchell-Koch, J. T.
—; Padden, K. M.; Borovik, A. S.: Modification of Immobilized Metal Complexes Toward the Design and Synthesis of Functional Materials for Nitric Oxide Delivery, 2282C
Mitov, S.
—; Hübner, G.; Brack, H.-P.; Scherer, G. G.; Roduner, E.: *In situ* Electron Spin Resonance Study of Styrene Grafting of Electron Irradiated Fluoropolymer Films for Fuel Cell Membranes, 3323P
Mitsuya, H. See Sasaki, T., 2475P
Miura, M. See Khan, M. R., 3418P
Miura, Y. See Duan, Q., 1117C; Narumi, A., 3978C; Narumi, A., 4864C
—; Okada, M.: Synthesis of Graft Copolymere by ATRP of MMA from Poly(phenylacetylene), 6697C
—; Satoh, T.; Narumi, A.; Nishizawa, O.; Okamoto, Y.; Kakuchi, T.: Synthesis of Well-Defined Syndiotactic Poly(methyl methacrylate) with Low-Temperature Atom Transfer Radical Polymerization in Fluoroalcohol, 1436C
Miyata, T. See Ohshima, T., 2079P; Okawa, K., 3245P
Miyatake, K. See Asano, N., 2744C; Yasuda, T., 3995C
Miyazaki, K. See Nagai, D., 3233C
Mizuno, N.
—; Satoh, K.; Kamigaito, M.; Okamoto, Y.: A Bicyclic Conjugated Diene Monomer, Tetrahydroindene, for Cationic Polymerization and a Novel Acrylic Hydrocarbon Polymer with Heat Resistance, 6214C
Mladenov, G.
—; Ameduri, B.; Kostov, G.; Mateva, R.: Synthesis and Characterization of Fluorinated Telomers Containing Vinylidene Fluoride and Hexafluoropropene from 1,6-Diiodoperfluorohexane, 1470C
Mo, Z. See Zhang, H., 1320P
Moad, G. See Barner-Kowollik, C., 5809C
Mohanraj, R. See Patel, R. R., 234P
Mohanty, B.
—; Aswal, V. K.; Kohlbrecher, J.; Bohidar, H. B.: Length Scale Hierarchy in Sol, Gel, and Coacervate Phases of Gelatin, 1653P
Moine, L. See Thibaud, S., 5954C
Mokume, N. See Ihara, E., 5661C
Molden, M. See Binici, B.,1387C
Möller, M. See Beginn, U., 1299C; Reemers, S., 1372C
Mondain-Monval, O. See Montagne, F., 2642C
Monleón Pradas, M. See Boxberg, Y., 656P
Montagne, F.
—; Mondain-Monval, O.; Pichot, C.; Elaäissari, A.: Highly Magnetic Latexes from Submicrometer Oil in Water Ferrofluid Emulsions, 2642C
Monteiro, M. J. See Barner-Kowollik, C., 5809C
Montembault, V. See Fournier, D., 5316C
Moon, K.-S. See Li, Y., 1020C
Moon, S.-C. See Park, S.-Y., 1948C
Moore, R. B. See Phillips, A. K., 2267P
Moran, I. W. See Asandei, A. D., 1060C; Asandei, A. D., 2015C; Asandei, A. D., 2156C
Morbidelli, M. See Bonavoglia, B., 1531P; Peklak, A. D., 1071C
Moreland, C. See Achalla, P., 492P
Mori, H. See Morinaga, H., 1985C; Morinaga, H., 3778C
Morikawa, H. See Khan, M. R., 3418P
Morinaga, H.
—; Ochiai, B.; Endo, T.: Synthesis and Properties of Star-Shaped Polymers by the Ring-Opening Polymerization of Cyclic Carbonate Initiated with a Trifunctional, Poly(ethylene glycol)-Based Surfactant, 6633C
—; Ochiai, B.; Mori, H.; Endo, T.: Anionic Grafting Polymerization of Propylene Sulfide onto Human Hair in Water, 3778C
—; Ochiai, B.; Mori, H.; Endo, T.: Synthesis and Characterization of Block Copolymers by Metal- and

Solvent-Free Ring-Opening Polymerization of Cyclic Carbonates Initiated from PEG-Based Surfactants, 1985C
Morisaki, Y.
—; Ohashi, K.; Na, H.-S.; Chujo, Y.: First Synthesis of the Bismole-Containing Conjugated Polymer, 4857C
Morooka, N. See Sawai, D., 3369P
Morrison, D. A.
—; Davis, T. P.; Heuts, J. P. A.; Messerle, B.; Gridnev, A. A.: Free Radical Polymerization with Catalytic Chain Transfer: Using NMR to Probe the Strength of the Cobalt—Carbon Bond in Small Molecule Model Reactions, 6171C
Moshopoulou, H. A. See Mikroyannidis, J. A., 6790C
Moszner, N. See Ullrich, G., 115C; Ullrich, G., 1686C
Motokucho, S.
—; Sudo, A.; Endo, T.: Polymer Having a Trithiocarbonate Moiety in the Main Chain: Application to Reversible Addition—Fragmentation Chain Transfer Controlled Thermal and Photoinduced Monomer Insertion Polymerizations, 6324C
Motoya, K. See Yamamoto, C., 5087C
Motoyanagi, J.
—; Fukushima, T.; Kosaka, A.; Ishii, N.; Aida, T.: Self-Assembled Graphitic Nanotubes from an Amphiphilic Hexabenzocoronene Bearing Thiol Functionalities: Redox-Mediated Polymerization and Depolymerization, 5120C
Mouri, E.
—; Okazaki, Y.; Tatsuno, S.; Karakawa, H.; Yoshinaga, K.: Particle Monolayer Formation at the Air–Water Interface by Silica Particle with Well-Defined Grafted Polymer, 2789P
Mourran, A. See Reemers, S., 1372C
Muftuoglu, A. E. See Colak, D., 727C
Mülhaupt, R. See Capacchione, C., 1908C
Müllen, K. See Naundorf, C., 3103C
Müller, A. H. E. See Szablan, Z., 3692C
Müller, A. J. See Lorenzo, A. T., 1738P
Müller, M. See Daoulas, K. Ch., 2589P
Mun, G. A. See Nurkeeva, Z. S., 845P
—; Nurkeeva, Z. S.; Akhmetkalieva, G. T.; Shmakov, S. N.; Khutoryanskiy, V. V.; Lee, S. C.; Park, K.: Novel Temperature-Responsive Water-Soluble Copolymers Based on 2-Hydroxyethylacrylate and Vinyl Butyl Ether and Their Interactions with Poly(carboxylic acids), 195P
Munari, A. See Siracusa, V., 1562P
Munirasu, S.
—; Rühe, J.; Dhamodharan, R.: Ambient Temperature ATRP of Benzyl Methacrylate as a Tool for the Synthesis of Block Copolymers with Styrene, 2848C
Muñoz, D. M. See Ayala, V., 1414C
Murachi, Y. See Naka, K., 2027C
Murakami, S. See Kakiage, M., 2455P
Murali, M.
—; Samui, A. B.; Photoactive, Liquid-Crystalline, Hyperbranched Benzylidene Polyesters: Synthesis and Characterization, 53C
—; Samui, A. B.: Synthesis, Photochemical and Phase Behavior of Linear and Hyperbranched Photoactive Benzylidene Liquid-Crystalline Polyesters, 3986C
Murase, T. See Kim, S., 3227P
Murthy, N. S.
—; Grubb, D. T.: Tilted Lamellae in an Affinely Deformed 3D Macrolattice and Elliptical Features in Small-Angle Scattering, 1277P
—; Hydrogen Bonding, Mobility, and Structural Transitions in Aliphatic Polyamides, 1763P
Mussini, P. R. See Ferruti, P., 2316C

Na, B.
—; Lv, R.: Relationship Between Fracture Toughness and Intrinsic Deformation Parameters in Isotropic and Flow-Oriented Linear Low-Density Polyethylene, 2880P
Na, H. See Wang, Z., 1967C
Na, H.-S. See Morisaki, Y., 4857C
Naga, N.
—; Copolymerization of Propylene and Disubstituted Diallylsilanes Involving Intramolecular Cyclization with Stereoselective Zirconocene Catalysts, 6083C
Nagahara, T. See Kato, T., 1419P
Nagai, D.
—; Nishida, M.; Ochiai, B.; Endo, T.: Synthesis and Propertries of Poly(carbonate-*co*-ester)s Obtained by Cationic Ring-Opening Copolymerization of Spiroorthocarbonate and ϵ-Caprolactone, 2937C
—; Nishida, M.; Ochiai, B.; Miyazaki, K.; Endo, T.: Sequence-Controlled Cationic Ring-Opening Copolymerization of Spiroorthocarbonate and Oxetane, 3233C
—; Sato, M.; Ochiai, B.; Endo, T.: Matrix-Assisted Laser Desorption/Ionization Time-of-Flight Mass Spectroscopic Analysis of Telechelic Polythiourethanes Obtained by the Cationic Ring-Opening Polymerization of Six-Membered Cyclic Thiourethane, 4281C
—; Sato, M.; Ochiai, B.; Endo, T.: Synthesis and Properties of the Polythiourethanes Obtained by the Cationic Ring-Opening Polymerization of Cyclic Thiourethanes, 4795C
Nagai, K. See Sawai, D.,153P
Nagamura, T. See Akabori, K.-I., 3598P
Nagasaki, Y. See Iijima, M., 1457C
Nagasawa, T.
—; Ochiai, B.; Endo, T.: Infrared Thermography Analysis of the Thermally Latent Polymerization of 3-Ethyl-3-phenoxymethyloxetane, 5519C
Nagura, M. See Khan, M. R., 3418P; Uddin, A. J., 398P
Naidu, B. V. K.
—; Jin, S.-H.; Kim, S.-C.; Shin, W.-S.; Lee, J.-W.; Gal, Y.-S.:

Note: Effect of Desilylation on the Optical and Electroluminescence Properties of Poly[2-(3-dimethyldodecylsilylphenyl)-1,4-phenylenevinylene], 6498C
—; Oh, B.-H.; Nam, D.-H.; Hwang, C.-K.; Jin, S.-H.; Lim, K.-T.; Hwang, H.-S.; Lee, J. W.; Gal, Y.-S.: Transition-Metal-Catalyzed Conjugated Polymers of 1,6-Heptadiyne Derivatives in Supercritical Carbon Dioxide, 1555C
Nair, M. R. G. See Gopakumar, S., 2104P
Naito, K. See Naous, W., 1466P
Naito, M. See Saxena, A., 5060C
Najjar, R. See Beginn, U., 1299C
Naka, K. See Nemoto, T., 4731C
—; Inagi, S.; Murachi, Y.; Chujo, Y.: Polymerization of Bisdithiafulvenes with Conjugated Spacers Using Oxidative Dimerization, 2027C
Nakagawa, T. See Iwamura, T., 2714C
Nakahara, H. See Masuya, R., 416P
Nakamura, S. See Takei, F., 585C
Nakanishi, K. See Aoki, H., 949C
Nakano, T. See Yade, T., 561C
Nakao, S. See Kai, T., 846C
Nakashita, J. See Matsumoto, K., 4696C
Nakatani, K. See Endo, K., 4088C
Nakazawa, H. See Matsumoto, A., 4952C
Nam, D.-H. See Naidu, B. V. K., 1555C
Nanasawa, M. See Yasuda, T., 3995C
Naous, W.
—; Yu, X.-Y.; Zhang, Q.-X.; Naito, K.; Kagawa, Y.: Morphology, Tensile Properties, and Fracture Toughness of Epoxy/Al_2O_3 Nanocomposites, 1466P
Nap, R.
—; Gong, P.; Szleifer, I.: Weak Polyelectrolytes Tethered to Surfaces: Effect of Geometry, Acid–Base Equilibrium and Electrical Permittivity, 2638P
Napoli, M.
—; Costabile, C.; Cavallo, G.; Longo, P.: Cyclocopolymerization of 1,4-Pentadiene with Ethene in the Presence of Group-4 Metallocenes, 5525C
Narain, R.
—; Housni, A.; Lane, L.: Modification of Carboxyl-Functionalized Single-Walled Carbon Nanotubes with Biocompatible, Water-Soluble Phosphorylcholine and Sugar-Based Polymers: Bioinspired Nanorods, 6558C
Narita, T. See Fujiwara, H., 3220C
Narukawa, Y. See Takasu, A., 5247C
Narumi, A. See Duan, Q., 1117C; Miura, Y., 1436C
—; Miura, Y.; Otsuka, I.; Yamane, S.; Kitajyo, Y.; Satoh, T.; Hirao, A.; Kaneko, N.; Kaga, H.; Karuchi, T.: End-Functionalization of Polystyrene by Malto-Oligosaccharide Generating Aggregation-Tunable Polymeric Reverse Micelle, 4864C
—; Otsuka, I.; Matsuda, T.; Miura, Y.; Satoh, T.; Kaneko, N.; Kaga, H.; Kakuchi, T.: Glycoconjugated Polymer: Synthesis and Characterization of Poly(vinyl saccharide)-*block*-Polystyrene-*block*-Poly(vinyl saccharide) as an Amphiphilic ABA Triblock Copolymer, 3978C
Nasir, M.
—; Matsumoto, H.; Danno, T.; Minagawa, M.; Irisawa, T.; Shioya, M.; Tanioka, A.: Control of Diameter, Morphology, and Structure of PVDF Nanofiber Fabricated by Electrospray Deposition, 779P
Natori, I.
—; Sato, H.: Aggregation of Poly(1,3-cyclohexadiene): Effects of Molecular Weight and Polymer Chain Structure, 1442P
—; Sato, H.: Dehydrogenation of Poly(1,3-cyclohexadiene)-Polystyrene Binary Block Copolymers, 3526C
—; Sato, H.: Oxidation of Poly(1,3-cyclohexadiene): Influence of the Polymer Chain Structure, 837C
Naundorf, C.
—; Matsui, S.; Saito, J.; Fujita, T.; Klapper, M.; Müllen, K.: Ultrahigh Molecular Weight Polyethylene Produced by a Bis(phenoxy-imine) Titanium Complex Supported on Latex Particles, 3103C
Nazarenko, S. See Zhao, Y., 2412P
Nealey, P. F. See Daoulas, K. Ch., 2589P
Nebioglu, A.
—; Soucek, M. D.: Reaction Kinetics and Microgel Particle Size Characterization of Ultraviolet-Curing Unsaturated Polyester Acrylates, 6544C
Nedeltchev, A. K. See Bhowmik, P. K., 1028C; Han, H., 1541C
Nehls, B. S.
—; Galbrecht, F.; Brauer, D. J.; Lehmann, C. W.; Scherf, U.; Farrell, T.: Synthesis and Characterization of a Helical Step-Ladder Polyarylene, 5533C
Nemoto, T.
—; Ando, D.; Naka, K.; Chujo, Y.: Polycondensation of α-Amino Acid Esters in the Presence of Yttrium Triflate as a Lewis Acid, 4731C
Neugebauer, D.
—; Zhang, Y.; Pakula, T.: Gradient Graft Copolymers Derived from PEO-Based Macromonomers, 1347C
Ng, D. C. T. See Cunningham, M. F., 232C
Ngai, K. L.
—; Interpreting the Dynamics of Nano-Confined Glass-Formers and Thin Polymer Films: Importance of Starting from a Viable Theory of the Bulk, 2980P
Nguyen, T. L. U.
—; Eagles, K.; Davis, T. P.; Barner-Kowollik, C.; Stenzel, M. H.: Investigation of the Influence of the Architectures of Poly(vinyl pyrrolidone) Polymers Made via the Reversible Addition–Fragmentation Chain Transfer/Macromolecular Design via the Interchange of Xanthates Mechanism on the Stabilization of Suspension Polymerizations, 4372C

Nho, Y. C. See Reddy, K. R., 3355C
Ni, H. See Wang, Z., 1967C
Ni, Y.
—; Zheng, S.: Epoxy Resin Containing Polyphenylsilsesquioxane: Preparation, Morphology, and Thermomechanical Properties, 1093C
Nicolais, L. See Maio, E. D., 1863P
Nicolas, J.
—; Charleux, B.; Magnet, S.: Muiltistep and Semibatch Nitroxide-Mediated Controlled Free-Radical Emulsion Polymerization: A Significant Step toward Conceivable Industrial Processes, 4142C
Nielsen, S. O. See Ortiz, V., 1907P
Nilsen, A.
—; Braslau, R.: Nitroxide Decomposition: Implications toward Nitroxide Design for Applications in Living Free-Radical Polymerization, 697C
Ninomiya, N. See Masuya, R., 416P
Nishida, M. See Nagai, D., 2937C; Nagai, D., 3233C
Nishikubo, T. See Kudo, H., 3640C
Nishimuira, I. See Kudo, H., 3640C
Nishizawa, O. See Miura, Y., 1436C
Noda, I. See Lim, J. S., 2852P
Noh, S. K. See Lee, S. G., 3567C
Norisuye, T. See Aoki, H., 949C
Nowakowska, M. See Rymarczyk-Machal, M., 2675C
Nowak-Pyda, E. See Pyda, M., 1364P; Qiu, W., 3461P
Nunes, S. P. See Gomes, D., 2278P
Nuño-Donlucas, S. M. See Rodríguez-Castro, M., 2404P
Nurkeeva, Z. S. See Mun G. A., 195P
—; Mun, G. A.; Sergaziyev, A. D.; Fefelova, N. A.; Sarsenbaeva, A. S.; Khutoryanskiy, V. V.: Synthesis of Cationic Water-Soluble Copolymers and Hydrogels Based on [2-(Methacryloyloxy)ethyl] trimethylammonium Chloride and 2-Hydroxyethylacrylate and Their Complex Formation with Poly(acrylic acid), 845P
Nyström, A. See Hietala, S., 3674C

O'Brien, A. K.
—; Cramer, N. B.; Bowman, C. N.: Oxygen Inhibition in Thiol–Acrylate Photopolymerizations, 2007C
Ochi, M. See Harada, M., 1406P; Harada, M., 2486P; Kato, T., 1419P
Ochiai, B. See Kume, M., 7040C; Kume, M., 3666C; Morinaga, H., 1985C; Morinaga, H., 3778C; Morinaga, H., 6633C; Nagai, D., 2937C; Nagai, D., 3233C; Nagai, D., 4281C; Nagai, D., 4795C; Nagasawa, T., 5519C
—; Amemiya, H.; Yamazaki, H.; Endo, T.: Synthesis and Properties of Poly(carbonate-urethane) Consisting of Alternating Carbonate and Urethane Moieties, 2802C
Ochiai, H. See Ohmae, M., 5014C
Ochoteco, E. See Marcilla, R., 3958C
Odelius, K.
—; Finne, A.; Albertsson, A.-C.: Versatile and Controlled Synthesis of Resorbable Star-Shaped Polymers Using a Spirocyclic Tin Initiator–Reaction Optimization and Kinetics, 596C
Oh, B.-H. See Naidu, B. V. K., 1555C
Oh, J. B. See Park, J. K., 1326C
Oh, J. K.
—; Matyjaszewski, K.: Synthesis of Poly(2-hydroxyethyl methacrylate) in Protic Media through Atom Transfer Radical Polymerization Using Activators Generated by Electron Transfer, 3787C
Oh, S.
—; Kim, K.; Lee, B. H.; Shim, S. E.; Choe, S.: TEMPO-Mediated Dispersion Polymerization of Styrene in the Presence of Camphorsulfonic Acid, 62C
Ohama, T. See Sawai, D.,153P
Ohashi, K. See Morisaki, Y., 4857C
Ohba, M. See Kuroiwa, K., 5192C

Ohishi, T.
—; Sugi, R.; Yokoyama, A.; Yokozawa, T.: A Variety of Poly(*m*-benzamide)s with Low Polydispersities fro-m Inductive Effect-Assisted Chain-Growth Polycondensation, 4990C
Ohkoshi, Y. See Uddin, A. J., 398P
Ohmae, M.
—; Fujikawa, S.-I.; Ochiai, H.; Kobayashi, S.: Enzyme-Catalyzed Synthesis of Natural and Unnatural Polysaccharides, 5014C
Ohno, S.
—; Matyjaszewski, K.: Controlling Grafting Density and Side Chain Length in Poly(*n*-butyl acrylate) by ATRP Copolymerization of Macromonomers, 5454C
Ohsawa, R. See Hashimoto, K., 4895C
Ohshima, T.
—; Kogami, Y.; Minakuchi, M.; Miyata, T.; Uragami, T.: Pervaporation Properties of Crosslinked Poly(dimethylsiloxane) Membranes for the Removal of Hydrocarbons from Water, 2079P
Ohta, E. See Urakawa, O., 967P
Ohta, M. See Tsuchida, A., 2972C
Ohya, Y. See Ouchi, T., 6402C
Oichi, A. See Sugawara, A., 5153C
Oishi, Y. See Matsumiya, Y., 3501P
Ojha, U. P.
—; Kumar, A.: Design, Synthesis, and Characterization of Main-Chain, Aromatic Polyesters Based on 3,4-Ethylenedioxythiophene, 3479C
Okada, M. See Miura, Y., 6697C
Okada, Y. See Hagiwara, T., 3406C
Okamoto, K.-I. See Hu, Z., 2862C; Yin, Y., 3751C
Okamoto, Y. See Miura, Y., 1436C; Mizuno, N., 6214C; Shibata, T, 3609C; Sugiyama, Y., 2086C; Yamamoto, C., 5087C; Yang, Y., 1613C
Okasha, R. M. See Abd-El-Aziz, A. S., 3053C
Okawa, K.
—; Miyata, T.; Uragami, T.: Fluorescence Resonance

Energy Transfer by Quencher Adsorption into Hydrogels Containing Fluorophores, 3245P
Okazaki, Y. See Mouri, E., 2789P
Okoshi, K. See Saxena, A., 5060C
Okuda, J. See Capacchione, C., 1908C
Okumura, Y. See Hirano, T., 4450C
Oliva, L. See Caporaso, L.,7008C; Izzo, L., 3551C
Oliveira, N. S.
—; Dorgan, J.; Countinho, J. A. P.; Ferreira, A.; Daridon, J. L.; Marrucho, I. M.: Gas Solubility of Carbon Dioxide in Poly(lactic acid) at High Pressures, 1010P
Olson, B. G. See Zhao, Y., 2412P
Olten, N. See Binici, B.,1387C
Ong,B. See Chen, R., 1252C
Onitsuka, K. See Takei, F., 585C
Ono, A. See Sato, T., 2328C
Ono, S. See Kai, T., 846C
Onouchi, H.
—; Hasegawa, T.; Kashiwagi, D.; Ishiguro, H.; Maeda, K.; Yashima, E.: Chirality Sensing of Various Biomolecules with Helical Poly(phenylacetylene)s Bearing Acidic Functional Groups in Water, 5039C
Ootsu, T. See Kim, S., 3227P
Opitz, A. W.
—; Wagner, N. J.: Structural Investigations of Poly(amido amine) Dendrimers in Methanol Using Molecular Dynamics, 3062P
O'Reilly, R. K.
—; Joralemon, M. J.; Hawker, C. J.; Wooley, K. L.: Facile Synthesis of Surface-Functionalized Micelles and Shell Cross-Linked Nanoparticles, 5203C
Orimoto, Y.
—; Aoki, Y.: Quantum-Chemical Approach to the Solvatochromic Transition in Polysilane Derivatives, 119P
Ortiz, V.
—; Nielsen, S. O.; Klein, M. L.; Discher, D. E.: Computer Simulation of Aqueous Block Polymer Assemblies: Length Scales and Methods, 1907P
Ortiz-Acosta, D. See Furyk, S.,1492C
Ota, H. See Satterfield, M. B., 2327P
Otaigbe, J. See Urman, K., 441P
Otsuka, I. See Narumi, A., 3978C; Narumi, A., 4864C; Sakai, R., 325C
Ou, Y. See Liu, H., 1050P
Ouchi, M. See Terashima, T., 4966C
Ouchi, T.
—; Kontani, T.; Aoki, R.; Saito, T.; Ohya, Y.: Characteristic Properties of Film Prepared from Poly(L-lactide)-Grafted Dextran of a Relatively High Sugar Unit Content as a Degradable Biomaterial, 6402C
Ounaies, Z. See Park, C., 1751P
Owa, S. See Suzuki, M., 3817C
Oyaizu, K.
—; Hoshino, M.; Ishikawa, M.; Imai, T.; Yuasa, M.: Synthesis and Characterization of a π-Conjugated Hybrid of Oligothiophene and Porphyrin, 5403C
Oyama, T.
—; Kitamura, A.; Sato, E.; Tomoi, M.: Lithographic Design of Photosensitive Polyarylates Based on Reaction Development Patterning, 2694C
Ozisik, R. See Liu, T., 3546P; Ryu, C. Y., 3427P
Oziski, R. See Chen, X., 3453P

Paczkowski, J. See Kabatc, J., 6345C
Padden, K. M. See Mitchell-Koch, J. T., 2282C
Pagnoulle, C. See Lenoir, S., 1214C
Pakula, T. See Neugebauer, D., 1347C
Pal, U. See García-Serrano, J., 1627P
Palmans, A. R. A. See De Geus, M., 4290C; Van Der Mee, L., 2166C
Palmas, P. See Longiéras, N., 865C
Palmlöf, M. See Ritums, J. E., 641P
Palza, H. See López-Majada, J. M., 1253P
Pan, C. See Wang, D., 6226C
Pan, C.-Y. See Han, D.-H., 2794C; Hong, C.-Y., 2419C; Luan, B., 549C
Pan, D. See Liu, X.-H., 490C
Pan, Q.-W. See Zhou, J.-L., 4532C
Panday, M. K. See Srivastava, S., 504P
Pandey, R. B.
—; Anderson, K. L.; Farmer, B. L.: Exfoliation of Stacked Sheets: Effects of Temperature, Platelet Size, and Quality of Solvent by a Monte Carlo Simulation, 3580P
—; Anderson, K. L.; Farmer, B. L.: Multiscale Dynamics of an Interacting Sheet by a Bond-Fluctuating Monte Carlo Simulation, 2512P
Paneva, D.
—; Mespouille, L.; Manolova, N.; Degée, P; Rashkov, I.; Dubois, P.: Comprehensive Study on the Formation of Polyelectrolyte Complexes from (Quaternized) Poly[2-(dimethylamino)ethyl methacrylate] and Poly(2-acrylamido-2-methylpropane sodium sulfonate), 5468C
Pang, K.
—; Kotek, R.; Tonelli, A.: Ring-Opening Polymerization of the Cyclic Dimer of Poly(trimethylene terephthalate), 6801C
Pang, X. See Tang, Z., 4932C
Pang, Y. See Chu, Q., 2338C; Liao, L., 2307C
Panov, G. I. See Dubkov, K. A., 2510C
Pantazis, D. See Ciolino, A., 1579C
Papageorgiou, G. Z.
—; Bikiaris, D. N.: Biodegradable Poly(alkylene succinate) Blends: Thermal Behavior and Miscibility Study, 584P
Papakonstantopoulos, Y. J. See Daoulas, K. Ch., 2589P
Papon, E. See Ibarboure, E., 4668C
Parent, J. S. See Guillén-Castellanos, S. A., 983C
París, R.
—; de la Fuente, J. L.: Synthesis and Characterization of Functional Gradient Copolymers of Allyl Methacrylate and Butyl Acrylate, 2304C
Park, C. See Kim, C. K., 254C; Kim, C. K., 5855C
—; Wilkson, J.; Banda, S.; Ounaies, Z.; Wise, K. E.; Sauti, G.; Lillehei, P. T.;

Harrison, J. S.: Aligned Single-Wall Carbon Nanotube Polymer Composites Using an Electric Field, 1751P
Park, J. See Park, M. J., 3571P
Park, J.-I.
—; Roth, S. L.; Price, K. E.; Mcquade, D. T.: 2′ Substituted Sergeants Influencing the Deoxy Soldiers in Folded Oligonucleotides, 3271C
Park, J. K.
—; Lee, D. H.; Song, B. J.; Oh, J. B.; Kim, H. K.: Synthesis and Characterization of Novel Perfluorinated Polyimides with 3D-Controlled Structures for Photonic Applications, 1326C
Park, J. L. See Hong, K. H., 2468P
Park, K. See Mun G. A., 195P
Park, K. H. See Lee, S. G., 3567C
Park, M. See Sakellariou, G., 769C
Park, M.-H. See Kim, Y.-H., 4923C
Park, M. J. See Balsara, N. P., 3429P
—; Park, J.; Hyeon, T.; Char, K.: Effect of Interacting Nanoparticles on the Ordered Morphology of Block Copolymer/Nanoparticle Mixtures, 3571P
Park, S.
—; Chi, Y. S.; Choi, I. S.: Immobilization of $Ti(O^iPr)_4$ onto Silicon Oxide Surfaces and Surface-Initiated Polymerization of ϵ-Caprolactone, 3711C
Park, S.-J. See Jin, F.-L., 3348P
Park, S.-M. See Daoulas, K. Ch., 2589P
Park, S. Y. See Lee, S. J., 888C
Park, S.-Y.
—; Moon, S.-C.; Venkatasubramanian, N.; Dang, T. D.; Lee, J.-W.; Farmer, B. L.: The Synthesis, Characterization, and Crystal Structures of Poly(2,6-naphthalenebenzobisoxazole) and Poly(1,5-naphthalenebenzobisoxazole), 1948C
Park, W. H. See Kim, T. H., 2059C
Park, Y. See Guo, Q., 889P
Parmon, V. N. See Dubkov, K. A., 2510C
Partridge, A. C. See Kemp, N. T., 1331P
Pascault, J. P. See Dolmaire, N., 48P; Soulé, E. R., 2821P
Pascual S. See Fournier, D., 5316C
Pastrana, G. See Arrua, R. D., 6616C
Patel, R. R.
—; Mohanraj, R.; Pittman, C. U., Jr.: Properties of Polystyrene and Polymethyl Methacrylate Copolymers of Polyhedral Oligomeric Silsesquioxanes: A Molecular Dynamics Study, 234P
Patra, B. N.
—; Bhattacharjee, M.: Cp_2VCl_2-Catalyzed Aqueous Polymerization Using Oxygen as a Cocatalyst: The Remarkable Effect of Oxygen on the Molecular Weights and Yields of the Polymers, 2749C
Patterson, G. D. See Francis, R. S., 703P
Paul, M.-A. See Pluta, M., 299P, 312P
Paul, W. See Rampf, F., 2542P
Paulus, R. M. See Becer, C. R., 6202C
Paulusse, J. M. J.
—; Sijbesma, R. P.: Ultrasound in Polymer Chemistry: Revival of an Established Technique, 5445C
Paz-Pazos, M.
—; Pugh, C.: Synthesis of Optically Active Copolymers of 2,3,4,5,6-Pentafluorostyrene and β-Pinene with Low Surface Energies, 3114C
Paz-Sandoval, M. Á. See Mata-Mata, J. L., 6926C
Pegington, R. C. See Iraqi, A., 3336C
Peinado, C.
—; Bosch, P.; Martín, V.; Corrales, T.: Photoinitiated Polymerization in Bicontinuous Microemulsions: Fluorescence Monitoring, 5291C
Pekárek, M. See Toman, L., 2891C
Peklak, A. D.
—; Butté, A.: Kinetic Model of Reversible Addition Fragmentation Chain Transfer Polymerization of Styrene in Seeded Emulsion, 6114C
—; Butté, A.; Storti, G.; Morbidelli, M.: Gel Effect in the Bulk Reversible Addition-Fragmentation Chain Transfer Polymerization of Methyl Methacrylate: Modeling and Experiments, 1071C
Penczek, S. See Pretula, J., 2358C
Peng, D. See Zhang, X., 6888C
—; Lu, G.; Zhang, S.; Zhang, X.; Huang, X.: Novel Amphiphilic Graft Copolymers Bearing Hydrophilic Poly(acrylic acid) Backbones and Hydrophobic Poly(butyl methacrylate) Side Chains, 6857C
Peng, J. See Cao, D., 2395C
Peng, M. See Zuo, M., 1547P
Peng, Z.
—; Chen, D.: Alignment Effect of Attapulgite on the Mechanical Properties of Poly(vinyl alcohol)/Attapulgite Nanocomposite Fibers, 1995C
—; Chen, D.: Study on the Nonisothermal Crystallization Behavior of Poly(vinyl alcohol)/Attapulgite Nanocomposites by DSC Analysis, 534P
Pensec, S. See Richez, A., 6782C
Percec, V. See Coelho, J. F. J., 2809C; Coelho, J. F. J., 3001C
Pereña, J. M. See López-Majada, J. M., 1253P
Perera, S. See Barner, L., 857C
Pérez, E. See López-Majada, J. M., 1253P
Pérez-Moreno, F. See García-Serrano, J., 1627P
Pérez-Rigueiro, J. See Plaza, G. R., 994P
Perrier, S. See Legge, T. M., 6980C
Persello, J. See Guyard, A., 1134P
Persyn, O.
—; Miri, V.; Lefebvre, J.-M.; Ferreiro, V.; Brink, T.; Stroeks, A.: Mechanical Behavior of Films of Miscible Polyamide 6/Polyamide 6I-6T Blends, 1690P
Peter, S.
—; Meyer, H.; Baschnagel, J.: Thickness-Dependent Reduction of the Glass-Transition Temperature in

Thin Polymer Films with a Free Surface, 2951P
Peters, G. W. M. See Engels, T. A. P., 1212P
Petroff, P. M. See Kim, S., 3227P
Phiasivongsa, P. See Wamsley, A., 4328C
Phillips, A. K.
—; Moore, R. B.: Mechanical and Transport Property Modifications of Perfluorosulfonate Ionomer Membranes Prepared with Mixed Organic and Inorganic Counterions, 2267P
Pichot, C. See Montagne, F., 2642C
Piel, C. See Karssenberg, F. G., 747P
—; Starck, P.; Seppälä, J. V.; Kaminsky, W.: Thermal and Mechanical Analysis of Metallocene-Catalyzed Ethene–α-Olefin Copolymers: The Influence of the Length and Number of the Crystallizing Side Chains, 1600C
Pillai, C. K. S. See Luckachan, G. E., 3250C
Ping, P. See Wang, W., 5505C
Piorkowska, E. See Jin, Y., 1795P
Pispas, S.
—; Double Hydrophilic Block Copolymers of Sodium (2-sulfamate-3-carboxylate) isoprene and Ethylene Oxide, 606C
Pitsikalis, M. See Bilalis, P., 659C; Bilalis, P., 5719C
Pittman, C. U., Jr. See Patel, R. R., 234P
Pivovar, B. See Siu, A., 2240P
Plaza, G. R.
—; Guinea, G. V.; Pérez-Rigueiro, J.; Elices, M.: Thermo-Hygro-Mechanical Behavior of Spider Dragline Silk: Glassy and Rubbery States, 994P
Pluta, M.
—; Melt Compounding of Polylactide/Organoclay: Structure and Properties of Nanocomposites, 3392P
—; Paul, M.-A.; Alexandre, M.; DuBois, P.: Plasticized Polylactide/Clay Nanocomposites. I. The Effect of Aging on Structure and Properties in Relation to the Filler Content and the Nature of its Orano-Modification, 312P
—; Paul, M.-A.; Alexandre, M.; DuBois, P.: Plasticized Polylactide/Clay Nanocomposites. I. The Role of Filler Content and its Surface Organo-Modification on the Physico-Chemical Properties, 299P
Podkościelna, B.
—; Gawdzik, B.; Bartnicki, A.: Use of a New Methacrylic Monomer, 4,4-Di(2-hydroxy-3-methacryloyloxyproipoxy)-benzophenone, in the Synthesis of Porous Microspheres, 7014C
Poel, G. V. See Salmerón Sánchez, M., 815P
Pogantsch, A. See Buchgraber, C., 4317C
Pojman, J. A. See Binici, B.,1387C; Evstratova, S. I., 3601C; Hu, T., 3018C
Polanczyk, I. See Biela, T., 4214C
Poon, S.-Y. See Wong, W.-Y., 4804C
Popov, A. V. See Coelho, J. F. J., 2809C; Coelho, J. F. J., 3001C
Popwell, S. See Binici, B.,1387C
Pouiggalí, J. See Botines, E., 1199C
Powell, K. T.
—; Cheng, C.; Wooley, K. L.; Singh, A.; Urban, M. W.: Complex Amphiphilic Networks Derived From Diamine-Terminated Poly(Ethylene Glycol) and Benzylic Chloride-Functionalized Hyperbranched Fluoropolymers, 4782C
Pragliola, S. See Costabile, C., 1343C
Pramanik, M. See Srivastava, S. K., 471P
Prata, J. V. See Costa, A. I., 7054C
Pretula, J.
—; Kaluzynski, K.; Wisniewski, B.; Szymanski, R.; Loontjens, T.; Penczek, S.: H_3PO_4 in a Direct Synthesis of Oligo-Poly(ethylene phosphate) from Ethylene Glycol, 2358C
Price, K. E. See Park, J.-I., 3271C
Priftis, G. D. See Koutsioubas, A. G., 1580P
Priola, A. See Sangermano, M., 6943C
Proto, A. See Capacchione, C., 1908C; De Carlo, F., 1486C
Proulx, S. E. See Janorkar, A. V., 6534C
Prucker, O. See Michailidou, V. N., 3590P
Psarras, G. C.
—; Soto Beobide, A.; Voyiatzis, G. A.; Karahaliou, P, K.; Georga, S. N.; Krontiras, C. A.; Sotiropoulos, J.: Dielectric and Conductivity Process in Poly(ethylene terephthalate) and Poly(ethylene naphthalate) Homopolymers and Copolymers, 3078P
Pu, J. L. See Li, Z. X., 1291C; Li, Z. X., 5729C
Pu, S. See Wei, Z., 4904C; Xu, J., 1125C
Pucciariello, R.
—; Villani, V.; Guadagno, L.; Vittoria, V.: Equilibrium Thermal Behavior and Morphology of Organophilic Montmorillonite/Poly(ϵ-caprolactone) Nanocomposites, 22P
Pugh, C. See Paz-Pazos, M., 3114C
—; Zhu, P.; Kim, G.; Zheng, J. X.; Rubal, M. J.; Cheng, S. Z. D.: Synthesis of Laterally Attached Side-Chain Liquid-Crystalline Polynorbornenes with High Mesogen Density by Ring-Opening Metathesis Polymerization, 4076C
Puiggalí, J. See Zurita, R., 993C
Puneeta. See Brar, A. S., 2076C
Puranen, A. See Aitola, E., 6569C; Sereaidaris, T., 4743C
Puranen, A. J. See Izzo, L., 3551C
Puskas, J. E.
—; Chen, Y.; Kulbaba, K.; Kaszas, G.: Comparison of the Molecular Weight and Size Measurement of Polyisobutylenes by Size Exclusion Chromatography/Multi-Angle Laser Light Scattering and Viscometry, 1777C
—; Chen, Y.; Kulbaba, K.; Kaszas, G.; Soleymannezhad, A.: Effect of the Molecular Weight and Architecture on the Size and Glass Transition

of Arborescent Polyisobutylenes, 1770C
—; Dos Santos, L.; Kaszas, G.: Note: Innovation in Material Science: The Chameleon Block Copolymer, 6494C
Pyda, M. See Qiu, W., 3461P
—; Nowak-Pyda, E.; Heeg J.; Huth, H.; Minakov, A. A.; Di Lorenzo, M. L.; Schick, C.; Wunderlich, B.: Melting and Crystallization of Poly(butylene terephthalate) by Temperature-Modeulated and Superfast Calorimetry, 1364P

Qi, C.-Y.
—; Wang, Z.-X.: Synthesis and Characterization of Aluminum(III) and Tin(II) Complexes Supported by Diiminophosphinate Ligands and Their Application in Ring-Opening Polymerization Catalysis of ϵ-Caprolactone, 4621C
Qian, C. See Kissin, Y. V., 6159C
Qian, J. See Li, M., 5887C
Qiao, W.-Q. See Si, Q.-F., 3261C
Qiao, X. See Zhou, J., 3202C
Qin, A. See Hua, J., 3538-C; Li, Z., 5672C
Qin, J. See Li, Z., 5672C
Qin, Q.
—; McKenna, G. B.: Melting of Solvents Nanoconfined by Polymers and Networks, 3475P
Qing, A. See Zhang, P., 3312C
Qiu, F. See Li, A., 3942C; Xu, J., 2811P
Qiu, S.
—; Gan, X.; Gao, C.; Zheng, X.; Yu, H.; Fan, H.: Hydrogen Bond Effect of Azido Polyurethane Elastomer by Dynamic Mechanical Analysis, 2841P
Qiu, W.
—; Pyda, M.; Nowak-Pyda, E.; Habenschuss, A.; Wagener, K. B.; Wunderlich, B.: Crystallization and Melting of a Branched Polyethylene with Precisely Controlled Chemical Structure, 3461P
Qiu, X.
—; Sukhishvili, S. A.: Copolymerization of *N*-Vinylcaprolactam and Glycidyl Methacrylate: Reactivity Ratio and Composition Control, 183C
Qiu, X.-M.
—; Wei, X.-L.; Yin, B.-L.; Sun, D.-Z.: Thermodynamics of Interaction between Sodium bis(2-ethylhexyl) sulfosuccinae and Polymers in Aqueous Solutions by Isothermal Titration Microcalorimetry, 275P
Qiu, Z.
—; Miao, L.; Yang, W.: Crystallization and Melting Behavior of Biodegradable Poly(butylene succinate-*co*-butylene carbonate), 1556P
Qu, B. See Ding, P., 3165P
Qu, R. See Hou, C., 219C; Hou, C., 226C
Quémener, D.
—; Héroguez, V.; Gnanou, Y.: Design of PEO-Based Ruthenium Carbene for Aaqueous Metathesis Polymerization. Synthesis by the "Macromonomer Method" and Application in the Miniemulsion Metathesis Polymerization of Norbornene, 2784C
Quevedo-Sanchez, B.
—; Henson, M. A.; Coughlin, E. B.: Origin of the Formation of the 4-Butenyl End Group in Zirconocene-Catalyzed Propylene Polymerization, 3724C
Quijada, R. See López-Majada, J. M., 1253P
Quirk, R. P. See Bhargava, P., 3605P
—; Kim, Y. J.; Guo, Y.; Wesdemiotis, C.; Arnould, M. A.: Hydroxyl Chain-End Functionalization of Polymeric Organolithium Compounds with Oxetane, 2684C

Radić, D. See Sanchis, M. J., 3135P
Radisaljević, I. See Ivanović, N., 1783P
Radosz, M. See Tang, H., 5995C; Tang, H., 6607C
Raghavan, D. See Achalla, P., 492P
Raghu, A. V.
—; Gadaginamath, G. S.; Jawalkar, S. S.; Halligudi, S. B.; Aminabhavi, T. M.: Synthesis, Characterization, and Molecular Modeling Studies of Novel Polyurethanes Based on 2,2′-[Ethane-1,2-diylbis(nitrilomethylylidene)]diphenol and 2,2′-[Hexane-1,6-diylbis(nitrilomethylylidene)]diphenol Hard Segments, 6032C
Rahim, E. A.
—; Sanda, F.; Masuda, T.: Synthesis and Properties of Optically Active Amino Acid Based Polyacetylenes Bearing Eugenol and Fluorene Moieties, 810C
Rai, R. See Saxena, A., 5060C
Rajan, J. See Deepak, V. D., 4384C
Rajendran, A. See Bonavoglia, B., 1531P
Raju, K. V. S. N. See Chattopadhyay, D. K., 102P
Ramakrishnan, A.
—; Dhamodharan, R.; Rühe, J.: Growth of Poly(methyl methacrylate) Brushes on Silicon Surfaces by Atom Tansfer Radical Polymerization, 1758C
Ramanathan, T.
—; Liu, H.; Brinson, L. C.: Functionalized SWNT/Polymer Nanocomposites for Dramatic Property Improvement, 470P
Ramaswamy, R. See Francis, B., 541P
Ramier, J.
—; Chazeau, L.; Gauthier, C.; Guy, L.; Bouchereau, M. N.: Grafting of Silica During the Processing of Silica-Filled SBR: Comparison Between Length and Content of the Silane, 143P
Ramis, X. See Botines, E., 1199C; Cervellera, R., 2873C; Cervellera, R., 4546C; González, L., 6869C; Mas, C., 1711C
Ramos, J. See Imaz, A., 443C; Martínez, S., 4752C
—; Costoyas, Á.; Forcada, J.: Kinetics of the Batch Cationic Emulsion Polymerization of Styrene: A Comparative Study with the Anionic Case, 4461C
Rampf, F.
—; Binder, K.; Paul, W.: The Phase Diagram of a Single Polymer Chain: New Insights From a New Simulation Method, 2542P
Randzio, S. L. See Boyer, S. A. E., 185P

Ranucci, E. See Ferruti, P., 2316C
Rao, V. L. See Francis, B., 541P
Raphaël, E. See Gabriele, S., 3022P
Rasheed, A.
—; Dadmun, M. D.; Britt, P. F.: Polymer-Nanofiber Composites: Enhancing Composite Properties by Nanofiber Oxidation, 3053P
Rashkov, I. See Paneva, D., 5468C
Rasmussen, K. Ø. See Welch, P. M., 2605P
Raspolli-Galletti, A. M. R. See Carlini, C., 620C
Ravindranath, R. See Vetrichelvan, M., 3763C
Reddy, B. S. R. See Madhavan, K., 2980C
Reddy, K. R.
—; Lee, K.-P.; Gopalan, A. I.; Kim, M. S.; Showkat, A. M.; Nho, Y. C.: Synthesis of Metal (Fe or Pd)/Alloy (Fe–Pd)-Nanoparticles-Embedded Multiwall Carbon Nanotube/Sullfonated Polyaniline Composites by γ Irradiation, 3355C
Reemers, S.
—; Mourran, A.; Keul, H.; Möller, M.: Novel Route to Dendritic Structures and Their Application for Surface Modification, 1372C
Reichert, K.-H. See El-Toufaili, F.-A., 1049C
Reifsnider, K. See Huang, X., 2346P
Reina, J. A. See Andreu, R., 1529C; Callau, L., 1877C; Giamberini, M., 1722C; Mercado, L. A., 1447C; Mercado, L. A., 5580C
Reineke, T. M.
—; Poly(glycoamidoamine)s: Cationic Glycopolymers for DNA Delivery, 6895C
Reiter, G. See Gabriele, S., 3022P
Ren, M. See Zhang, H., 1320P
Ren, S. See Fang, Q., 3797C
Ren, Y. See Huang, J., 3684C
Repo, T. See Aitola, E., 6569C; Izzo, L., 3551C; Sereaidaris, T., 4743C
Rezac, M. E. See Wilks, B. R., 215P
Riande, E. See Costamagna, V., 2828P
Ribera, D.
—; Giamberini, M.; Serra, A.; Mantecón, A.: Lightly Crosslinked, Mesomorphic Networks Obtained through the Reaction of Dimeric, Liquid-Crystalline Epoxy—Imine Monomers and Heptaneidioic Acid, 6270C
Ribera, G. See Mercado, L. A., 1676C
Richez, A.
—; Belleney, J.; Bouteiller, L.; Pensec, S.: Synthesis and MALDI-TOF Analysis of Dendritic-Linear Block Copolymers of Lactides: Influence of Architecture on Stereocomplexation, 6782C
Rieger, J. See Riva, R., 6015C
Rietveld, I. B. See Dichtel, W. R., 4939C
Rissanou, A. N.
—; Anastasiadis, S. H.; Bitsanis, J. A.: Monte Carlo Study of the Coil-to-Globule Transition of a Model Polymeric System, 3651P
Rittigstein, P.
—; Torkelson, J. M.: Polymer—Nanoparticle Interfacial Interactions in Polymer Nanocomposites: Confinement Effects on Glass Transition Temperature and Suppression of Physical Aging, 2935P
Ritums, J. E.
—; Mattozzi, A.; Gedde, U. W.; Hedenqvist, M. S.; Bergman, G.; Palmlöf, M.: Mechanical Properties of High-Density Polyethylene and Crosslinked High-Density Polyethylene in Crude Oil and Its Components, 641P
Rius, F. X. See Garrido, M., 4846C; Mercado, L. A., 1447C
Riva, R.
—; Rieger, J.; Jérôme, R.; Lecomte, P.: Heterograft Copolymers of Poly(ε-caprolactone) Prepared by Combination of ATRA "Grafting onto" and ATRP "Grafting from" Processes, 6015C
Rivaton, A. See Djouani, F., 1317C; Longiéras, N., 865C
Rivin, D.
—; Suzin, Y.: Calorimetric Investigation of the Interaction of Carbon Nanotubes with Polystyrene, 1821P
Rixens, B.
—; Severac, R.; Boutevin, B.; Lacroix-Desmazes, P.: Synthesis of Phosphonated Copolymers with Tailored Architecture by Reversible Addition-Fragmentation Chain Transfer Polymerization (RAFT), 13C
Rizvi, S. S. H. See Chen, K.-H. J., 607P
Robbins, M. O. See Hoy, R. S., 3487P
Robertson, G. P. See Liu, B., 2299P
Robertson, R. E. See Simha, R., 2663P
Rodríguez-Castro, M.
—; Cesteros, L. C.; Katime, I.; Nuño-Donlucas, S. M.: Miscible Blends of Poly(vinyl phenyl ketone) and Poly(4-vinyl phenol), 2404P
Rodríguez-Galán, A. See Zurita, R., 993C
Rodríguez-Hernández, J. See Ibarboure, E., 4668C
Roduner, E. See Mitov, S., 3323P
Romack, T. J.
—; Kaur, G.; Weaver, S. F.; Harrelson, S. K.; Kenward, A. G.: Catalytic Chain-Transfer Synthesis of 1,1,2,2-Tetrahydroperfluoroalkyl Methacrylate Macromonomers, 4136C
Ronda, J. C. See Andreu, R., 1529C; Garrido, M., 4846C; Giamberini, M., 1722C; Lligadas, G., 634C; Lligadas, G., 5630C; Lligadas, G., 6717C; Martín, C., 1701C; Martín, C., 3503C; Martín, C., 6332C
Roper, J. A. III. See De Bruyn, H., 5832C
Rossi, M. See Ferruti, P., 2316C
Rostiashvili, V. G. See Corsi, A., 2572P
Roth, C. B.
—; Dutcher, J. R.: Hole Growth as a Microrheological Probe to Measure the Viscosity of Polymers Confined to Thin Films, 3011P
Roth, R. See Burnham, K. S., 6909C
Roth, S. L. See Park, J.-I., 3271C
Rowan, S. J. See Burke, K. A., 5049C

Roy, A.
—; Hickner, M. A.; Yu, X.; Li, Y.; Glass, T. E.; McGrath, J. E.: Influence of Chemical Composition and Sequence Length on the Transport Properties of Proton Exchange Membranes, 2226P
Rubal, M. J. See Pugh, C., 4076C
Rucker, S. P. See Baugh, L. S., 1817C
Rühe, J. See Michailidou, V. N., 3590P; Munirasu, S., 2848C; Ramakrishnan, A., 1758C
Rui, J.-M. See Li, H.-S., 2665C
Ruiz-Treviño, F. A. See Villegas-Coss, I., 256P
Russell, T. P. See Glogowski, E., 5076C
Rymarczyk-Machal, M.
—; Zapotoczny, S.; Nowakowska, M.: Synthesis and Characterization of Novel Photoactive Polymer Poly(vinyl alcohol)-*graft*-Poly(vinyl naphthalene), 2675C
Ryu, C. Y. See Kim, W., 3612P
—; Ozisik, R.: Introduction, 3427P

Sabharwal, S. See Dubey, K. A., 1676P
Sağlam, M. See Aydoğan, Ş., 1572P
Saenz-Galindo, A.
—; Textle, H. M.; Jasso, A. R.; Torres-Lubián, J. R.: Cp*RuCl-(η^2-CH_2'3dCHCN)(PPh_3): A Novel Catalyst for Atom Transfer Radical Polymerization of Styrene and the Effect of Et_2NH as Additive, 676C
Saf, R. See Burtscher, D., 6136C; Kappaun, S., 2130C
Saha, G. See Asandei, A. D., 1106C; Asandei, A. D., 2015C; Asandei, A. D., 2156C
Sahin, E. See Yildiz, U. H., 2215C
Sahin, G.
—; Albayrak, A. Z.; Sarayli, Z.; Ayci, D.: Synthesis and Photopolymerization of New Dental Monomers from *o*-Hydroxyaryl Phosphonates, 6775C
Saini, T. See Brar, A. S., 1975C; Brar, A. S., 2955C
Saito, H. See Hashimoto, K., 4895C
Saito, J. See Naundorf, C., 3103C
Saito, R.
—; Synthesis and Properties of Organic-Silica Nanocomposites with Perhydropolysilazane, 5174C
Saito, T. See Kawahara, S., 1561C; Ouchi, T., 6402C
Sakaguchi, T. See Kono, T., 5943C
—; Yumoto, K.; Shida, Y.; Shiotsuki, M.; Sanda, F.; Masuda, T.: Synthesis, Properties, and Gas Permeability of Novel Poly(diarylacetylene) Derivatives, 5028C
Sakai, R.
—; Otsuka, I.; Satoh, T.; Kakuchi, R.; Kaga, H.; Kakuchi, T.: Chiral Discrimination of a Helically Organized Crown Ether Array Parallel to the Helix Axis of Polyisocyanate, 325C
Sakamoto, A. See Uddin, A. J., 398P
Sakayori, K.
—; Shibasaki, Y.; Ueda, M.: Synthesis and Properties of Poly(amic acid)s and Polyimides Based on 2,2′,6,6′-Biphenyltetracarboxylic Dianhydride, 6385C
Sakellariou, G. See Ciolino, A., 1579C
—; Park, M.; Advincula, R.; Mays, J. W.; Hadjichristidis, N.: Homopolymer and Block Copolymer Brushes on Gold by Living Anionic Surface-Initiated Polymerization in a Polar Solvent, 769C
Sakuai, T. See Tanaka, K., 88C
Sakurai, K. See Sasaki, T., 1958C; Sasaki, T., 2475P
Sakurai, T. See Fragouli, P., 6587C; Fragouli, P. G., 614C; Tanaka, K., 25C
Saldívar-Guerra, E.
—; Bonilla, J.; Zacahua, G.; Albores-Velasco, M.: Incubation Period in the 2,2,4,4-Tetramethyl-1-piperidinyloxy-Mediated Thermal Autopolymerization of Styrene: Kinetics and Simulations, 6962C
Salla, J. M. See Cervellera, R., 2873C; Cervellera, R., 4546C; González, L., 6869C; Mas, C., 1711C
Salmerón Sánchez, M. See Boxberg, Y., 656P
—; Mathot, V.; Poel, G. V.; Groeninckx, G.; Bruls, W.: Crystallization of Polyamide Confined in Sub-Micrometer Droplets Dispersed in a Molten Polyethylene Matrix, 815P
Salz, U. See Ullrich, G., 115C; Ullrich, G., 1686C
Samitsu, S.
—; Araki, J.; Kataoka, T.; Ito, K.: New Solvent for Polyrotaxane. II. Dissolution Behavior of Polyrotaxane in Ionic Liquids and Preparation of Ionic Liquid-Containing Slide-Ring Gels, 1985C
Samui, A. B. See Murali, M., 53C; Murali, M., 3986C
Sanchez, I. C. See Willmore, F. T., 1385P
Sánchez, J. J. See Lorenzo, A. T., 1738P
Sánchez-Chaves, M. See Cuervo-Rodríguez, R., 5618C
Sanchez-Paniagua, M. See Marcilla, R., 3958C
Sanchis, M. J.
—; Domínguez-Espinosa, G.; Díaz-Calleja, R.; Alegría, L.; Gargallo, L.; Radić, D.: Relaxational Behavior of Poly(4-tetrahydropyranyl) Methacrylate, 3135P
Sanda, F. See Kono, T., 5943C; Rahim, E. A., 810C; Sakaguchi, T., 5028C; Sutthasupa, S., 5337C
Sandanayake, S. See Barner, L., 857C
Sanderson, R. D. See Barner-Kowollik, C., 5809C; Matahwa, H., 427C
Sangermano, M.
—; Bongiovanni, R.; Malucelli, G.; Priola, A.; Thomas, R. R.; Kausch, C. M.; Kim, Y.: Synthesis and Cationic Photopolymerization of New Fluorinated, Polyfunctional Propenyl Ether Oligomers, 6943C
Sanopoulou, M. See Dimos, V., 3173P
Sarayli, Z. See Sahin, G., 6775C
Sarsenbaeva, A. S. See Nurkeeva, Z. S., 845P
Sasaki, D. See Hagiwara, T., 3406C
Sasaki, S. See Kuroiwa, K., 5192C

Sasaki, T.
—; Kawagoe, S.; Mitsuya, H.; Irie, S.; Sakurai, K.: Glass Transition of Crosslinked Polystyrene Shells Formed on the Surface of Calcium Carbonate Whisker, 2475P
—; Suzuki, M.: Microscopy Study of Powder-to-Powder Polycondensation of DL-1,3-Bis(hydroxyphenylmethyl)-benzene, 4354C
—; Uchida, T.; Sakurai, K.: Effect of Crosslink on the Characteristic Length of Glass Transition of Network Polymers, 1958C
Satapathy, B. K. See Thunga, M., 2776P
Sato, E. See Oyama, T., 2694C
Sato, H. See Ito, Y., 4338C; Natori, I., 837C; Natori, I., 3526C; Natori, I., 1442P
Sato, M. See Nagai, D., 4281C; Nagai, D., 4795C
Sato, S.-I. See Duan, Q., 1117C
Sato, T. See Hirano, T., 4450C; Matsuda, Y., 1179P
—; Ono, A.; Hirano, T.; Seno, M.: Initiator-Fragment Incorpopration Radical Copolymerization of Vinyl Acetate and 1,2-Polybutadiene as a Multivinyl Monomer, 2328C
Satoh, K. See Kamigaito, M., 6147C; Mizuno, N., 6214C; Shibata, T, 3609C; Sugiyama, Y., 2086C
Satoh, T. See Duan, Q., 1117C; Miura, Y., 1436C; Narumi, A., 3978C; Narumi, A., 4864C; Sakai, R., 325C
—; Tamaki, M.; Kitajyo, Y.; Maeda, T.; Ishihara, H.; Imai, T.; Kaga, H.; Kakuchi, T.: Synthesis of Unimolecular Reversed Micelle Consisting of a Poly(L-lactide) Shell and Hyperbranched D-Mannan Core, 406C
Satterfield, M. B.
—; Majsztrik, P. W.; Ota, H.; Benziger, J. B.; Bocarsly, A. B.: Mechanical Properties of Nafion and Titania/Nafion Composite Membranes for Polymer Electrolyte Membrane Fuel Cells, 2327P
Sauguet, L.
—; Ameduri, B.; Boutevin, B.: Fluorinated, Crosslinkable Terpolymers Based on Vinylidene Fluoride and Bearing Sulfonic Acid Side Groups for Fuel-Cell Membranes, 4566C
Sauti, G. See Park, C., 1751P
Savina, I. N.
—; Mattiasson, B.; Galaev, I. Y.: Graft Polymerization of Vinyl Monomers Inside Macroporous Polyacrylamide Gel, Cryogel, in Aqueous and Aqueous-Organic Media Initiated by Diperiodatocuprate(III) Complexes, 1952C
Sawaguchi, T. See Hagiwara, T., 3406C
Sawai, D.
—; Nagai, K.; Kubota, M.; Ohama, T.; Kanamoto, T.: Maximum Tensile Properties of Oriented Polyethylene, Achieved by Uniaxial Drawing of Solution-Grown Crystal Mats: Effects of Molecular Weight and Molecular Weight Distribution, 153P
—; Watanabe, D.; Morooka, N.; Kuroki, H.; Kanamoto, T.: Superdrawing of Polytetrafluoroethylene Nascent Powder by Solid-State Coextrusion, 3369P
Sawamoto, M. See Terashima, T., 4966C
Saxena, A.
—; Rai, R.; Kim, S.-Y.; Fujiki, M.; Naito, M.; Okoshi, K.; Kwak, G.: Weak Noncovalent Si···F–C Interactions Stabilized Fluoroalkylated Rod-Like Polysilanes As Ultrasensitive Chemosensors, 5060C
Sbrana, G. See Carlini, C., 200C; Carlini, C., 620C; Carlini, C., 1514C
Schadler, L. S. See Bansal, A., 2944P; Xiao, Z., 1084P
Schaefer, J. See Stueber, D., 2760P
Schellenberg, J. See Kricheldorf, H. R., 5546C
Scherer, G. G. See Mitov, S., 3323P
Scherf, U. See Grigalevicius, S., 5987C; Nehls, B. S., 5533C
Schiavo, V. See De Carlo, F., 1486C
Schick, C. See Huth, H., 2996P; Pyda, M., 1364P
Schiraldi, D. A. See Iyer, S., 2091P
Schmitt, M. See Ghorbal, A., 2449P
Schnabelrauch, M. See Boxberg, Y., 656P
Schönberger, F. See Kerres, J. A., 2311P
Schormans, L. See De Geus, M., 4290C
Schubert, U. S. See Becer, C. R., 6202C
Schultz, J. M. See Li, H., 1114P
Schulz, D. N. See Baugh, L. S., 1817C
Schwarz, G. See Calderón, V., 6252C; Chatti, S., 3616C; Kricheldorf, H. R., 3175C; Kricheldorf, H. R., 4680C; Kricheldorf, H. R., 5344C; Kricheldorf, H. R., 5546C
Scialdone, O. See Galia, A., 2406C; Giaconia, A., 4122C
Sciannamea, V.
—; Bernard, M.; Catala, J.-M.; Jérôme, R.; Detrembleur, C.: Kinetics and Electron Spin Resonance Study of the Radical Polymerization of *n*-Butyl Acrylate Mediated by a Nitroxide Precursor: *C*-Phenyl-*N*-*tert*-butylnitrone, 6299C
Sclavons, S. See Gabriele, S., 3022P
Sebban, M. See Longiéras, N., 865C
Sebra, R. P.
—; Anseth, K. S.; Bowman, C. N.: Integrated Surface Modification of Fully Polymeric Microfluidic Devices Using Living Radical Photopolymerization Chemistry, 1404C
Seemann, R.
—; Jacobs, K.; Landfester, K.; Herminghaus, S.: Freezing of Polymer Thin Films and Surfaces: The Small Molecular Weight Puzzle, 2968P
Sek, D. See Iwan, A., 5645C
Semikolenov, S. V. See Dubkov, K. A., 2510C
Sen, A. See Borkar, S., 1225C
Seno, M. See Hirano, T., 4450C; Sato, T., 2328C
Sensfuss, S. See Ashraf, R. S., 6952C
Seo, K. S. See Kim, M. S., 5413C
Seppälä, J. See Sereaidaris, T., 4743C
Seppälä, J. V. See Piel, C., 1600C

Seraidaris, T.
—; Puranen, A.; Karesoja, M.; Löfgren, B.; Repo, T.; Leskelä, M.; Seppälä, J.: High-Molar-Mass Polypropene with Tunable Elastic Properties by Hafnocene/Borate Catalysts, 4743C
Sergaziyev, A. D. See Nurkeeva, Z. S., 845P
Serghei, A.
—; Mikhailova, Y.; Eichhorn, K.-J.; Voit, B.; Kremer, F.: Discrepancies in the Characterization of the Glass Transition in Thin Films of Hyperbranched Polyesters, 3006P
Serra, A. See Cervellera, R., 2873C; Cervellera, R., 4546C; González, L., 6869C; Mas, C., 1711C; Ribera, D., 6270C
Serrano, D. See Arrua, R. D., 6616C
Serrano, J.-L. See Amabilino, D. B., 3161C
Setälä, H. See Aitola, E., 6569C
Severac, R. See Rixens, B., 13C
Sewell, T. D. See Welch, P. M., 2605P
Sha, K.
—; Li, D.; Li, Y.; Ai, P.; Liu, X.; Wang, W.; Xu, Y.; Wang, S.; Wu, M.; Zhang, B.; Wang, J.: Chemoenzymatic Synthesis of an AB-Type Diblock Copolymer Combining Enzymatic Self-Condensation Polymerization and Atom Transfer Radical Polymerization, 3393C
Shabat, D.
—; Self-Immolative Dendrimers as Novel Drug Delivery Platforms, 1569C
Shahid, M. See Ashraf, R. S., 6952C
Shallenberger, J. R. See Borkar, S., 1225C
Shangguan, Y.
—; Song, Y.; Zheng, Q.: A Query on Crystallization Temperature-Dependent Cooling Function Under Nonisothermal Condition, 795P
Shangli, D. See Yu, G., 177P
Shanks, R. A. See Gower, M. D., 1237P; Gunaratne, L. M. W. K., 70P
Shao, W.
—; Wang, Q.; Wang, F.; Chen, Y.: Polyamide-6/Natural Clay Mineral Nanocomposites Prepared by Solid-State Shear Milling Using Pan-Mill Equipment, 249P
Shao, Y.
—; Li, Y.-F.; Zhao, X.; Wang, X.-L.; Ma, T.; Yang, F.-C.: Synthesis and Properties of Fluorinated Polyimides from a New Unsymmetrical Diamine: 1,4-(2′-Trifluoromethyl-4,'4"-diaminodiphenoxy)benzene, 6836C
Shaplov, A. S. See Lozinskaya, K. A., 380C
Shaw, C. See Chen, J., 3631P
Shaw, M. T. See Gasa, J. V., 2253P
She, L. See Jing, X., 1014C
Shea, R. See Lai, J. T., 4298C
Shen, F.
—; Li, H.; Wu, C.: Crosslinking Induced by *In Situ* Coordination in Acrylonitrile Butadiene Rubber/Poly(vinyl chloride) Alloy, Filled with Anhydrous Copper Sulfate Particles, 378P
Shen, H. See Haung, F., 2521C
Shen, J.
—; Zheng, S. ; Comparative Studies on Miscibility and Phase Behavior of Linear and Star Poly(2-methyl-2-oxazoline) Blends with Poly(vinylidene fluoride), 942P
Shen, Q. See Xu, X., 4409C; Xue, M., 1147C
Shen, X. See Duan, Q., 1117C
Shen, Y. See Tang, H., 5995C; Tang, H., 6607C
Shen, Z. See Liu, H., 4165C
Shepherd, A. R. See Dilly, S. J., 2248C
Shi, C. See Lin, Y., 3650C
Shi, J. See Zhang, P., 3312C
Shi, J.-X. See Liu, L., 5588C; Wong, W.-Y., 4804C
Shi, Q. See Zhu, L., 134P
Shi, W. See Xu, R., 826P
Shi, Y.
—; Fu, Z.; Li, B.; Yang, W.: Synthesis of Diblock Copolymers by Combining Stable Free Radical Polymerization and Atom Transfer Radical Polymerization, 2468C
—; Fu, Z.; Yang, W.: Synthesis of Comb-Like Polystyrene with Poly(*N*-phenyl maleimide-*alt*-*p*-chloromethyl styrene) as Macroinitiator, 2069C
Shibasaki, Y. See Sakayori, K., 6385C
Shibata, T. See Kuroiwa, K., 5192C
—; Satoh, K.; Kamigaito, M.; Okamoto, Y.: Simultaneous Control of the Stereospecificity and Molecular Weight in the Ruthenium-Catalyzed Living Radical Polymerization of Methyl and 2-Hydroxyethyl Methacrylates and Sequential Synthesis of Stereoblock Polymers, 3609C
Shibaya, M.
—; Suzuki, Y.; Doro, M.; Ishihara, H.; Yoshihara, N.; Enomoto, M.: Effect of Soft Segment Component on Moisture-Permeable Polyurethane Films, 573P
Shida, Y. See Sakaguchi, T., 5028C
Shieh, Y.-T.
—; Yang, H.-S.: Enhanced Morphological Heterogeneity of PCL in the Presednce of PVC with Isothermal Supercritical CO_2 Treatment, 85P
Shigesato, Y. See Sugawara, A., 5153C
Shim, H.-K. See Jung, Y. K., 4611C; Lee, J., 2943C; Lim, E., 243C; Lim, E., 4709C
Shim, S. E. See Ha, J. U., 6394C; Oh, S., 62C
Shimada, T. See Ito, Y., 4338C
Shimano, R. See Gunji, T., 2542C
Shimizu, H. See Li, Y., 284P
Shimizu, T.
—; Self-Assembled Lipid Nanotube Hosts: The Dimension Control for Encapsulation of Nanometer-Scale Guest Substances, 5137C
Shimizu, Y. See Kimura, K., 2732C
Shin, S. M. See Choi, H. S., 2428C
Shin, W,-S. See Naidu, B. V. K., 6498C
Shin, Y. M. See Wu, K. H., 2657C
Shindo, S. See Kudo, H., 3640C
Shinohara, K.
—; Suzuki, T.; Kitami, T.; Yamaguchi, S.: Simultaneous Imaging of the Structure and

Fluorescence of a Supramolecular Nanostructure Formed by the Coupling of π-Conjugated Polymer Chains in the Intermolecular Interaction, 801C
Shiotsuki, M. See Kono, T., 5943C; Sakaguchi, T., 5028C
Shioya, M. See Nasir, M., 779P
Shirai, H. See Suzuki, M., 3817C
Shiyu, H. See Yu, G., 177P
Shmakov, S. N. See Mun G. A., 195P
Shoe, A. L. See Ionkin, A. S., 2615C
Shogren, R. L. See Doll, K. M., 4259C
Shokri, A. A.
—; Zamani, S. E.: Rheology, Morphology, and Estimation of the Interfacial Tension of Binary Blends Based on Low-Density Polyethylene/Poly(trimethylene terephthalate) and High-Density Polyethylene/Poly(trimethylene terephthalate), 1725P
Showkat, A. M. See Reddy, K. R., 3355C
Shtein, M. See Chen, J., 3631P
Shull, K. R. See Hui, C.-Y., 359P
—; Viewpoint: Fracture and Adhesion of Elastomers and Gels: Large Strains at Small Length Scales, 3436P
Shuster, M. See Gendler, S., 1136C
Shyu, G. D. See Isayev, A. I., 622P
Si, Q. See Kong, J., 3930C
Si, Q.-F.
—; Fan, X.-D.; Liu, Y.-Y.; Kong, J.; Wang, S.-J.; Qiao, W.-Q.: Synthesis and Characterization of Hyperbranched-Poly(siloxysilane)-Based Polymeric Photoinitiators, 3261C
Sics, I. See Somani, R. H., 3553P
Sides, S. W. See Bosse, A. W., 2495P
Sie, J. W. See Lin, C. H., 3487C
Siegel, R. W. See Liu, T., 3546P
Siegert, M. R. See Heuchel, M., 1874P
Sierra, T. See Amabilino, D. B., 3161C
Sijbesma, R. P. See Paulusse, J. M. J., 5445C
Sikora, A. See Toman, L., 2891C; Toman, L., 6378C
Silva, A. M. F. P. See Coelho, J. F. J., 2809C; Coelho, J. F. J., 3001C
Simanek, E. E.. See Steffensen, M. B., 3411C
Simha, R.
—; Robertson, R. E.: Free Volume and Stochastic Theory of Volume Relaxation, 2663P
Simmance, T. G. See Iraqi, A., 3336C
Simms, R. W.
—; Cunningham, M. F.: Reverse Atom Transfer Radical Polymerization of Butyl Methacrylate in a Miniemulsion Stabilized with a Cationic Surfactant, 1628C
Simon, G. P. See Guo, Q., 889P
Simon, S. L. See Koh, Y. P., 3518P
Singh, A. See Powell, K. T., 4782C
Säipek, M. See Tokarev, A., 832P
Siracusa, V.
—; Gazzno, M.; Finelli, L.; Lotti, N.; Munari, A.: Cocrystallization Phenomena in Novel Poly(diethylene terephthalate-*co*-thiodiethylene terephthalate) Copolyesters, 1562P
Sissano, J. A. See Baugh, L. S., 1817C
Siu, A.
—; Pivovar, B.; Horsfall, J.; Lovell, K. V.; Holdcroft, S.: Dependence of Methanol Permeability on the Nature of Water and the Morphology of Graft Copolymer Proton Exchange Membranes, 2240P
Sivakova, S. See Burke, K. A., 5049C
Slark, A. T. See Legge, T. M., 6980C
Slugovc, C. See Burtscher, D., 6136C; Kappaun, S., 2130C
Smit, M.
—; Zheng, X.; Brüll, R.; Loos, J.; Chadwick, J. C.; Koning, C. E.: Effect of 1-Hexene Comonomer on Polyethylene Particle Growth and Copolymer Chemical Composition Distribution, 2883C
—; Zheng, X.; Loos, J.; Chadwick, J. C.; Koning, C. E.: Effects of Propylene Prepolymerization on Ethylene/1-Hexene and Ethylene/1-Octene Copolymerization with an Immobilized Metallocene Catalyst, 6652C
Smith, D. W., Jr. See Gordon, J., 1592P; Zengin, H., 6988C
Smith, S. C. See Dilly, S. J., 2248C
So, Y.-H.
—; Foster, P.; Im, J.-H.; Garrou, P.; Hetzner, J.; Stark, E.; Baranek, K.: Divinylsiloxane-bisbenzocyclobutene-Based Polymer Modified with Polystyrene-Polybutadiene-Polystyrene Triblock Copolymers, 1591C
Soares, J. B. P. See Anantawaraskul, S., 2749P
Solak, H. H. See Daoulas, K. Ch., 2589P
Solasi, R. See Huang, X., 2346P
Soleymannezhad, A. See Puskas, J. E., 1770C
Somani, R. H.
—; Sics, I.; Hsiao, B. S.: Thermal Stability of Shear-Induced Precursor Structures in Isotactic Polypropylene by Rheo-X-ray Techniques with Couette Flow Geometry, 3553P
Sombatmankhong, K.
—; Suwantong, O.; Waleetorncheepsawat, S.; Supaphol, P.: Electrospun Fiber Mats of Poly(3-Hydroxybutyrate), Poly(3-Hydroxybutyrate-*co*-3-Hydroxyvalerate), and Their Blends, 2923P
Son, J. M. See Kim, B. R., 3109P
Sona, C. See Deepa, P., 5557C
Song, B. J. See Park, J. K., 1326C
Song, C.-L.
—; Tang, L.-M.; Li, Y.-G.; Li, X.-F.; Chen, J.; Li, Y.-S.: Preparation of Linear α-Olefins to High-Molecular Weight Polyethylenes Using Cationic α-Diimine Nickel (II) Complexes Containing Chloro-Substituted Ligands, 1964C
Song, E. S. See Kim, C. K., 254C; Kim, C. K., 5855C
Song, G. See Han, J., 4229C
Song, L.
—; Ge, X.; Wang, M.; Zhang, Z.; Li, S.: Anionic/Nonionic Mixed Surfactants Templates Preparation of Hollow Polymer Spheres via

Emulsion Polymerization, 2533C
Song, Y. See Shangguan, Y., 795P; Yin, S., 2346C
—; Zheng, Q.: Nonlinear Conduction of Irradiation-Crosslinked High-Density Polyethylene/Acetylene Carbon Black Composites at the Electric–Thermal Equilibrium State, 1979C
Song, Z. See Varshney, S. K., 3400C
Sorrentino, A.
—; Tortora, M.; Vittoria, V.: Diffusion Behavior in Polymer–Clay Nanocomposites, 265P
Sotiropoulos, J. See Psarras, G. C., 3078P
Soto Beobide, A. See Psarras, G. C., 3078P
Soucek, M. D. See Nebioglu, A., 6544C
Soulé, E. R.
—; Jaffrennou, B.; Méchin, F.; Pascault, J. P.; Borrajo, J.; Williams, R. J. J.: Thermodynamic Analysis of the Reaction-Induced Phase Separation of Solutions of Random Copolymers of Methyl Methacrylate and *N,N*-Dimethylacrylamide in the Precursors of a Polythiourethane Network, 2821P
Spanring, J. See Buchgraber, C., 4317C
Spence, R. E. See Ionkin, A. S., 2615C
Spěváček, J. See Toman, L., 2891C; Toman, L., 6378C
Spijker, H. J.
—; Dirks, A. J.; Van Hest, J. C. M.: Synthesis and Assembly Behavior of Nucleobase Functionalized Block Copolymers, 4242C
Spiliopoulos, I. K. See Cimrová, V., 524P
Spiliopoulos, N. See Koutsioubas, A. G., 1580P
Sprong, E. See De Bruyn, H., 5832C
Spruiell, J. E. See Ling, X., 3200P; Ling, X., 3378P
Sreedhar, B. See Chattopadhyay, D. K., 102P
Srivastava, S.
—; Panday, M. K.; Srivastava, Shinoo; Gupta, V. D.; Khan, I. A.: Phonon Dispersion in Polycytidilic Acid, 504P
Srivastava, S. K.
—; Pramanik, M.; Acharya, H.: Ethylene/Vinyl Acetate Copolymer/Clay Nanocomposites, 471P
Srivastava, Shinoo. See Srivastava, S., 504P
Stansbury, J. W. See Trujillo-Lemon, M., 3921C
Starck, P. See Piel, C., 1600C
Stark, E. See So, Y.-H., 1591C
Staudinger, U. See Thunga, M., 2776P
Steffensen, M. B.
—; Hollink, E.; Kuschel, F.; Bauer, M.; Simanek, E. E.: Dendrimers Based on [1,3,5]-Triazines, 3411C
Steinbacher, J. L.
—; McQuade, D. T.: Polymer Chemistry in Flow: New Polymers, Beads, Capsules, and Fibers, 6505C
Stelzer, F. See Kappaun, S., 2130C
Stenzel, M. H. See Nguyen, T. L. U., 4372C; Szablan, Z., 3692C; Zhang, L., 2177C
—; Barner-Kowollik, C.; Davis, T. P.: Formation of Honeycomb-Structured, Porous Films via Breath Figures with Different Polymer Architectures, 2363C
Stibrany, R. T. See Baugh, L. S., 1817C
Stifanos, M. See Burnham, K. S., 6909C
Stiriba, S.-E. See Liu, H., 4165C
Stone, D. A.
—; Chang, Y.; Allcock, H. R. : Control of the Conjugation Length and Solubility in Electroluminescent Polymers, 69C
Storey, R. F. See Hassan, M. K., 2990C; Messman, J. M., 6817C
Storti, G. See Bonavoglia, B., 1531P; Peklak, A. D., 1071C
Stöver, H. D. H. See Ali, M. M., 156C
Stoykovich, M. P. See Daoulas, K. Ch., 2589P
Strandberg, C.
—; Albertsson, A.-C.: Improvement of α−Tocopherols Long-Term Efficiency by Modeling Its Heterogeneous Natural Environment in Polyethylene, 1660C
Stroeks, A. See Persyn, O., 1690P
Strumia, M. See Arrua, R. D., 6616C; Costamagna, V., 2828P
Stueber, D.
—; Mehta, A. K.; Chen, Z.; Wooley, K. L.; Schaefer, J.: Local Order in Polycarbonate Glasses by ^{13}C Rotational-Echo Double-Resonance NMR, 2760P
Stylianakis, M. M. See Mikroyannidis, J. A., 6790C
Su, S.-F. See Chen, C.-H., 451P
Su, T.
—; Wang, G. Y.; Xu, X. D.; Hu, C. P.: Preparation and Properties of Waterborne Polyurethaneurea Consisting of Fluorinated Siloxane Units, 3365C
Su, W. See Sun, K., 1378P
Su, X. See Yin, S., 2346C
Su, Y.-O. See Liou, G.-S., 2587C
Su, Y.-Y. See Yang, C.-P., 940C; Yang, C.-P., 3140C; Yang, C.-P., 5909C
Suay Antón, J. See Boxberg, Y., 656P
Subramanian, E. See Anitha, G., 281C
Suda, M. See Tsuchida, A., 2972C
Sudhakar, P.
—; Sundararajan, G.: New Chiral [*N,N,N*]-Ligand Containing Titanium/Zirconium Precatalysts for 1-Hexene Polymerization, 4006C
Sudo, A. See Itagaki, Y., 681C; Motokucho, S., 6324C
Sugawara, A.
—; Oichi, A.; Suzuki, H.; Shigesato, Y.; Kogure, T.; Kato, T.: Assembled Structures of Nanocrystals in Polymer/Calcium Carbonate Thin-Film Composites Formed by the Cooperation of Chitosan and Poly(aspartate), 5153C
Sugawara, T. See Hayano, S., 3153C
Sugi, R. See Ohishi, T., 4990C
Sugihara, S. See Matsuda, Y., 1179P
Sugiyama, K. See Hirao, A., 6659C
Sugiyama, Y.
—; Satoh, K.; Kamigaito, M.; Okamoto, Y.: Iron-Catalyzed Radical Polymerization of Acrylamides in the Presence

of Lewis Acid for Simultaneous Control of Molecular Weight and Tacticity, 2086C
Suh, D. H. See Jung, S.-H., 1189C
Sui, X. See Yuan, W., 6575C
Sukhishvili, S. A. See Qiu, X., 183C
Sul, I. H. See Hong, K. H., 2468P
Suma, Y. See Kai, T., 846C
Sun, B. See Zhang, W., 510C
Sun, D.-Z. See Qiu, X.-M., 275P
Sun, H. See Xue, M., 1147C
—; Mei, C.; Zhou, Q.; Liu, Z.; Ma, D.; Wang, L.; Jing, X.; Wang, F.: Phenylene Vinylene-Based Electroluminescent Polymers with Electron Transport Block in the Main Chain, 3469C
Sun, H.-L. See Zhang, X., 304C
Sun, J. See Hua, J., 3538-C; Tang, Z., 4932C
Sun, K.
—; Liu, J.; Gao, J.; Su, W.; Zhang, D.; Wang, P.; Zhang, Q.: Photoinduced Alignment of Azobenzene Side-Chain Polymers with Short Spacer: Biaxial Orientation and Fast Response, 1378P
Sun, R. See Xu, X., 4396C
Sun, S. See Zhang, H., 1320P
Sun, S. L. See Zhou, C., 687P
Sun, W. See Chen, Y., 3071C
Sun, W.-H. See Zhang, D., 264C
Sun, X. See Li, H., 1114P; Zhang, H., 1320P
Sun, Y. See Luo, J., 3588C; Zheng, Z., 3210C
Sun, Y.-M. See Liu, B., 2299P
Sundararajan, G. See Sudhakar, P., 4006C
Sung, H.-H. See Wu, C.-W., 6765C
Supaphol, P. See Sombatmankhong, K., 2923P
Sutthasupa, S.
—; Terada, K.; Sanda, F.; Masuda, T.: Ring-Opening Metathesis Polymerization of Amino Acid-Functionalized Norbornene Derivatives, 5337C
Suwantong, O. See Sombatmankhong, K., 2923P
Suzin, Y. See Rivin, D., 1821P
Suzuki, H.,. See Sugawara, A., 5153C
Suzuki, M. See Sasaki, T., 4354C
—; Owa, S.; Shirai, H.; Hanabusa, K.: Poly(dimethylsiloxane)-Based Polymer Organogelators with L-Lysine Derivatives as a Organogelation-Causing Segment, 3817C
Suzuki, T. See Shinohara, K., 801C
—; Yamada, Y.: Characterization of 6FDA-based Hyperbranched and Linear Polyimide–silica Hybrid Membranes by Gas Permeation and ^{129}Xe NMR Measurements, 291P
Suzuki, Y. See Shibaya, M., 573P
Szablan, Z.
—; Toy, A. A.; Terrenoire, A.; Davis, T. P.; Stenzel, M. H.; Müller, A. H. E.; Barner-Kowollik, C.: Living Free-Radical Polymerization of Sterically Hindered Monomers: Improving the Understanding of 1,1-Disubstituted Monomer Systems, 3692C
Szkurhan, A. R.
—; Kasahara, T.; Georges, M. K.: Reversible-Addition Fragmentation Chain Transfer Radical Emulsion Polymerization by a Nanoprecipitation Process, 5708C
Szleifer, I. See Nap, R., 2638P
Szymanski, R. See Pretula, J., 2358C

Tachibana, Y. See Takeuchi, Y., 671C
Taguet, A.
—; Ameduri, B.; Boutevin, B.: Grafting of Commercially Available Amines Bearing Aromatic Rings onto Poly(vinylidene-*co*-hexafluoropropene) Copolymers, 1855C
Tait, P. J. T. See Yaluma, A. K., 1635C
Takahara, A. See Kuroiwa, K., 5192C
Takahashi, S. See Takei, F., 585C
Takasu, A.
—; Narukawa, Y.; Hirabayashi, T.: Direct Dehydration Polycondensation of Latic Acid Catalyzed by Water-Stable Lewis Acids, 5247C
Takayanagi, E. See Tanaka, K., 88C
Takei, F.
—; Kodama, D.; Nakamura, S.; Onitsuka, K.; Takahashi, S.: Precise Synthesis of Porphyrin Array Scaffolding Polyisocyanides, 585C
Takeichi, T. See Agag, T., 1424C
Takeuchi, Y.
—; Uyama, H.; Tomoshige, N.; Watanabe, E.; Tachibana, Y.; Kobayashi, S.: Injectable Thermoreversible Hydrogels Based on Amphiphilic Poly(amino acid)s, 671C
Tamai, T. See Watanabe, M., 4736C
—; Matsuura, Y.; Watanabe, M.; Matsukawa, K.: Acrylic Polymer/Silica Hybrid for Electron-Beam Resists, 2167C
—; Watanabe, M.: Acrylic Polymer/Silica Hybrids Prepared by Emulsifier-Free Emulsion Polymerization and the Sol–Gel Process, 273C
Tamaki, M. See Satoh, T., 406C
Tan, H. See Zheng, Q., 1309P
Tan, Z. See Zhou, E., 4916C
Tan, Z. Y. See Zhou, C., 687P
Tanaka, H. See Kato, M., 1182C
Tanaka, J. See Trujillo-Lemon, M., 3921C
Tanaka, K. See Akabori, K.-I., 3598P; Hu, Z., 2862C; Yin, Y., 3751C
—; Akimoto, R.; Igarashi, T.; Sakurai, T.: Abilities of 2-Arylmethyloxy-6-cyanonaphthalene Derivatives To Initiate Radical and Cationic Photopolymerizations, 25C
—; Takayanagi, E.; Igarashi, T.; Sakurai, T.: Behavior of Nitroxyl Radical in the Polymerization Process Forming Copolymers Bearing Diarylnitrone Pendants and Photocontrol of Refractive Indices for These Copolymers, 88C
Tanaka, N. See Aoki, H., 949C
Tanaka, R. See Imaoka, T., 5229C
Tanaka, Y. See Harada, M., 2486P
Tang, B. See Yin, S., 2346C
Tang, B. Z. See Chen, J., 1153C; Chen, J., 2487C; Hua, J., 3538-C; Lai, L. M., 2117C; Lai, L. M.,6190C; Li, Z., 5672C
Tang, G. See Zhu, L., 134P

Tang, H.
—; Radosz, M.; Shen, Y.: Synthesis and Self-Assembly of Thymine- and Adenine-Containing Homopolymers and Diblock Copolymers, 5995C
—; Radosz, M.; Shen, Y.: Template Atom Transfer Radical Polymerization of a Diaminopyrimidine-Derivatized Monomer in the Presence of a Uracil-Containing Polymer, 6607C
Tang, H.-Y. See Zhou, J.-L., 4532C
Tang, L.-M. See Song, C.-L., 1964C
—; Li, Y.-G.; Ye, W.-P.; Li, Y.-S.: Ethylene—Propylene Copolymerization with Bis(β-enaminoketonato) Titanium Complexes Activated with Modified Methylaluminoxane, 5846C
Tang, W. See Fan, D., 2260C
Tang, X. See Zhan, G., 517P
Tang, Z.
—; Pang, X.; Sun, J.; Du, H.; Chen, X.; Wang, X.; Jing, X.: Five-Coordinated Active Species in the Stereoselective Polymerization of *rac*-Lactide Using *N,N'*-(2,2-Dimethyl-1,3-propylene)bis(3,5-di-*tert*-butyl-salicylideneimine) Aluminum Complexes, 4932C
Tangirala, R. See Glogowski, E., 5076C
Taniguchi, S. See Hino, T., 718C
Tanimoto, T. See Zhu, Y.-G., 986P; Zhu, Y. G., 1161P; Zhu, Y.-G., 1351P; Zhu, Y. G., 3157P
Tanioka, A. See Nasir, M., 779P
Tanyeli, C. See Yildiz, U. H., 2215C
Tao, Q. See Zhan, G., 517P
Tao, Y.
—; Wang, X.; Zhao, X.; Li, J.; Wang, F.: Crosslinkable Poly(propylene carbonate): High-Yield Synthesis and Performance Improvement, 5329C
Tao, Y.-T. See Lin, H.-C., 2922C
Tapia, M. J. See Calderón, V., 6252C
Taton, D. See Bouilhac, C., 6997C
Taton, T. A. See Chen, Y., 2604C
Tatsumi, D. See Aono, H., 2155P
Tatsuno, S. See Mouri, E., 2789P
Tavakley, A. E. See Chen, Y., 2604C
Taylor, P. C. See Dilly, S. J., 2248C
Tee, C. K. See Chen, J., 3631P
Teng, C.-C. See Chen, C.-H., 451P; Chen, C.-H., 2145P
Tenhu, H. See Hietala, S., 3674C
Terada, K. See Sutthasupa, S., 5337C
Terashima, T.
—; Ouchi, M.; Ando, T.; Kamigaito, M.; Sawamoto, M.: Metal-Complex-Bearing Star Polymers by Metal-Catalyzed Living Radical Polymerization: Synthesis and Characterization of Poly(methyl methacrylate) Star Polymers with Ru(II)-Embedded Microgel Cores, 4966C
Terentjev, E. M. See Vandoolaeghe, W. L., 2679P
Terrenoire, A. See Szablan, Z., 3692C
Textle, H. M. See Sanenz-Galindo, A., 676C
Thampan, T. M. See Choi, P., 2183P
Thibaud, S.
—; Moine, L.; Maillard, B.: Effects of Polymer Structure on Reactivity of Functional Groups in Reduction Reaction Using Tin Hydride Soluble Supports, 5954C
Thomas, R. R. See Sangermano, M., 6943C
Thomas, S. See Francis, B., 541P
Thompson, K.
—; Michielsen, S.: Novel Synthesis of N-Substituted Polyacrylamides: Derivatization of Poly(acrylic acid) with Amines Using a Triazine-Based Condensing Reagent, 126C
Thompson, L. See Chien, A., 1898P
Thomsen, A. D.
—; Malmström, E.; Hvilsted, S.: Novel Polymers with a High Carboxylic Acid Loading, 6360C
Thunga, M.
—; Staudinger, U.; Satapathy, B. K.; Weidisch, R.; Abdel-Goad, M.; Janke, A.; Knoll, K.: Influence of Molecular Architecture of S–S/B–S Triblock Copolymers on Rheological Properties, 2776P
Tian, C. See Liu, B., 6243C
Tian, Y. See Hu, T., 3018C; Yang, C.-C., 5495C
Tobita, M. See Harada, M., 1406P
Tofan, F. See Bhadane, P. A., 1919P
Tokarev, A.
—; Friess, K.; Machkova, J.; äipek, M.; Yampolskii, Y.: Sorption and Diffusion of Organic Vapors in Amorphous Teflon AF2400, 832P
Tokuda, D. See Aoki, H., 949C
Toman, L.
—; Janata, M.; Spěváček, J.; Dvořánková, B.; Látalová, P.; Vlček, P.; Sikora, A.; Michálek, J.; Pekárek, M.: One-Pot Synthesis of Isocyanate and Methacrylate Multifunctionalized Polyisobutylene and Polyisobutylene-Based Amphiphilic Networks, 2891C
—; Janata, M.; Spěváček, J.; Brus, J.; Sikora, A.; Látalová, P.; Holler, P.; Vlček, P.; Dvořánková, B.: Amphiphilic Conetworks: II. Novel Two-Step Synthesis of Poly[2-(dimethylamino)ethyl methacrylate]-Polyisobutylene, Poly(*N*-isopropylacrylamide)-Polyisobutylene, and Poly(*N,N*-dimethylacrylamide)-Polyisobutylene Hydrogels, 6378C
Tomoi, M. See Oyama, T., 2694C
Tomoshige, N. See Takeuchi, Y., 671C
Tonelli, A. See Pang, K., 6801C
Tong, L. See Li, J., 1499P
Tong, Y. See Wang, S., 686C
Tonge, M. P. See Barner-Kowollik, C., 5809C
Toppare, L. See Yildiz, U. H., 2215C
Toprakcioglu, C. See Koutsioubas, A. G., 1580P
Torkelson, J. M. See Rittigstein, P., 2935P
Torres-Lubián, J. R. See Sanenz-Galindo, A., 676C
Tortora, M. See Sorrentino, A., 265P
Toy, A. A. See Szablan, Z., 3692C
Treat, N. See Ezell, R. G., 4479C
Trodahl, H. J. See Kemp, N. T., 1331P

Trujillo-Lemon, M.
—; Ge, J.; Lu, H.; Tanaka, J.; Stansbury, J. W.: Dimethacrylate Derivatives of Dimer Acid, 3921C
Tsai, C.-C. See Huang, L.-M., 3843C
Tsai, C.-M. See Lin, H.-C., 783C; Lin, H.-C., 2922C
Tsai, M.-S. See Chen, C.-H., 2145P
Tsai, S.-H. See Huang, C.-I., 2438P
Tsarevsky, N. V.
—; Matyjaszewski, K.: Environmentally Benign Atom Transfer Radical Polymerization: Towards "Green" Processes and Materials, 5098–C
Tsori, Y.
—; Andelman, D.: Coarse Graining in Block Copolymer Films, 2725P
Tsubokawa, N. See Tsuchida, A., 2972C
Tsuchida, A.
—; Suda, M.; Ohta, M.; Yamauchi, T.; Tsubokawa, N.: Grafting of Polymers onto and/or from Silica Surface During the Polymerization of Vinyl Monomers in the Presence of γ-Ray-Irradiated Silica, 2972C
Tsukigase, A. See Kato, M., 1182C
Tsunoda, Y. See Hirao, A., 6659C
Tsunogae, Y. See Hayano, S., 3153C
Tsutsui, H.
—; Akashi, R.: Effects of Pigments on the Volume-Phase-Transition Properties of *N*-Isopropylacrylamide Gels as Light-Modulation Materials, 4644C
Tunca, U. See Altintas, O., 3242C; Altintas, O., 5699C; Altintas, O., 6458C; 1396C; Durmaz, H., 499C; Durmaz, H., 1667C; Durmaz, H., 3947C; Erdogan, T.; Hizal, G., 77C; Ilhanli, O. B., 3374C; Mert, H., 5923C
Turkay, M. See Gursoy, A., 3667P
Türüt, A. See Aydoğan, Ş., 1572P
Tuteja, A.
—; Mackay, M. E.; Hawker, C. J.; Van Horn, B.; Ho, D. L.: Molecular Architecture and Rheological Characterization of Novel Intramolecularly Crosslinked Polystyrene Nanoparticles, 1930P
Tzavalas, S.
—; Macchiarola, K.; Gregoriou, V. G.: High-Density Polyethylene Layered Silicate Nanocomposites: Effect of Mechanical Stretching on the Crystal-to-Crystal Transformations, Morphology, and Extent of Exfoliation, 914P

Uchida, T. See Sasaki, T., 1958C
Uddin, A. J.
—; Mashima, Y.; Ohkoshi, Y.; Gotoh, Y.; Nagura, M.; Sakamoto, A.; Kuroda, R.: Drawing Behavior and Characteristics of Laser-Drawn Polypropylene Fibers, 398P
Ueda, M. See Sakayori, K., 6385C
Uehara, H. See Kakiage, M., 2455P
—; Yoshida, T.; Kakiage, M.; Yamanobe, T.; Komoto, T.: Structural Arrangement of Crystalline/Amorphous Phases of Polyethylene-*block*-Polystyrene Copolymer as Induced by Orientation Techniques, 1731P
Ueno, K. See Koga, Y., 4204C
Ullrich, G.
—; Burtscher, P.; Salz, U.; Moszner, N.; Liska, R.: Phenylglycine Derivatives as Coinitiators for the Radical Photopolymerization of Acidic Aqueous Formulations, 115C
—; Ganster, B.; Salz, U.; Moszner, N.; Liska, R.: Photoinitiators with Functional Groups. IX. Hydrophilic Bisacylphosphine Oxides for Acidic Aqueous Formulations, 1686C
Umar, Y. See Ali, S. A., 5480C
Uragami, T. See Ohshima, T., 2079P; Okawa, K., 3245P
Urakawa, O.
—; Ohta, E.; Hori, H.; Adachi, K.: Effect of Molecular Size on Cooperative Dynamics of Low Mass Compounds in Polystyrene, 967P
Urayama, K.
—; Viewpoint: Experimentalist's View of the Physics of Rubber Elasticity, 3440P
Urban, M. W. See Powell, K. T., 4782C
Urech, L. See Buruiana, E. C., 5271C
Urman, K.
—; Otaigbe, J.: Novel Phosphate Glass/Polyamide 6 Hybrids: Miscibility, Crystallization Kinetics, and Mechanical Properties, 441P
Usuki, A. See Kato, M., 1182C
Uyama, H. See Takeuchi, Y., 671C

Vacha, M. See Ito, Y., 4338C
Valade, D. See Boyer, C., 5763C
Valdez, M. A. See García-Serrano, J., 1627P
Valente, A. J. M. See Calderón, V., 6252C
Valiyaveettil, S. See Vetrichelvan, M., 3763C
Vallés, E. See Ciolino, A., 1579C
Vana, P. See Barner-Kowollik, C., 5809C
Van De Kruijs, B. See Van Der Mee, L., 2166C
Van Der Mee, L.
—; Antens, J.; Van De Kruijs, B.; Palmans, A. R. A.; Meijer, E. W.: Oxo-Crown-Ethers as Comonomers for Tuning Polyester Properties, 2166C
Van Der Schuur, M.
—; Gaymans, R. J.: Segmented Block Copolymers Based on Poly(propylene oxide) and Monodisperse Polyamide-6,T Segments, 4769C
Vandoolaeghe, W. L.
—; Kutter, S.; Terentjev, E. M.: Two Tube Models of Rubber Elasticity, 2679P
Van Durme, K.
—; Van Mele, B.; Bernaerts, K. V.; Verdonck, B., Du Prez, F. E.: End-Group Modified Poly(methyl vinyl ether): Characterization and LCST Demixing Behavior in Water, 461P
Van Hest, J. C. M. See Spijker, H. J., 4242C
Van Horn, B. See Tuteja, A., 1930P
Van Mele, B. See Van Durme, K., 461P
Vantine, P. R. See Han, H., 1541C

Varghese, S.
—; Lele, A.; Mashelkar, R.: Metal-Ion-Mediated Healing of Gels, 666C
Varshney, S. K.
—; Song, Z.; Zhang, J. X.; Jerome, R.: Synthesis of Asymmetric Telechelic Polymers Bearing a Primary Amino End Group, 3400C
Veciana, J. See Amabilino, D. B., 3161C
Venkatasubramanian, N. See Park, S.-Y., 1948C
Verberg, R. See Alexeev, A., 2667P
Verdonck, B. See Van Durme, K., 461P
Vernet, J. L. See Mallarino, S., 205P
Vetrichelvan, M.
—; Hairong, L.; Ravindranath, R.; Valiyaveettil, S.: Synthesis and Comparison of the Structure–Property Relationships of Symmetric and Asymmetric Water-Soluble Poly(*p*-phenylene)s, 3763C
Vijayan, K.
—; Discher, D. E.: Viewpoint: Block Copolymer Worm Micelles in Dilution: Mechanochemical Metrics of Robustness as a Basis for Novel Linear Assemblies, 3431P
Vilgis, T. A. See Corsi, A., 2572P
Villani, V. See Pucciariello, R., 22P
Villar, M. A. See Ciolino, A., 1579C
Villegas-Coss, I.
—; Ruiz-Treviño, F. A.; Hernández-López, S.: Synthesis and Gas Transport Properties of Polyarylates Based on Isophthalic and Terephthalic Acids and Mixtures of Bisphenol A and 1, 1 Bi-2-Naphthol, 256P
Vilmin, T. See Gabriele, S., 3022P
Vinogradov, S. A. See Dichtel, W. R., 4939C
Vinokur, R. See Beginn, U., 1299C
Vittoria, V. See Pucciariello, R., 22P; Sorrentino, A., 265P
Vlček, P. See Toman, L., 2891C; Toman, L., 6378C
Vo, D. C. See Michailidou, V. N., 3590P
Voelkel, A. See Milczewska, K., 1853P
Vogt, S. See Boxberg, Y., 656P
Voit, B. See Serghei, A., 3006P
Von Lossow, C. See Kricheldorf, H. R., 4680C
Von Meerwall, E. D. See Lin, H., 2556P
Voyiatzis, G. A. See Psarras, G. C., 3078P
Vradis, A. A. See Koutsioubas, A. G., 1580P
Vygodskii, Y. S. See Lozinskaya, K. A., 380C
Výprachtický, D. See Cimrová, V., 524P

Wagener, K. B. See Berda, E. B., 4981C; Qiu, W., 3461P
Wagner, N. J. See Daga, V. K., 1608P; Opitz, A. W., 3062P
Wake, T. See Ihara, E., 5661C
Waleetorncheepsawat, S. See Sombatmankhong, K., 2923P
Walter, R. See Xian, G., 854P
Wamsley, A.
—; Phiasivongsa, P.; Jasti, B.; Li, X.: Microstructural Characterization of Terpolymers of Leucine, β-Benzyl Aspartate, and Valine, 4328C
Wan, L.-S.
—; Xu, Z.-K.; Wang, Z.-G.: Leaching of PVP from Polyacrylonitrile/PVP Blending Membranes: A Comparative Study of Asymmetric and Dense Membranes, 1490P
Wan, T. See Chua, Y. C., 1040P
—; Liu, Y.; Yu, J.-Q.; Chen, S.; Li, F.; Zhang, X.-Z.; Cheng, S.-X.; Zhuo, R.-X.: Synthesis and Characterization of Star Oligo/Poly(2,2-dimethyltrimethylene carbonate)s Containing Cholic Acid Moieties, 6688C
Wan, Y. See Xu, J., 1125C
Wang, B.-G. See Lv, H.-L., 1000P
Wang, C. See Bahun, G. J., 1941C; Cheng, H., 770P; Hou, C., 226C; Li, M., 5887C
Wang, C.-M. See Jiang, H.-J., 4346C
Wang, Chengguo. See Hou, C., 219C
Wang, Chunhua. See Hou, C., 219C
Wang, D.
—; Zheng, Z.; Hong, C.; Liu, Y.; Pan, C.: Michael Addition Polymerizations of Difunctional Amines (AA') and Tricrylamides (B_3), 6226C
Wang, D.-C. See Chow, H.-L., 62P
Wang, E.
—; Li, H.; Hu, W.; Zhu, D.: Synthesis and Characterization of New Type Molecular Wires with Tetrathiafulvalene as Redox Center, 2707C
Wang, F. See Shao, W., 249P; Sun H., 3469C; Tao, Y., 5329C
Wang, G.
—; Zhu, X.; Cheng, Z.; Zhu, J.: New Ligands for the Fe(III)-Mediated Reverse Atom Transfer Radical Polymerization of Methyl Methacrylate, 2912C
—; Zhu, X.; Zhu, J.; Cheng, Z.: Iron-Mediated Atom Transfer Radical Polymerization of Styrene with Tris(3,6-dioxaheptyl) Amine as a Ligand, 483C
Wang, G. P. See Chao, C. M., 1P
Wang, G. Y. See Su, T., 3365C
Wang, H. See Xu, P., 3911C; Yu, X., 409
—; Wei, J.; Jiang, X.; Yin, J.: Highly Efficient, Polymerizable, Sulfur-Containing Photoinitiator Comprising a Structure of Planar *N*-Phenylmaleimide and Benzophenone for Photopolymerization, 3738C
Wang, H.-Y. See Jiang, H.-J., 4346C
Wang, J. See Li, H., 1114P; Sha, K., 3393C; Xu, J., 1125C; Zhou, T., 371C
Wang, J.-M. See Yang, C.-P., 940C
Wang, K. See Guo, Q., 975P; Guo, Q., 3042P; Zheng, Z., 3210C
—; Yang, S. Y.; Fan, L.; Zhan, M. S.; Liu, J. G.: Preparation and Properties of Molecular-Weight-Controlled Polyimides Derived from 1,4-Bis(4′-amino-2′-1-trifluoromethylphenoxy)benzene and 4,4′-Oxydiphthalic Anhydride, 1997C
Wang, L. See Cai, C., 2034C; Chao, D., 477C; Sun H., 3469C; Zhuang, W., 4174C
—; Dong, C.-M.: Synthesis, Crystallization Kinetics, and

Spherulitic Growth of Linear and Star-Shaped Poly(L-lactide)s with Different Numbers of Arms, 2226C
—; Fang, P.; Ye, C.; Feng, J.: Solid-State NMR Characterizations on Phase Structures and Molecular Dynamics of Poly(ethylene-*co*-vinyl acetate), 2864P
—; Zhao, X.; Feng, J.: Effects of Electron Irradiation on Poly(vinylidene fluoride–trifluoroethylene) Copolymers Studied by Solid-State Nuclear Magnetic Resonance Spectroscopy, 1714P
Wang, L.-H. See Huang, Y.-Q., 5424C; Huang, Y.-Q., 5778C
Wang, M. See Song, L., 2533C
Wang, N. See Ma, X., 94P
—; Lu, F.; Huang, C.; Li, Y.; Yuan, M.; Liu, X.; Liu, H.; Gan, L.; Jiang, L.; Zhu, D.: Construction of Diads and Triads Copolymer Systems Containing Perylene, Porphyrin, and/or Fullerene Blocks, 5863C
Wang, P. See Sun, K., 1378P; Yang, Y., 879P
Wang, Q. See Lei, P., 6600C; Shao, W., 249P
Wang, Q. X.
—; Li, H.; Lam, K. Y.: Meshless Simulation of Equilibrium Swelling/Deswelling of P h-Sensitive Hydrogels, 326P
Wang, S. See Kong, J., 3930C; Sha, K., 3393C; Zhou, Y., 1226P
—; Chen, L.; Tong, Y.: Structure-Property Relationship in Chitosan-Based Biopolymer/Montmorillonite Nanocomposites, 686C
Wang, S.-J. See Si, Q.-F., 3261C; Xu, J., 3328C
Wang, W. See Sha, K., 3393C; Zheng, Q., 1309P
—; Ping, P.; Yu, H.; Chen, X.; Jing, X.: Synthesis and Characterization of a Novel Biodegradable, Thermoplastic Polyurethane Elastomer, 5505C
Wang, W.-L.
—; Xu, J.-W.; Lai, Y.-H. Bipyridinopphane-Containing Conjugated Polymers Modulated with an Intramolecular Aromatic C—H/π Interaction, 4154C
Wang, W.-Z.
—; Fan, Q.-L.; Cheng, F.; Zhao, P.; Huang, W.: Sonochemical Synthesis of Novel Blue-Emissive, Water-Soluble, Cationic Polysilanes as Fluorescent Sensors, 3513C
Wang, X. See Chen, Y., 3434C; Kong, J., 3930C; Tang, Z., 4932C; Tao, Y., 5329C; Willmore, F. T., 1385P; Yu, X., 409
Wang, X.-L. See Chen, S.-C., 3083C; Huang, H.-X., 1245C; Shao, Y., 6836C
Wang, Y. See Jing, X., 1014C; Li, A.-L., 2376C; Xue, J., 2050P; Yin, W., 3121P
—; Zheng, J. X.; Brittain, W. J.; Cheng, S. Z. D.: Switchable Thin-Film Surface Prepared via a Simple Grafting-To Method Using a Polystyrene-*b*-Poly(2-vinylpyridine) Copolymer, 5608C
Wang, Y.-Z. See Chen, S.-C., 3083C; Huang, H.-X., 1245C; Ye, Y.-S., 5391C
Wang, Z. See Fan, G., 539C; Zhang, M., 959C
—; Ni, H.; Zhao, C.; Li, X.; Fu, T.; Na, H.: Investigation of Sulfonated Poly(ether ketone sulfone)/Heteropolyacid Composite Membranes for High Temperature Fuel Cell Applications, 1967C
Wang, Z.-G. See Martin, J. I., 2621P; Wan, L.-S., 1490P
—; Viewpoint: Challenges and Opportunities in Polymer Theory, 3445P
Wang, Z.-M. See Zhang, X., 304C
Wang, Z.-X. See Qi, C.-Y., 4621C
Watanabe, D. See Sawai, D., 3369P
Watanabe, E. See Takeuchi, Y., 671C
Watanabe, H. See Matsumiya, Y., 3501P
Watanabe, M. See Asano, N., 2744C; Tamai, T., 273C; Tamai, T., 2107C; Yasuda, T., 3995C
—; Tamai, T.: Acrylic Polymer/Silica Organic–Inorganic Hybrid Emulsions for Coating Materials: Role of the Silane Coupling Agent, 4736C
Watanabe, T. See Hirao, A., 6659C
Watanabe, Y. See Harada, M., 2486P
Weaver, S. F. See Romack, T. J., 4136C
Weber, W. P. See Gädda, T. M., 137C; Gädda, T. M., 2237C; Gädda, T. M., 3629C; Gädda, T. M., 4825C; Grunlan, M. A., 2551C
Webster, D. C. See Chen, Z., 4435C; Ekin, A., 4880C; Ekin, A., 6146C
Wegner, G. See Günday, S. T., 3315P
Wei, J. See Wang, H., 3738C
Wei, K.-H. See Lee, K.-W., 4593C
Wei, K.-L.
—; Hung, F.-Y.; Lin, J.-J.: Synthesis and Interfacial Behaviors of Amphiphilic Poly(oxypropylene) Amidoacids, 646C
Wei, L. See Liu, H., 4165C
Wei, L.-H. See Zhang, X., 304C
Wei, W. See Jiang, H.-J., 4346C
Wei, X.-L. See Qiu, X.-M., 275P
Wei, Y. See Chao, D., 477C
Wei, Z.
—; Xu, J.; Pu, S.; Du, Y.: Electrosyntheses of High-Quality Freestanding Poly(fluorene-*co*-3-methylthiophene) Films with Tunable Fluorescence Properties, 4904C
Weidisch, R. See Thunga, M., 2776P
Weiss, R. A. See Gasa, J. V., 2253P
Welch, P. M.
—; Rasmussen, K. Ø.; Chitanvis, S. M.; Lookman, T.; Sewell, T. D.: Modeling Non-Equilibrium Morphologies in Specific Polymeric Materials, 2605P
Wen, T.-C. See Huang, L.-M., 3843C; Huang, L.-M., 6624C
Wen, Y. H.
—; Hua, C. C.: Short-Time Stretch Relaxation of Entangled Polymer Solutions Investigated Using Full Rouse Model Predictions, 1199P
Wendler, F.
—; Graneβ, G.; Büttner, R.; Meister, F.; Heinze, T.: A Novel Polymeric Stabilizing System for Modified Lyocell Solutions, 1702P
Wendt, D. E. See Gädda, T. M., 2237C
Wesdemiotis, C. See Quirk, R. P., 2684C

White, A. J. P. See Hodgson, L. M., 6646C
Whitney, R. A. See Guillén-Castellanos, S. A., 983C
Wiggins, J. S. See Hassan, M. K., 2990C
Wilks, B. R.
—; Chung, W. J.; Ludovice, P. J.; Rezac, M. E.; Meakin, P.; Hill, A. J.: Structural and Free-Volume Analysis for Alkyl-Substituted Palladium-Catalyzed Poly(norbornene): A Combined Experimental and Monte Carlo Investigation, 215P
Wilkson, J. See Park, C., 1751P
Willett, J. L. See Doll, K. M., 4259C
Williams, C. K. See Hodgson, L. M., 6646C
Williams, R. J. J. See Soulé, E. R., 2821P
Willmore, F. T.
—; Wang, X.; Sanchez, I. C.: Free Volume Properties of Model Fluids and Polymers: Shape and Connectivity, 1385P
Winey, K. I. See Du, F., 1513P
Wise, K. E. See Park, C., 1751P
Wisniewski, B. See Pretula, J., 2358C
Wokaun, A. See Buruiana, E. C., 5271C
Won, J. See Kim, J. H., 1168P; Kim, J. H., 1434P
Wong, C. P. See Li, Y., 1020C
Wong, W.-Y. See Liu, L., 5588C
—; Poon, S.-Y.; Shi, J.-X.; Cheah, K.-W.: Synthesis and Light-Emitting Properties of Platinum-Containing Oligoynes and Polyynes Derived from Oligo(fluorenyleneethynylenesilylene)s, 4804C
Woo, E. M. See Lee, L.-T., 1339P; Lin, J.-H., 3357P; Liu, H.-L., 1147P
Wood, E. R. See Lodge, T. P., 756P
Wood, R. M. See Allcock, H. R., 2358P
Wooley, K. L. See Germack, D. S., 5218C; O'Reilly, R. K., 5203C; Powell, K. T., 4782C; Stueber, D., 2760P
Wu, C. See Shen, F., 378P
Wu, C.-P. See Liang, W.-J., 3444C
Wu, C.-W.
—; Sung, H.-H.; Lin,H.-C.: Synthesis and Characterization of Poly(fluorene-*co*-*alt*-phenylene) Containing 1,3,4-Oxadiazole Dendritic Pendants, 6765C
Wu, D. See Jing, X., 1014C
Wu, G. See Chen, S.-C., 3083C; Cheng, H., 770P; Zhao, C., 696P
Wu, H.-L.
—; Ma, C.-C. M.; Kuan, H.-C.; Wang, C.-H.; Chen, C.-Y.; Chiang, C.-L.: Sulfonated Poly(ether ether ketone)/Poly(vinylpyrrolidone) Acid-Base Polymer Blends for Direct Methanol Fuel Cell Application, 565P
—; Ma, C.-C. M.; Li, C.-H.; Chen, C.-Y.: Swelling Behavior and Solubility Parameter of Sulfonated Poly(ether ether ketone), 3128P
—; Ma, C.-C. M.; Yang, Y.-T.; Kuan, H.-C.; Yang, C.-C.; Chiang, C.-L.: Morphology, Electrical Resistance, Electromagnetic Interference Shielding and Mechanical Properties of Functionalized MWNT and Poly(urea urethane) Nanocomposites, 1096P
Wu, J. See Yang, Y., 3869C
Wu, K. H. See Chao, C. M., 1P
—; Li, M. C.; Chang, T. C.; Yang, C. C.: Characterization and Corrosion Resistance of Organically Modified Silicate/MO_2 (M = Zr, Ti, or Ce) Hybrid Coatings on a 6061-T6 Aluminum Alloy, 335C
—; Shin, Y. M.; Yang, C. C.; Ho, W. D.; Hsu, J. S.: Preparation and Ferromagnetic Properties of $Ni_{0.5}Zn_{0.5}Fe_2O_4$/Polyaniline Core–Shell Nanocomposites, 2657C
Wu, L. See Cheng, X., 3807C; Zhou, J., 3202C
Wu, M. See Sha, K., 3393C
Wu, M. S. See Hua, C. C., 787P
Wu, N.
—; Zheng, A.; Huang, Y. Yao, W.; Liu, H.: Monte Carlo Simulation of AB Diblock Copolymer Between Surface and Substrate and Comparison of Experimental Results, 1835P
Wu, Q. See Gao, H., 5237C; Zhang, L., 1357P
Wu, T. See Li, Z. X., 1291C
Wu, T.-M. See Hsu, S.-F., 3337P
—; Chen, E.-C.: Crystallizationc Behavior of Poly(ϵ-caprolactone)/Multiwalled Carbon Nanotube Composites, 598P
—; Lin, S.-H.: Characterization and Electrical Properties of Polypyrrole/Multiwalled Carbon Nanotube Composites Synthesized by *In Situ* Chemical Oxidative Polymerization, 1413P
—; Lin, S.-H.: Synthesis, Characterization, and Electrical Properties of Polypyrrole/Multiwalled Carbon Nanotube Composites, 6449C
—; Yang, S.-H.: Surface Characterization and Barrier Properties of Plasma-Modified Polyethersulfone/Layered Silicate Nanocomposites, 3185P
Wu, W.-C. See Chen, C.-H., 451P
Wu, Y. See Chen, R., 1252C
Wunderlich, B. See Pyda, M., 1364P; Qiu, W., 3461P

Xia, Q.
—; Grubbs, R. B.: *In Situ* Generation of Nitroxide from Alkoxyamines for Controlled Acrylate Polymerization, 5128C
Xian, G
—; Walter, R.; Haupert, F.: Comparative Study of the Mechanical and Wear Performance of Short Carbon Fibers and Mineral Particles (Wollastonite, $CaSiO_3$) Filled Epoxy Composites, 854P
Xiao, F. See Li, Y., 1020C
Xiao, Y. See Liu, X., 900P
Xiao, Z.
—; Li, Y.; Ma, D.; Schadler, L. S.; Akpalu, Y. A.: Probing the Use of Small-Angle Light Scattering for Characterizing Structure of Titanium Dioxide/Low-Density Polyethylene Nanocomposites, 1084P
Xie, G. See Kissin, Y. V., 6159C
Xie, T. See Ionkin, A. S., 2615C; Liu, H., 1050P
Xie, X. See Yang, Y., 3869C
Xie, X.-M. See Yan, L.-T., 2902P
Xie, Z.-Y. See Grigalevicius, S., 5987C
Xing, C.-M. See Fan, J. W., 653C
Xing, D. See Kerres, J. A., 2311P

Xu, B. See Fang, Q., 3797C
Xu, H. See Yin, S., 2346C
Xu, J. See Chen, X., 2112P; Fan, D., 2260C; Wei, Z., 4904C; Yan, L.-T., 2902P; Zheng, Z., 3210C
—; Meng, Y. Z.; Wang, S. J.; Hay, A. S.: Synthesis and Characterization of Poly(arylene ether)s Containing 6-(4-Hydroxyphenyl)pyridazin-3(2*H*)-one or 6-(4-Hydroxyphenyl)pyridazine Moieties, 3328C
—; Qiu, F.; Zhang, H.; Yang, Y.: Morphology and Interactions of Polymer Brush-Coated Spheres in a Polymer Matrix, 2811P
—; Zhou, W.; Chen, B.; Pu, S.; Wang, J.; Wan, Y.: Low Potential Electrosyntheses of Free-Standing Poly(dibenzofuran) Films in Mixed Electrolytes of Boron Trifluoride Diethyl Etherate and Trifluoroacetic Acid, 1125C
Xu, J.-W. See Wang, W.-L., 4154C
Xu, P.
—; Wang, H.; Lv, R.; Du, Q.; Zhong, W.; Yang, Y.: Synthesis of TiO_2–SiO_2/Polymer Core–Shell Microspheres with a Microphase-Inversion Method, 3911C
Xu, R.
—; Liu, H.; Shi, W.: Photofluorescence of Hyperbranched Poly(phenylene sulfide), 826P
Xu, W. See Zhou, N., 1522C
—; Zhu, X.; Zhu, J.; Cheng, Z.: Preparation and Characterization of Optically Active Polymers Containing Pendent and Terminal Chiral Units via Atom Transfer Radical Polymerization, 1502C
Xu, X. See Huang, J., 3684C; Jia, Z., 6071C; Li, F., 1635P
—; Huang, J.: Erratum: Synthesis and Characterization of Amphiphilic Copolymer of Linear Poly(ethylene oxide) Linked with [Poly(styrene-*co*-2-hydroxyethyl methacrylate)-*graft*-poly(ϵ-caprolactone)] Using Sequential Controlled Polymerization, 1048C
—; Huang, J.: Synthesis and Characterization of Amphiphilic Copolymer of Linear Poly(ethylene oxide) Linked with [Poly(styrene-*co*-2-hydroxyethyl methacrylate)-*graft*-Poly(ϵ-caprolactone)] Using Sequential Controlled Polymerization, 467C
—; Jia, Z.; Sun, R.; Huang, J.: Synthesis of Well-Defined, Brush-Type, Amphiphilic [Poly(styrene-*co*-2-hydroxyethyl methacrylate)-*graft*-Poly(ϵ-caprolactone)]-*b*-Poly(ethylene oxide)-*b*-[Poly(styrene-*co*-2-hydroxyethyl methacrylate)-*graft*-Poly(ϵ-caprolactone)] and Its Aggregation Behavior in Aqueous Media, 4396C
—; Yao, Y.; Hu, M.; Zhang, Y.; Shen, Q. : Homopolymerization of Cyclic Esters Initiated by Lanthanide Isopropoxides Supported by 2,2′-Ethylene-bis(4,6-di-*tert*-butylphenolate) Ligands, 4409C
Xu, X. D. See Su, T., 3365C
Xu, Y. See Sha, K., 3393C
Xu, Z.-K. See Wan, L.-S., 1490P
Xue, J.
—; Chen, L.; Zhou, L.; Jia, Z.; Wang, Y.; Zhu, X.; Yan, D.: Effect of End Groups on Com,plexation Kinetics Between Cyclodextrins and Guest Polymers, 2050P
Xue, M.
—; Sun, H.; Zhou, H.; Yao, Y.; Shen, Q.; Zhang, Y.: Monoaryloxo Ytterbium(III) Chlorides Supported by β-Diketiminato Ligands as Novel Initiators for the Living Ring-Opening Polymerization of ϵ-Caprolactone, 1147C
Xue, M. Z. See Li, H., 3853C

Yade, T.
—; Nakano, T.: Anionic Polymerization of 2,7-Di-*t*-butyldibenzofulvene: Synthesis, Structure, and Photophysical Properties of the Oligomers with a π-Stacked Conformation, 561C
Yagci, Y. See Colak, D., 727C
Yaluma, A. K.
—; Tait, P. J. T.; Chadwick, J. C.: Active Center Determinatiolns on $MgCl_2$-Supported Fourth- and Fifth-Generation Ziegler–Natta Catalysts for Propylene Polymerization, 1635C
Yamada, B. See Gibbons, O., 6410C
Yamada, K. See Yamamoto, C., 5087C
Yamada, O. See Hu, Z., 2862C; Yin, Y., 3751C
Yamada, Y. See Suzuki, T., 291P
Yamago, S.
—; Development of Organotellurium-Mediated and Organostibine-Mediated Living Radical Polymerization Reactions, 1C
Yamaguchi, S. See Shinohara, K., 801C
Yamaguchi, T. See Kai, T., 846C
Yamamoto, C.
—; Yamada, K.; Motoya, K.; Kamiya, Y.; Kamigaito, M.; Okamoto, Y.; Aratani, T.: Preparation of HPLC Chiral Packing Materials Using Cellulose Tris(4-Methylbenzoate) for the Separation of Chrysanthemate Isomers, 5087C
Yamamoto, K. See Imaoka, T., 5229C
Yamamoto, T. See Iwamoto, R., 2425P
Yamane, S. See Narumi, A., 4864C
Yamanobe, T. See Kakiage, M., 2455P; Uehara, H., 1731P
Yamashita, Y. See Kimura, K., 2732C
Yamauchi, T. See Tsuchida, A., 2972C
Yamazaki, H. See Ochiai, B., 2802C
Yampolskii, Y. See Tokarev, A., 832P
Yan, D. See Xue, J., 2050P
Yan, L.-T.
—; Guo, B.-H.; Xu, J.; Xie, X.-M.: Monte Carlo Simulation of Diffusion Effects on Chain-Extension Reactions, 2902P
Yan, S. See Li, H., 1114P
Yan, W. See Liu, B., 6243C
Yan, X. See Zhu, G., 3282P
Yang, C. See Hou, J., 1279C; Zhou, E., 2206C; Zhou, E., 4916C

Yang, C. C. See Wu, K. H., 335C; Wu, K. H., 2657C
Yang, C.-C. See Wu, H.-L., 1096P
—; Tian, Y.; Jen, A. K.-Y.; Chen, W.-C.: New Environmentally Responsive Fluorescent *N*-Isopropylacrylamide Copolymer and Its Application to DNA Sensing, 5495C
Yang, C.-H. See Chen, C.-H., 451P
Yang, C.-P. See Chung, C.-L., 3092C
—; Su, Y.-Y.; Hsiao, S.-H.: Highly Soluble and Optically Transparent Poly(ether imide)s Based on 2,6- or 2,7-Bis(3,4-dicarboxyphenoxy)naphthalene Dianhydride and Aromatic Bis(ether amine)s Bearing Trifluoromethyl Groups, 5909C
—; Su, Y.-Y.: Novel Organosoluble and Colorless Poly(ether imide)s based on 3,3-Bis[4-(3,4-dicarboxyphenoxy)phenyl] phthalide Dianhydride and Aromatic Bis(ether amine)s Bearing Pendent Trifluoromethyl Groups, 3140C
—; Su, Y.-Y.; Wang, J.-M.: Synthesis and Properties of Organosoluble Polynaphthalimides Based on 1,4,5,8-Naphthalene Tetracarboxylic Dianhydride, 3,3-Bis[4-(4-amino-phenoxy)phenyl]phthalide, and Various Aromatic Diamines, 940C
Yang, C. Z. See Kong, F., 3037P
Yang, F.-C. See Shao, Y., 6836C
Yang, G. See Liu, H., 1050P; Zhang, X., 2161P
Yang, H. See Bansal, A., 2944P; Kim, W., 3612P; Zhao, C., 696P
Yang, H. D. See Zhou, C., 687P
Yang, H. -S. See Shieh, Y.-T., 85P
Yang, J. See Chen, J., 3631P
—; Li, Q.; Li, Y.; Jia, L.; Fang, Q.; Cao, A.: Chemical Preparation and Characterization of New Biodegradable Aliphatic Polyesters End-Capped with Diverse Steroidal Moieties, 2045C
—; Zhao, T.; Cui, J.; Liu, L.; Zhou, Y.; Li, G.; Zhou, E.; Chen, X.: Nonisothermal Crystallization Behavior of the Poly(ethylene glycol) Block in Poly(L-lactide)-Poly(ethylene glycol) Diblock Copolymers: Effect of the Poly(L-lactide) Block Length, 3215P
Yang, J.-M. See Lee, R.-S., 4268C
Yang, K.-K. See Chen, S.-C., 3083C; Huang, H.-X., 1245C
Yang, K. Z. See Lin, C. H., 3487C
Yang, L. See Yang, Y., 1613C
—; Luo, Y.; Li, B.: The Influence of Surfactant Coverage of the Minidroplets on RAFT Miniemulsion Polymerization, 2293C
Yang, M.-S. See Huang, C.-C., 5875C
Yang, P.-C. See Liu, J.-H., 5933C
Yang, R. See Haung, F., 2521C
Yang, S.-H. See Chen, K.-B., 5378C; Huang, C.-H., 519C
—; See Wu, T.-M., 3185P
—; Li, H.-C.; Chen, C.-K.; Hsu, C.-S.: Highly Substituted Poly(2,3-diphenyyl-1, 4-phenylenevinylene) Derivatives Having Bulky Phenyl and Fluorenyl Pendant Groups: Synthesis, Characterization, and Electro-Optical Properties, 6738C
Yang, S. Y. See Li, Z. X., 5729C; Wang, K., 1997C
Yang, S.-Y. See Li, H.-S., 2665C
Yang, W. See Li, M., 5887C; Qiu, Z., 1556P; Shi, Y., 2069C; Shi, Y., 2468C
Yang, W.-T. See Fan, J. W., 653C
Yang, X.-P. See Liu, Y.-X., 6880C
Yang, Y. See Chen, L., 2499C; Chen, X., 2112P; Fan, D., 2260C; Li, A., 3942C; Li, Y., 9P; Xu, J., 2811P; Xu, P., 3911C
—; Mikeš, F.; Yang, L.; Liu, W.; Koike, Y.; Okamoto, Y.: Novel Amorphous Perefluorocopolymeric System: Copolymers of Perfluoro-2-methylene-1,3-dioxolane Derivatives, 1613C
—; Wang, P.; Zheng, Q.: Preparation and Properties of Polysulfone/TiO_2 Composite Ultrafiltration Membranes, 879P
—; Xie, X.; Wu, J.; Mai, Y.-W.: Synthesis and Self-Assembly of Polystyrene-Grafted Multiwalled Carbon Nanotubes with a Hairy-Rod Nanostructure, 3869C
Yang, Y.-L. See Liou, G.-S., 2587C; Liou, G.-S., 4095C
Yang, Y. M. See Kong, F., 3037P
Yang, Y.-T. See Wu, H.-L., 1096P
Yanjarappa, M. J. See Carrillo, A., 928C
Yankul, B. See Altintas, O., 6458C
Yano, S. See Hagiwara, T., 3406C
Yao, N. See Zhao, Y., 2412P
Yao, W. See Wu, N., 1835P
Yao, Y. See Xu, X., 4409C; Xue, M., 1147C; Zhang, L., 1357P
Yarin, A. L. See Zussman, E., 1428P
Yashima, E. See Onouchi, H., 5039C
Yasuda, T.
—; Li, Y.; Miyatake, K.; Hirai, M.; Nanasawa, M.; Watanabe, M.: Synthesis and Propertries of Polyimides Bearing Acid Groups on Long Pendant Aliphatic Chains, 3995C
Yaun, Z.
—; Favis, B. D.: Influence of the Efficacy of Interfacial Modification on the Coarsening of Cocontinuous PS/HDPE Blends During Quiescent Annealing, 711P
Ye, C. See Li, Z., 5672C; Wang, L., 2864P
Ye, W.-P. See Tang, L.-M., 5846C
Ye, X. See Zhang, L., 1357P
Ye, Y.-S.
—; Chen, W.-Y.; Wang, Y.-Z.: Synthesis and Properties of Low-Dielectric-Constant Polyimides with Introduced Reactive Fluorine Polyhedral Oligomeric Silsesquioxanes, 5391C
Yeh, K.-M.
—; Chen, Y.: Vinyl Copolymers Containing Pendant 1,4-Distyrylbenzene and 1,3,4-Oxadiazole Chromophores: Preparation and Optoelectronic Properties, 5362C
Yei, D.-R.
—; Fu, H.-K.; Chen, W.-Y.; Chang, F.-C.: Synthesis of a Novel Benzoxazine Monomoer-Intercalated

Montmorillonite and the Curing Kinetics of Polybenzoxazine/Clay Hybrid Nanocomposites, 347P

Yen, F.-S. See Chen, C.-H., 2145P

Yen, H.-J. See Liou, G.-S., 4108C; Liou, G.-S., 6094C

Yen, M.-H. See Lin, K.-F., 5572C

Yeon, J. H. See Kwak, S. M., 2567C

Yerushalmi-Rozen, R. See Dror, Y., 3265P

Yildiz, U. H.
—; Sahin, E.; Akhmedov, I. M.; Tanyeli, C.; Toppare, L.: A New Soluble Conducting Polymer and Its Electrochromic Devices, 2215C

Yilmaz, I. See Altintas, O., 3242C

Yin, B.-L. See Qiu, X.-M., 275P

Yin, J. See Wang, H., 3738C; Zhang, X., 665P; Zhu, L., 134P

Yin, S.
—; Xu, H.; Su, X.; Li, G.; Song, Y.; Lam, J.; Tang, B.: Optical-Limiting and Nonlinear Optical Polyacetylenes: Synthesis of Azobenzene-Containing Poly(1-alkyne)s with Different Spacer and Tail Lengths, 2346C

Yin, W.
—; Jiang, L.; Wang, Y.; Huang, X.: Letter: Tb(III)-Modified Properties of Thermosensitive Core-Shell Microspheres, 3121P

Yin, Y. See Hu, Z., 2862C
—; Yamada, O.; Hayashi, S.; Tanaka, K.; Kita, H.; Okamoto, K.-I.: Chemically Modified Proton-Conducting Membranes Based on Sulfonated Polyimides: Improved Water Stability and Fuel-Cell Performance, 3751C

Yokoyama, A. See Ohishi, T., 4990C

Yokozawa, T. See Ohishi, T., 4990C

Yoon, T. H. See Kwak, S. M., 2567C

Yoshida, N. See Ihara, E., 2636C

Yoshida T. See Uehara, H., 1731P

Yoshihara, N. See Shibaya, M., 573P

Yoshinaga, K. See Mouri, E., 2789P

You, N.-H. See Kim, J. H., 3729C

You, Y.-Z. See Hong, C.-Y., 2419C

Youk, J. H. See Hong, K. H., 2468P

Young, P.-Y. See Jeng, J., 4603C

Yu, F. See Li, Y., 9P

Yu, G.
—; Shangli, D.; Dezhuang, Y.; Shiyu, H.; Zhijun, L.: Damage Effects of 120-keV Electron Radiation on AG-80 Resin, 177P

Yu, H. See Qiu, S., 2841P; Wang, W., 5505C; Zhang, W., 6640C
—; Feng, Z.-G.; Zhang, A.-Y.: Thermally Responsive Polyrotaxanes Synthesized through the Telomerization of *N*-Isopropylacrylamide with Polypseudorotaxanes Made from π-Cyclodextrin Threaded onto Thiolated Poly(ethylene glycol), 3717C

Yu, J. See Li, F., 1635P; Ma, X., 94P; Zheng, Q., 1309P

Yu, J.-M. See Liu, Y.-L., 1890C

Yu, J.-Q. See Wan, T., 6688C

Yu, J. W. See Kim, C. K., 254C; Kim, C. K., 5855C

Yu, Q. See Zheng, Q., 1309P

Yu, X. See Cho, C. G., 6007C; Lu, C., 1520P; Roy, A., 2226P
—; Wang, X.; Li, X.; Gao, J.; Wang, H.: Quantitative Structure–Property Relationship Studies of Polymeric Cohesive Energy by Density Functional Theory, 409

Yu, X.-Y. See Naous, W., 1466P

Yu, Y. See Liu, X., 3102P; Zhan, G., 517P

Yu, Y.-J. See Mikroyannidis, J. A., 4494C

Yuan, J. See Yuan, W., 6575C

Yuan, M. See Wang, N., 5863C

Yuan, R. K. See Kong, F., 3037P

Yuan, W.
—; Yuan, J.; Zhou, M.; Sui, X.: Synthesis, Characterization, and Thermal Properties of Dendrimer-Star, Block-Comb Copolymers by Ring-Opening Polymerization and Atom Transfer Radical Polymerization, 6575C

Yuasa, M. See Oyaizu, K., 5403C

Yu-Mei, Z. See Lin, Y., 3650C

Yumoto, K. See Sakaguchi, T., 5028C

Yurekli, K. See Goel, V., 2014P

Yu-Wen, L.-H. See Huang, Y.-Q., 5778C

Zacahua, G. See Saldívar-Guerra, E., 6962C

Zakharov, V. A. See Dubkov, K. A., 2510C

Zamani, S. E. See Shokri, A. A., 1725P

Zanuy, D.
—; Alemán, C.: Effect of the Environment on the Stability of Surfactant-Polypeptide Self-Assembled Complexes: Molecular Dynamics Simulations of Stoichiometric Complexes Formed by *N*-Dodecyltrimethylammonium and Poly(α,L-glutamate) in Chloroform, Methanol, and Water, 1122P

Zapotoczny, S. See Rymarczyk-Machal, M., 2675C

Zelzer, M. See Kappaun, S., 2130C

Zeng, W. See Cao, D., 2395C

Zeng, Z. See Zhu, G., 3282P

Zeng-Guo, F. See Lin, Y., 3650C

Zengin, G. See Zengin, H., 6988C

Zengin, H.
—; Zengin, G.; Smith, D. W., Jr.: Synthesis and Polymerization of a New Nitrogen-Containing Bis-*Ortho*-Diynylarene Monomer, 6988C

Zha, D. See Chen, L., 2499C

Zhan, G. See Liu, X., 3102P
—; Yu, Y.; Tang, X.; Tao, Q.; Li, S.: Further Study of the Viscoelastic Phase Separation of Cyanate Ester Modified with Poly (ether imide), 517P

Zhan, M. S. See Wang, K., 1997C

Zhang, A.-Y. See Yu, H., 3717C

Zhang, B. See Chen, P., 1020P; Sha, K., 3393C

Zhang, B.-Q. See Luan, B., 549C

Zhang, C. See Liu, Y.-X., 6880C

Zhang, C.-Z. See Martin, J. I., 2621P

Zhang, D. See Liu, X., 900P; Sun, K., 1378P; Zhu, Y.-G., 986P; Zhu, Y. G., 1161P; Zhu, Y.-G., 1351P; Zhu, Y. G., 3157P
—; Sun, W.-H.; Hou, J.; Jie, S.; Chang, F.: Polymerization of Cyclopentadiene Initiated by Methylaluminoxane, 264C
Zhang, G. See Cheng, H., 770P; Kong, J., 3930C
Zhang, G.-B. See Liu, X.-H., 490C
Zhang, G.-W. See Huang, Y.-Q., 5424C
Zhang, H. See Li, H., 3853C; Xu, J., 2811P; Zhang, H., 1320P; Zhao, C., 696P
—; Ren, M.; Chen, Q.; Sun, S.; Sun, X.; Zhang, H.; Mo, Z.: Miscibility and Crystallization Behavior of PBT/Epoxy Blends, 1320P
Zhang, H. X. See Zhou, C., 687P
Zhang, J. See Chen, P., 1020P; Li, J., 4420C
—; Fredin, N. J.; Lynn, D. M.: Erosion of Multilayered Films Fabricated from Degradable Polyamines: Characterization and Evidence in Support of a Mechanism that Involves Polymer Hydrolysis, 5161C
Zhang, J. X. See Varshney, S. K., 3400C
Zhang, L. See Cai, J., 3093P; Li, L., 1188P; Liu, B., 6243C; Zhu, G., 3282P
—; Katapodi, K.; Davis, T. P.; Barner-Kowollik, C.; Stenzel, M. H.; Using the Reversible Addition–Fragmentation Chain Transfer Process to Synthesize Core-Crosslinked Micelles, 2177C
—; Yao, Y.; Ye, X.; Wu, Q.: Luminescence Behavior of Eu^{3+} in Polytitanasiloxane Solution, 1357P
Zhang, L.-X. See Li, S.-B., 2888P
Zhang, M.
—; Wang, Z.; Gao, L.; Ding, M.: Polyimides from Isomeric Diphenylthioether Dianhydrides, 959C
Zhang, N.
—; Guo, S.-R.: Synthesis and Micellization of Amphiphilic Poly(sebacic anhydride)-Poly(ethylene glycol)–Poly(sebacic anhydride) Block Copolymers, 1271C
Zhang, P.
—; Liu, Q.; Qing, A.; Shi, J.; Lu, M.: Synthesis and Characterization of Core–Shell-Type Polymeric Micelles from Diblock Copolymers via Reversibile Addition–Fragmentation Chain Transfer, 3312C
Zhang, Q. See Sun, K., 1378P; Zheng, Z., 3210C
Zhang, Q.-X. See Naous, W., 1466P
Zhang, S. See Liu, B., 1618P; Lu, G., 5438C; Peng, D., 6857C; Zhou, J., 3202C
Zhang, W. See Chao, D., 477C; Liu, B., 6243C; Liu, B., 1618P; Liu, H., 4165C; Zhou, Y., 764P
—; Liu, Y.; Zhu, M.; Zhang, Y.; Liu, X.; Yu, H.; Jiang, Y.; Chen, Y.; Kuckling, D.; Adler, H.-J. P.: Rapid Communication: Suprising Conversion of Nanocomposite Hydrogels with High Mechanical Strength of Posttreatment: From a Low Swelling Ratio to an Ultrahigh Swelling Ratio, 6640C
—; Zhou, N.; Zhu, J.; Sun, B.; Zhu, X.: Synthesis of Well-Defined Naphthalene and Photo-labile Group-Labeled Polystyrene via ATRP, 510C
—; Zhu, X.; Zhu, J.; Chen, J.: Atom Transfer Radical Polymerization of Styrene Using the Novel Initiator Ethyl 2-*N*,*N*-(Diethylamino)-dithiocarbamoyl-butyrate, 32C
Zhang, W. M. See Li, Z. X., 1291C
Zhang, X. See Peng, D., 6857C
—; Li, Z.-C.; Wang, Z.-M.; Sun, H.-L.; He, Z.; Li, K.-B.; Wei, L.-H.; Lin, S.; Du, F.-S.; Li, F.-M.: Mono-, Bis-, and Trismaleimides Having Electron-Donating Chromophores: Fluorescence, Electrochemical Properties, Polymerization, and Cure Monitoring, 304C
—; Liu, S.; Yin, J.: Selectively Sulfonated Poly(aryl ether sulfone)-*b*-polybutadiene for Proton Exchange Membrane, 665P
—; Peng, D.; Lu, G.; Gu, L.; Huang, X.: Novel Graft Copolymer Containing a Polyallene Backbone and Poly(*tert*-butyl acrylate) Side Chains, 6888C
—; Yang, G.; Lin, J.: Synthesis, Rheology, and Morphology of Nylon-11/Layered Silicate Nanocomposite, 2161P
Zhang, X.-Z. See Wan, T., 6688C
Zhang, Y. See Furyk, S.,1492C; Liu, H., 1050P; Lu, C., 3406P; Neugebauer, D., 1347C; Xu, X., 4409C; Xue, M., 1147C; Zhang, W., 6640C; Zhou, N., 1522C; Zhou, Y., 1226P; Zhuang, W., 4174C
Zhang, Y. M. See Li, H., 3853C
Zhang, Yinxi. See Cui, L., 3288P
Zhang, Yong. See Cui, L., 3288P; Zhou, Y., 1226P
Zhang, Z. See Song, L., 2533C; Zhu, J., 6810C
—; Zhu, X.; Zhu, J.; Cheng, Z.; Zhu, S.: Thermal-Initiated Reversible Addition–Fragmentation Chain Transfer Polymerization of Methyl Methacrylate in the Presence of Oxygen, 3343C
Zhao, B. See Hua, F., 2454C
Zhao, C. See Wang, Z., 1967C
—; Wu, G.; Zhou, C.; Yang, H.; Zhang, H.: Independence of the Brittle–Ductile Transition from the Rubber Particle Size for Impact-Modified Poly(vinyl chloride), 696P
Zhao, P. See Wang, W.-Z., 3513C
Zhao, Q. See Kim, Y.-H., 172C
Zhao, T. See Yang, J., 3215P
Zhao, X. See Chao, D., 477C; Shao, Y., 6836C; Tao, Y., 5329C; Wang, L., 1714P
Zhao, X.-D. See Zhou, J.-L., 4532C
—; Fan, X.-H.; Chen, X.-F.; Chai, C.-P.; Zhou, Q.-F.: Surface Modification of Multiwalled Carbon Nanotubes via Nitroxide-Mediated Radical Polymerization, 4656C
Zhao, Y. See Bo, Q., 1734C
—; Jamieson, A. M.; Olson, B. G.; Yao, N.; Dong, S.; Nazarenko, S.; Hu, X.; Lal, J.: Conformation of Comb-Like Liquid Crystal Polymers in Isotropic Solution Probed by

Small-Angle Neutron Scattering, 2412P

Zheng, A. See Wu, N., 1835P

Zheng, J. X. See Bhargava, P., 3605P; Pugh, C., 4076C; Wang, Y., 5608C

Zheng, Q. See Shangguan, Y., 795P; Song, Y., 1979C; Yang, Y., 879P; Zuo, M., 1547P

—; Wang, W.; Yu, Q.; Yu, J.; He, L.; Tan, H.: Nonlinear Viscoelastic Behavior of Styrene-[ehylene-(ethylene-propylene)]-styrene Block Copolymer, 1309P

Zheng, S. See Guo, Q., 975P; Liu, Y., 1168C; Ni, Y., 1093C; Shen, J., 942P

Zheng, X. See Qiu, S., 2841P; Smit, M., 2883C; Smit, M., 6652C

Zheng, Z. See Wang, D., 6226C

—; Xu, J.; Sun, Y.; Zhou, J.; Chen, B.; Zhang, Q.; Wang, K.: Synthesis and Chiroptical Properties of Optically Active Polymer Liquid Crystals Containing Azobenzene Chromophores, 3210C

Zhijun, L. See Yu, G., 177P

Zhong, W. See Xu, P., 3911C

Zhou, C. See Zhao, C., 696P

—; Bao, X. Y.; Tan, Z. Y.; Sun, S. L.; Ao, Y. H.; Yang, H. D.; Zhang, H. X.: Transition from Crazing to Shear Deformation in ABS/PVC Blends, 687P

Zhou, E. See Yang, J., 3215P; Zhou, Y., 764P

—; He, C.; Tan, Z.; Yang, C.; Li, Y.: Effect of Side-Chain End Groups on the Optical, Electrochemical, and Photovoltaic Properties of Side-Chain Conjugated Polythiophenes, 4916C

—; Hou, J.; Yang, C.; Li, Y.: Synthesis and Properties of Polythiophenes with Conjugated Side-Chains Containing Carbon–Carbon Double and Triple Bonds, 2206C

Zhou, F. See Burnham, K. S., 6909C

Zhou, H. See Xue, M., 1147C

Zhou, J. See Zheng, Z., 3210C

—; Zhang, S.; Qiao, X.; Li, X.; Wu, L.: Synthesis of SiO_2/Poly(styrene-*co*-butyl acrylate) Nanocomposite Microspheres via Miniemulsion Polymerization, 3202C

Zhou, J.-L.

—; Chen, X.-F.; Fan, X.-H.; Chai, C.-P.; Lu, C.-X.; Zhao, X.-D.; Pan, Q.-W.; Tang, H.-Y.; Gao, L.-C.; Zhou, Q.-F.: Synthesis and Properties of Azobenzene-Containing Poly(1-alkyne)s with Different Functional Pendant Groups, 4532C

—; Chen, X.-F.; Fan, X.-H.; Lu, C.-X.; Zhou, Q.-F.: Synthesis and Chiroptical Properties of Optically Active Poly(*N*-propargylamide) Bearing Photoisomerizable Azobenzene Moieties, 6047C

Zhou, L. See Xue, J., 2050P

Zhou, M. See Yuan, W., 6575C

Zhou, N. See Zhang, W., 510C

—; Xu, W.; Zhang,Y.; Zhu, J.; Zhu, X.: Preparation and Characterization of Optically Active Polystyrene via a Chiral Nitroxide-Mediated Polymerization, 1522C

Zhou, Q. See Li, A., 3942C; Sun H., 3469C

Zhou, Q.-F. See Zhao, X.-D., 4656C; Zhou, J.-L., 4532C; Zhou, J.-L., 6047C

Zhou, S. See Cheng, X., 3807C

Zhou, T.

—; Gu, M.; Jin, Y.; Wang, J.: Isoconversional Method to Explore the Cure Reaction Mechanisms and Curing Kinetics of DGEBA/EMI-2,4/Nano-SiC System, 371C

Zhou, W. See Xu, J., 1125C

Zhou, Y. See Yang, J., 3215P

—; Geng, J.; Li, G.; Zhou, E.; Chen, L.; Zhang, W.: Crystal Structure and Morphology of Phenyl-Capped Tetraaniline in the Leucoemeraldine Oxidation State, 764P

—; Wang, S.; Zhang, Y.; Zhang, Yong: Reinforcement Effect of MAA on Nano-$CaCO_3$-Filled EPDM Vulcanizates and Possible Mechanism, 1226P

Zhu, D. See Wang, E., 2707C; Wang, N., 5863C

Zhu, F. See Gao, H., 5237C

Zhu, G.

—; Zeng, Z.; Zhang, L.; Yan, X.; Li, J.: The Study of Local Dual-Peak Vibratory Properties in Ferroelectric P(VDF-TrFE) Films, 3282P

Zhu, J. See Wang, G., 483C; Wang, G., 2912C; Xu, W., 1502C; Zhang, W., 32C; Zhang, W., 510C; Zhang, Z., 3343C; Zhou, N., 1522C

—; Gosen, C.; Marchant, R. E.: Synthesis and Characterization of Poly(vinyl amine)-Based Amphiphilic Comb-Like Dextran Glycopolymers by a Two-Step Method, 192C

—; Zhu, Z.; Zhang, Z.; Cheng, Z.: Reversible Addition–FragmentationcChain Transfer Polymerization of Styrene under Microwave Irradiation, 6810C

Zhu, L.

—; Tang, G.; Shi, Q.; Cai, C.; Yin, J.: Neodymium Oxide-Assisted Melt Free-Radical Grafting of Maleic Anhydride on Isotactic-Polypropylene by Reactive Extrusion, 134P

Zhu, M. See Zhang, W., 6640C

Zhu, P. See Pugh, C., 4076C

Zhu, S. See Chen, R., 1252C; Eslami, H., 1914C; Zhang, Z., 3343C

Zhu, X. See Wang, G., 483C; Wang, G., 2912C; Xu, W., 1502C; Xue, J., 2050P; Zhang, W., 32C; Zhang, W., 510C; Zhang, Z., 3343C; Zhou, N., 1522C

Zhu, Y. G.

—; Li, Z. Q.; Gu, J. J.; Zhang, D.; Tanimoto, T.: Polyaniline/Iron Nanocomposites Prepared by Cryomilling, 3157P

—; Li, Z. Q.; Zhang, D.; Tanimoto, T.: PET/SiO_2 Nanocomposites Prepared by Cryomilling, 1161P

Zhu, Y.-G.

—; Li, Z.-Q.; Zhang, D.; Tanimoto, T.: Structural Changes in Poly(ethylene terephthalate) Induced by Cryomilling and Ambimilling, 986P

—; Li, Z.-Q.; Zhang, D.; Tanimoto, T.: Thermal Behaviors of Poly(ethylene terephthalate)/SiO_2 Nanocomposites Prepared by Cryomilling, 1351P
Zhu, Z. See Zhu, J., 6810C
Zhuang, W.
—; Zhang, Y.; Hou, Q.; Wang, L.; Cao, Y.: High-Efficiency, Electrophosphorescent Polymers with Porphyrin–Platinum Complexes in the Conjugated Backbone: Synthesis and Device Performance, 4174C
Zhuo, R.-X. See Wan, T., 6688C
Ziglio, C. M. See Dias, M. L., 458C
Zorba, G. See Bilalis, P., 5719C
Zou,Y. See Huang, X., 2346P
Zuo, M.
—; Peng, M.; Zheng, Q.: Study on Nonlinear Phase-Separation for PMMA/α 77 SAN Blends by Dynamic Rheological and Small Angle Light Scattering Measurements, 1547P
Zurita, R.
—; Puiggalí, J.; Franco, L.; Rodríguez-Galán, A.: Copolymerization of Glycolide and Trimethylene Carbonate, 993C
Zussman, E.
—; Burman, M.; Yarin, A. L.; Khalfin, R.; Cohen, Y.: Tensile Deformation of Electrospun Nylon-6,6 Nanofibers, 1482P
Zwartkruis, T. J. G. See Karssenberg, F. G., 722P

JOURNAL OF
POLYMER SCIENCE

Combined Subject Index to Volume 44

This index covers the Polymer Chemistry and Polymer Physics Editions of the *Journal of Polymer Science*, Vol. 44, 2006. The Edition in which an item appears is indicated by a C or P, respectively, following the page number.

$(AB)_f$ star block copolymers, 3321C
AB_2 monomer, 5729C
Acid-base blend membranes, 2311P
Acid-catalytic effect, 1890C
Acrylamide monomers, 3125C
Acrylamides, 2086C
Acrylates, 3001C, 5271C
Acrylic acid, 1648C
Acrylic impact modifier (AIM) content, 696P
Acrylonitrile, 226C, 914C, 2376C
N-Acryloyltris (hydroxymethyl)aminomethane, 6616C
Activated monomer, 7071C
Activation energy, 598P, 914C, 1676C, 2841P, 3487C, 4006C
Activators generated by electron transfer (AGET), 3787C
Active center determination, 1635C
Active species, 4932C
Adamantane, 2567C, 5254C
Addition polymerization, 200C, 343C, 458C, 620C, 1263C, 1387C, 1514C, 2802C, 3018C, 4420C, 6226C
Additives, 1490P, 1702P, 2015C
Adenine, 4242C
Adhesion, 1050P, 2912P, 3436P, 3598P
Adhesives, 1237P, 6435C
Adsorbed PMMA, 2071p
Adsorption, 1580P, 1668P, 1804P, 2888P, 3245P
Affine, 1277P
AFM, 925P, 3282P, 3406P
Aggregate, 1179P
Aggregate structure, 573P
Aggregation, 1117C, 1442P, 3406P, 3763C, 4242C, 5779C
Aging, 312P, 865C, 2935P
Air oxidation, 6025C
Alcohol, 4450C
Alcoholic OH, 2425P
Alicyclic hydrocarbon polymers, 6214C
Alignment, 1751P
Aliphatic polyesters, 2045C
Aliphatic polyimides, 5254C
Alkoxyamine, 4142C
Alkyl glycidyl ethers, 3036C, 6435C
Alkylthio substituted PPVs, 1279C
Alkynes, 5513C, 5699C
All-atom, 1907P
Alloy, 335C
Allyl, 1424C
Allyl glycidyl ether, 5329C
Allyl methacrylate, 5304C
Alpha and gamma forms, 1253P
Alternating copolymerization, 5182C
Alternating copolymers, 1225C, 2069C
Ambient heterogeneous hydrosilation, 147C
Ambient temperature, 1975C, 2848C
Amine-capped aniline pentamer, 477C
Amines, 1855C
Amino acid-based monomers, 3125C, 4479C
α-Amino acid ester, 4731C
Amino acids, 810C, 2117C, 5337C, 6190C
Ammonia, 1331P
Amorphous, 986P, 1351P, 1613C, 6032C
Amorphous material, 5987C
Amorphous polymer, 1000P
Amorphous Teflon AF2400, 832P
Amphiphiles, 646C, 1153C, 1474P, 2604C, 4361C, 4396C, 5120C, 5137C, 5218C, 6378C
Amphiphilic, 467C, 2848C, 3978C, 4396C, 4782C
Amphiphilic block copolymers, 414C, 1271C, 1734C, 3290C
Amphiphilic conetworks, 6378C
Amphiphilic copolymer, 6015C
Amphiphilic glycopolymer, 192C
Amphiphilic networks, 2891C
Anhydride groups, 653C
Anhydrous proton conductivity, 3315P
Anilido-imino nickel complex, 5237C
Aniline, 2388C
Anion effect, 6624C
Anionic polymerization, 137C, 325C, 606C, 614C, 769C, 828C, 837C, 1086C, 1442P, 1579C, 2139C, 2579C, 2684C, 2873C, 3400C, 3526C, 3684C, 3778C, 3836C, 4361C, 4832C, 5719C, 6587C
Anisotropic thermosets, 1877C
Annealed, 2621P
Annealing, 711P, 3461P
Anthracene, 499C, 1667C, 3947C
Anti-AIDS drugs, 295C
Antibacterial, 1214C
Antimony, 1049C
Applications, 2755C
Aqueous dispersions, 3365C
Aqueous medium, 2749C
Aquocyanophthalocyaninatocobalt (III) (Phthalcon 11), 33P
Arborescent, 1770C
Architecture, 1770C, 3942C
Aromatic polyamides, 2270C, 2587C
Arylene main-chain ionomers, 2311P
Aryl ether, 4559C
Associating ionic polymers, 5480C
Asymmetric polymerization, 325C
Atactic, 1136C
Atomic force microscopy (AFM),

769C, 801C, 3234P, 5113C, 5271C, 5608C
Atom transfer radical addition, 6015C
Atom transfer radical polymerization (ATRP), 32C, 156C, 219C, 483C, 499C, 510C, 549C, 676C, 727C, 744C, 1117C, 1214C, 1252C, 1347C, 1396C, 1436C, 1502C, 1628C, 1667C, 1745C, 1758C, 1796C, 1807C, 1841C, 1900C, 1914C, 1975C, 2014P, 2069C, 2076C, 2468C, 2774C, 2794C, 2848C, 2912C, 2955C, 3242C, 3382C, 3393C, 3434C, 3692C, 3787C, 3942C, 3947C, 4027C, 4222C, 4242C, 4290C, 4361C, 4593C, 4656C, 4939C, 5004C, 5098C, 5304C, 5316C, 5438C, 5454C, 5468C, 5699C, 5995C, 6015C, 6103C, 6458C, 6558C, 6575C, 6607C, 6708C, 6857C, 6888C, 6997C
Atropisomeric monomers, 207C
Attapulgite, 534P, 1995P, 2112P
Automated synthesizer, 6202C
Azides, 5513C, 5699C
Azido polyurethane elastomer (APUE), 2841P
Azobenzene, 1396C, 4532C, 6047C
Azobenzene chromophores, 3210C
Azo polymers, 207C, 1378P, 2346C, 5692C, 6047C

Back-biting, 3650C
Backfolding, 3062P
Barrier height, 1572P
Barrier properties, 265P, 431P
Battery separator, 2025P
Bead-spring model, 787P
Benzimidazole, 1414C
Benzophenone, 6997C
Benzoxazine, 1424C, 1529C, 1890C, 3454C
Benzylidene polyesters, 3986C
Benzyl methacrylate (BnMA), 2848C
BET, 949C
Biaxiality, 1378P
Biaxial stretching, 1690P
Bicyclic diene, 6214C
Bimodal molecular weight distribution, 4420C
1,1 Bi-2-naphthol polyarylates, 256P
Biocompatibility, 1785C, 6558C
Biodegradable, 98C, 406C, 1245C, 1271C, 1635P, 1785C, 2034C, 2045C, 2166C, 2852P, 2990C, 3083C, 3184C, 3711C, 4214C, 4268C, 5329C, 5353C, 5505C, 6402C, 6688C
Biodegradable polymers, 22P, 584P, 1010P
Biodegradation, 3250C
Bioengineering, 2740P
Biological applications of polymers, 295C, 1569C, 3588C
Biomaterials, 1020C, 1474P, 2045C, 2802C, 3121P, 3418P, 3588C, 4235C, 6402C, 6494C, 6688C
Bio-MEMS, 326P
Biomimetics, 666C, 2117C, 4242C, 4644C, 6190C
Biomineralization, 820C, 5153C
Biomolecules, 5039C
Biopolymers, 1653P, 2740P, 3121P, 5353C, 3445P, 3679P
Bipyridinophane, 4154C
Birefringence, 622P, 1326C
Bisacylphosphine oxide, 1686C
N,N-Bis(4-aminophenyl)-*N′,N″*-diphenyl-1,2-phenylenediamine, 2587C
Bis(4-bromophenyl) disulfide, 900C
Bis(1,5-cyclooctadiene)nickel(0), 200C
3,3-bis[4-(3,4-dicarboxyphenoxy)phenyl]-phthalide dianhydride, 3140C
Bis(ether amine), 3140C
Bis(ether anhydride), 3092C, 3140C
Bislactones, 4214C
Bismaleimide, 304C, 3102P
Bismole, 4857C
Bismuth, 4857C
Bismuth complex, 3175C
Bisoxazolines, 2902P
Bisphenolate, 4409C
Bis(salicylaldiminate)nickel(II) precursors, 1514C
1,1-bis(3-*tert*-butyldimethylsilyloxy-methylphenyl)ethylene, 6659C
Bis(triisopropylsilylethnyl) pentacene, 3631P
Blending, 1062P, 1490P, 2944P
Blends, 1P, 94P, 338P, 426P, 584P, 696P, 756P, 1725P, 1919P, 2091P, 2605P, 2821P, 2852P, 3348P, 3429P, 3621P
Blistering, 185P
Block copolymer brushes, 1758C
Block copolymer fluoropolymers, 5438C
Block copolymerization, 4795C
Block copolymers, 1C, 481P, 490C, 659C, 665P, 928C, 975P, 1580P, 1731P, 1745C, 1841C, 1914C, 1941C, 1985C, 2104P, 2177C, 2226P, 2438P, 2468C, 2572P, 2589P, 2604C, 2612P, 2725P, 2744C, 2774C, 2794C, 2848C, 2901C, 3001C, 3042P, 3233C, 3271C, 3290C, 3312C, 3393C, 3526C, 3629C, 3978C, 4235C, 4242C, 4268C, 4290C, 4298C, 4372C, 4593C, 4696C, 4769C, 4825C, 4880C, 5203C, 5445C, 5608C, 5719C, 6071C, 6136C, 6202C, 6360C, 6410C, 6419C, 6494C, 6575C, 6600C, 6633C, 6817C, 3429P, 3448P, 3612P
Block polymers, 6103C
Blue emission, 3513C, 4923C
Bond-fluctuating membrane, 2512P
Bond-fluctuating sheet, 3580P
Borane-terminated i-PP, 539C
Boron-containing, 1701C, 3503C, 6332C
Boron trifluoride diethyl etherate, 1125C, 4904C
Borontrifluoridemonoethylamine, 757C
Bound carbonyls, 2071p
Branched, 1395P, 3751C, 6484C
Branched polyethylene, 3551C
Branched polymer, 549C
Branched polymer model, 1179P
Breath figure, 2363C
Brill transition, 1763P
Brittle–ductile transition, 696P
N-2-Bromoethyl carbazole, 1745C
8-Bromo-1H,1H,2H-perfluorooct-1-ene, 4566C
Bulkiness, 4088C
Bundle-cluster model, 1453P
Butadiene, 4088C
Butyl acrylate, 2809C, 5304C
*n-B*utyl acrylate, 6299C
Butyl acrylate statistical copolymers, 1807C
Butyl methacrylate (BMA), 1628C
Butyl rubber, 983C

Calcium carbonate, 451P, 1226P, 5153C
Calcium carbonate whisker, 2475P
Calcium hydrides, 2015C
Calculations, 409P, 1783P
Calixarene, 7054C
Calorimetry, 1364P, 1821P, 2996P
Camphorsulfonic acid, 62C
Cancer, 1569C
Caprolactone, 1225C
ϵ-Caprolactone, 467C, 1147C, 3175C, 3684C, 4214C, 4409C, 4621C, 6926C
Carbazole, 3382C, 3882C, 5589C
Carbohydrates, 6895C
Carbonates, 2802C, 2873C, 4546C

Carbon black, 1821P, 1979P
Carbon dioxide, 607P, 5182C, 5329C, 6243C
Carbon nanotubes, 573C, 1062P, 1096P, 1413P, 1821P, 2419C, 6394C, 6449C
Carboxylic acids, 6360C
Carrier, 5413C
Catalysis, 1233C, 2130C, 2388C, 4939C, 5182C, 5237C, 6171C, 7054C
Catalyst, 483C, 1964C, 2912C, 3966C, 4621C, 5229C, 5682C, 5846C, 6025C, 6243C, 6646C, 6997C
Catalyst performance, 5098C
Catalytic chain transfer, 6171C
Catechol, 3092C
Catenanes, 6252C
Cationic copolymerization, 2891C, 6378C
Cationic copolymers, 845P
Cationic emulsion polymerization, 4461C
Cationic lattices, 4461C
Cationic photopolymerization, 6943C
Cationic polymerization, 25C, 137C, 264C, 718C, 1770C, 2636C, 2937C, 3036C, 3233C, 3666C, 4281C, 4435C, 4546C, 4722C, 4795C, 5519C, 5795C, 6214C, 6378C, 6435C, 6484C, 6494C, 6728C, 6750C, 6857C, 7040C, 7071C
Cationic ring-opening polymerization, 3650C
Cationic surfactants, 1628C, 4461C
Cellulose, 1702P, 3093P
Cellulose benzoate, 5087C
Cellulose solution, 2155P
Centipede-like copolymers, 3942C
Ceramic aggregates, 1395P
Chain conformation, 2412P, 2524P, 3093P
Chain-end, 2684C
Chain extension, 2902P
Chain-growth polycondensation, 4990C
Chain transfer reaction, 539C
Chain transfer to monomer, 3692C
Characteristic length, 1958P
Characterization, 1579C, 2034C
Charge-carrier mobility, 4709C
Charge transfer, 2027C
Charge transport, 1846P, 3336C
Chemical, 1613C
Chemical modification, 2714C
Chemical structure, 177P, 6988C
Chiral, 207C, 325C, 810C, 2117C, 3161C, 3210C, 4006C, 5039C, 6190C
Chiral auxiliaries, 3009C
Chiral discrimination, 325C
Chirality sensing, 5039C
Chiral nitroxide, 1522C
Chiral packing material, 5087C
Chiral resolution, 3009C
Chiroptical property, 6047C
Chitosan, 686C, 5353C
p-Chloromethylstyrene, 2714C
Chloropyridazine, 3328C
Chlorosilanes, 6587C
β-Cholestanol, 1502C
Chondroitin, 5014C
Chondroitin sulfate, 5014C
C—H/π interaction, 4154C
Chromatography, 2248C
Chromium, 1317C
Chrysanthemate, 5087C
Chymotrypsin inhibitor, 3667P
Circular dichroism, 3210C, 5533C
Cis- and trans-isomerization, 1396C
Cis-1,4 polymerization, 4088C
Citrate, 4259C
Clay, 431P, 1040P, 1182C, 5801C, 6640C
Clay platelet, 2512P, 3580P
Click chemistry, 5513C, 5699C, 6360C
Click reactions, 6103C, 6458C
Cloisite® 30B, 3392P
Cloud point, 4832C
Clustering, 832P
Coarse-grain, 1907P
Coarse-grained model, 3580P
Coarsening, 711P
Coatings, 102P, 335C
Cobalt, 5182C
Cobalt catalyst, 4222C
Cobalt complexes, 6159C
Cobalt iodide complex, 4222C
Cobalt macrocycle, 6171C
Cocontinuous, 711P
Cocontinuous morphology, 1919P
Cocrystallization, 1562P
Cohesive energy, 409P, 3128P
Coil helix, 1804P
Coil-to-globule transition, 3651P
CO_2 incorporation, 185P
CO_2 laser-heated drawing, 398P
Cold crystallization, 3461P
Collapse, 770P
Colloidal, 147C
Colloids, 968C, 2789P, 2837C, 4142C, 5192C, 5832C, 6505C
Colorless poly(ether imide), 3140C
Colorless polyimide, 3092C
Columnar mesophases, 1722C
Combinatorial, 4880C
Comb-like polymers, 953P, 2069C
Comonomer sequential structure, 1635P
Compact chain, 2888P
Compatibility, 94P, 426P
Compatibilization, 1869C
Competitive hydrogen bonding interaction, 1618P
Complexation, 2050P
Composite membranes, 1967P
Composite polymer particles, 4187C
Composites, 205P, 281C, 573C, 598P, 846C, 1499P, 1846P, 1979P, 2589P, 2642C, 3053P, 3843C, 5076C, 6449C, 6624C
Compressible flow, 622P
Compression, 3487P
Computer modeling, 409P, 1385P, 2579C, 2589P, 2667P, 4752C, 3487P, 3651P
Condensing agent, 380C
Conducting polymers, 243C, 281C, 718C, 1014C, 1413P, 1555C, 2215C, 2744C, 3304C, 3355C, 3995C, 4709C, 4904C, 5283C, 5403C, 5692C, 5855C, 6025C
Conductive composite microgel, 1648C
Conductive polymer nanocomposites, 33P
Conductivity, 1331P, 1413P
Conductivity critical exponent, 1846P
Configurational entropy, 1958P
Confined crystallization, 284P
Confinement, 2725P
Conformation, 561C, 5424C
Conformational analysis, 119P, 1619C, 2173P, 3037P
Conjugated dendrimer, 254C
Conjugated copolymers, 4174C
Conjugated polymers, 62P, 69C, 79P, 119P, 243C, 254C, 524P, 801C, 810C, 1153C, 1279C, 1619C, 2027C, 2059C, 2130C, 2206C, 2307C, 2338C, 2395C, 2487C, 2499C, 2521C, 3037P, 3121P, 3336C, 3469C, 3513C, 3729C, 3763C, 3797C, 4015C, 4154C, 4174C, 4317C, 4532C, 4611C, 4709C, 4857C, 4916C, 5378C, 5403C, 5533C, 5645C, 5672C, 5692C, 5750C, 6025C, 6047C, 6190C, 6498C, 6738C, 6790C, 6952C, 7054C, 3445P
Conjugated side chains, 4916C
Conjugated side-chains, 2206C
Constraints, 2679P
Contact angles, 426P, 3434C
Contact lenses, 1474P
Controlled free-radical polymerization, 4142C
Controlled living free-radical polymerization, 490C
Controlled living polymerization, 6055C

Controlled living radical polymerization, 3343C, 3787C, 5098C, 5809C
Controlled radical polymerization, 1214C, 2675C, 3853C, 4952C
Conventional emulsion polymerization, 3807C
Convergent synthesis, 1372C
Cooling function, 795P
Cooperative diffusion, 3590P
Cooperative dynamics, 967P
Coordinated anionic polymerization, 1796C
Coordination, 378P
Copolymer chemical composition distribution, 2883C, 6652C
Copolymer composition distribution, 2369P
Copolymer compositions, 183C
Copolymerization, 13C, 156C, 183C, 195P, 646C, 681C, 722P, 738P, 747P, 1086C, 1237P, 1299C, 1486C, 1817C, 1908C, 2376C, 2448C, 2802C, 2883C, 3018C, 3121P, 3184C, 3279C, 3328C, 3374C, 3629C, 3896C, 4420C, 4752C, 4762C, 5237C, 5304C, 5329C, 5362C, 5525C, 5618C, 5661C, 5682C, 5846C, 6083C, 6214C, 6243C, 6287C, 6378C, 6410C, 6569C, 6652C, 6728C, 6847C, 6857C, 7014C, 7071C
Copolymers, 1591C, 1613C, 2369P, 3114C, 3461P
Copper catalysts, 1817C, 6025C
Copper-catalyzed living radical polymerization, 77C, 5923C
Core-shell, 3807C
Core-shell capsules, 2475P
Core-shell polymers, 406C, 1660C, 2657C, 3121P, 3312C, 3911C, 5203C, 5283C
Correlation, 4346C
COSY, 561C
Couette flow, 3553P
Coumarin, 5750C
Counterion effects, 2267P
Coupling reaction, 3942C
Covalent functionalization, 3869C
Cracking, 3631P
Crazing, 687P, 3612P
Creep, 3501P
Critical aggregation concentration, 275P
Crosslink density, 1898P
Crosslinked polybutadiene-block-polyacrylamide, 3290C
Crosslinked polymer particles, 443C
Crosslinked polystyrene, 2475P
Crosslinked resin, 6708C
Crosslinking, 102P, 147C, 304C, 378P, 905C, 1020C, 1317C, 1406P, 1424C, 1701C, 1877C, 1958P, 1979P, 2135P, 2177C, 2237C, 2486P, 2604C, 3312C, 3454C, 3487C, 3503C, 3666C, 3751C, 3825C, 3896C, 4204C, 4384C, 4546C, 4566C, 4696C, 4782C, 5218C, 5630C, 6332C, 6728C, 6775C, 6857C, 6909C, 7040C
Crosslinking reaction, 2714C
Cross-sectional thickness, 2412P
Crown ethers, 325C, 2270C, 3242C, 4063C
Crude oil, 641P
Cryomilling, 1161P, 1351P, 3157P
Crystal growth, 3357P
Crystalline, 557P
Crystalline structure, 779P
Crystallinity, 1364P
Crystallization, 70P, 85P, 338P, 441P, 481P, 584P, 598P, 815P, 975P, 1188P, 1199C, 1499P, 1556P, 1813P, 1898P, 2034C, 2112P, 2173P, 2369P, 2438P, 2455P, 2732C, 2798P, 2852P, 2864P, 3009C, 3042P, 4952C, 5153C, 3448P, 3553P
Crystallization analysis fractionation, 2749P
Crystallization behavior, 534P, 3288P
Crystallization kinetics, 900P
Crystal morphology, 864P
Crystal orientation, 284P
Crystal perfection, 3461P
Crystals, 2749P, 2798P
Crystal structures, 764P, 1635P, 1948P, 4932C, 5589C
Crystal transformation, 914P
Cure kinetics, 889P
Cure reaction mechanism, 371C
Curing, 5630C
Curing conversion, 517P
Curing kinetics, 371C, 3487C
Curing of polymers, 304C, 1676C, 2007C, 3454C, 3825C, 3896C, 4384C, 5291C
Curing reaction, 1807C, 1890C
Cyanate, 3487C
Cyanate ester, 517P, 4559C
Cyanobiphenyl, 967P
Cycles, 6252C
Cyclic carbonates, 1985C
Cyclic trithiocarbonates, 6600C
Cyclic voltammetry, 1189C
Cyclization, 2139C
Cycloaddition, 5513C
Cycloaliphatic, 3250C, 4384C
Cyclocopolymerization, 5525C
Cyclodextrin, 532C, 1117C
α-Cyclodextrin, 3684C
β-Cyclodextrin, 281C
Cyclodextrins, 3717C, 6312C
Cyclohexene oxide, 6243C
1,3-cyclohexylbis(methylamine), 3250C
Cycloolefins, 1263C
Cyclopentadiene, 264C
Cyclopolymerization, 1555C, 3220C, 4039C, 5480C, 7054C
Cytochrome-C, 3763C
Cytotoxicity, 2923P

Damping function, 1309P
Darcy's law, 359P
$\Delta\chi$ effect, 1853P
Decomposition, 697C
Decoupling, 3461P
Deformation, 1277P, 1763P
Degenerative chain transfer, 2809C
Degenerative-transfer reaction, 1C
Degradability, 6402C
Degradable polymers, 5098C
Degradation, 177P, 312P, 335C, 656P, 1513P, 6980C
Degree of polymerization (DP), 2901C, 5763C
Dehydration polycondensation, 5247C
Dehydrogenation, 3526C
Dendrimer-like star-branched polymer, 6659C
Dendrimers, 1P, 254C, 1357C, 1372C, 1569C, 2248C, 2755C, 3062P, 3411C, 3674C, 5229C, 5740C, 5855C, 6765C
Dendrimer-star, block-comb copolymers, 6575C
Dendritic (arborescent) polyisobutylene, 6494C
Dendritic boron core, 3930C
Dendritic copolymer, 6782C
Dendritic pendant, 6765C
Dendronized polymers, 6765C
Density, 1841C, 2476C, 3666C, 7040C
Density functional theory (DFT), 4752C
Density of states, 504P
Dental polymers, 115C, 1686C, 6775C
Desilylation, 5028C
Dewetting instability, 3022P
Dextran, 192C
DGEBA/EMI-2,4/nano-SiC system, 371C
D-Glucaric acid, 4895C
D-Gluconic acid, 4895C
Diallylammonium monomers, 5480C
Dibenzofulvene, 561C
Dibenzothiophene, 6790C
Dibenzothiophene-5,5-dioxide, 6790C
Diblock copolymers, 1357C,

1667C, 1835P, 2260C, 2495P, 2589P, 3227P, 3242C, 3406P, 4428C, 5218C, 6299C, 3431P, 3571P, 3605P
Dibromotoluene, 5661C
Dielectric constant, 2567C
Dielectric properties, 1591C, 2665C, 3078P, 3140C, 5391C, 5909C
Dielectric relaxation, 967P, 2035P, 3135P
Diels–Alder polymers, 905C
Diels–Alder reaction, 499C, 1667C, 3947C
Differential scanning calorimetry (DSC), 85P, 534P, 756P, 993C, 1020C, 1086C, 1320P, 1339P, 1351P, 1600C, 1898P, 1958P, 2112P, 2139C, 2475P, 3200P, 3215P, 4076C, 6988C, 3518P, 3528P
Diffusion, 215P, 265P, 832P, 1071C, 1385P, 1874P, 2828P, 2902P, 3173P, 3434P, 3598P
Diffusion coefficient, 1000P
Diffusivity, 607P
Difluorobenzene, 4346C
Difunctional initiators, 1252C, 3374C
Diglycidyl ether of bisphenol A (DGEBA), 1701C
4,4′-Dihydroxybenzophenone, 7014C
1,6-Diiodoperfluorohexane, 1470C
β-Diketiminato, 1147C
Diketopyrrolopyrrole, 2395C
Dilute polymer solution, 787P
Dimer acid, 3921C
Dimethacrylate, 949C
N,N-Dimethylacrylamide, 6378C
2-(Dimethylamino)ethyl acrylate (DMAEA), 414C
2-(Dimethylamino)ethyl methacrylate, 6378C
Dimethyltrimethylene carbonate, 98C
2,2-Dimethyltrimethylene carbonate, 4409C
Diol, 2358C
Diperiodatocuprate(III), 1952C
Diphenylethylenes, 6587C
Diphenylthioether dianhydrides, 959C
Dipolar attraction, 2001P
Direct methanol fuel cell, 565P, 2226P
Direct polycondensation, 380C
Disorder, 6909C
Dispersion curves, 504P
Dispersion polymerization, 968C, 3859C
Dispersions, 573C, 2406C, 3053P, 4122C, 5801C, 5832C
Dissipation, 2740P
Dissociation behavior, 314C
Distension effect, 185P
2,2′-Disubstituted 4,4′-biphenyldicarboxylic acids, 6466C
Disubstituted diallylsilane, 6083C
Divinylbenzene, 7014C
DNA-base containing polymer, 5995C
Donor–acceptor, 304C
Dopant roles, 281C
Dopo, 3454C
Double hydrophilic block copolymers, 606C
Double melting, 3378P
DPD, 1907P
Drawing, 153P, 1731P, 2455P
Drug delivery system, 295C, 1569C, 4328C, 6688C
Durability, 2346P
Dye release, 3290C
Dyes/pigments, 4644C, 6345C
Dynamic light scattering (DLS), 949C, 968C, 1271C, 4603C
Dynamic mechanical, 2058P
Dynamic mechanical analysis (DMA), 2841P
Dynamic mechanical measurements, 1985P
Dynamic rheological measurements, 1547P
Dynamics, 2001P, 2556P, 2605P, 2679P
Dynamic viscosity, 371P

EDX analysis, 338P
EerNisse caution, 801P
Efficient energy transfer, 172C
Elastic gel, 359P
Elastomer blends, 492P
Elastomers, 143P, 1050P, 1188P, 1591C, 1855C, 2679P, 3279C, 4053C, 4743C, 5505C, 6270C, 3436P, 3440P
Electrical and magnetic properties, 3157P
Electrical conductivity, 3078P
Electrical properties, 6449C
Electrical resistance, 1096P
Electric fields, 1751P, 2725P
Electroactive polyamide, 477C
Electrochemical copolymerization, 4904C
Electrochemical polymerization, 1042C, 1125C, 2388C
Electrochemical properties, 524P
Electrochemistry, 304C, 2183P, 2201P, 2215C, 2316C, 2724C, 2749C, 3797C, 3882C, 4095C, 4108C, 4514C, 4579C, 6007C, 6094C, 6466C
Electrochromic, 2587C
Electrochromism, 4579C
Electrode effect, 3282P
Electroluminescence, 524P, 783C, 1189C, 2521C, 4494C, 5750C, 6790C
Electron affinity, 3556C
Electron beam, 1714P
Electron beam irradiation, 2107C
Electronic and vibrational properties, 1783P
Electron microscopy, 820C, 864P, 1042C
Electron radiation, 177P
Electron spin resonance, 3323P
Electron spin resonance spectroscopy, 6299C
Electron transfer, 697C
Electron transfer reaction, 77C, 5923C
Electron-transporting layer (ETL), 2922C
Electrophosphorescence, 4174C
Electrospinning, 1482P, 1608P, 2468P
Electrospray deposition, 779P
Electrospun fibers, 2923P
Electrostatic exclusion, 1106P
Elliptical contours, 1277P
Elongation method, 119P
EMI, 1096P
Emission spectroscopy, 2139C
Emulsion polymerization, 232C, 273C, 443C, 573C, 1628C, 1914C, 2533C, 2837C, 3958C, 4027C, 4142C, 4736C, 5572C, 5708C, 5832C, 5974C, 6055C, 6114C
Encapsulation, 3227P, 4165C, 4187C
Encapsulation and release, 1734C
Encapsule, 281C
End-functionalized polymer, 4865C
End group, 1492C, 2050P
Energy transfer, 3729C, 6765C
Entangled polymer, 1199P
Entanglements, 2679P
Enthalpic parameter, 2828P
Environmentally friendly reaction media, 5098C
Enzymatic polymerization, 5014C
Enzymes, 3393C, 4290C
EPDM, 1676P
Epoxides, 865C, 1060C, 2015C, 2156C, 6750C
Epoxidized vegetable oils, 6717C
Epoxy, 541P, 854P, 1093C, 1466P, 1529C, 3487C
Epoxy-novolac resin, 6332C
2,3-Epoxypropyl methacrylate, 7014C
2,3-Epoxyproyl-1-ethoxyethyl ether, 4361C
Epoxy resins, 177P, 757C, 889P, 975P, 1320P, 1676C, 1711C,

2873C, 4546C, 5580C, 5630C, 6717C, 6857C
EPR, 1P
Equation-of-state (EOS), 1000P
Erosion, 1919P, 5161C
ESCA/XPS, 378P, 3843C, 6624C
ESR, 2749C
ESR/EPR, 1926C, 2282C, 2657C, 3738C
Esterification, 4298C
Estrone, 1502C
Ethene, 6569C
Ethyl α-hydroxymethacrylate, 5618C
Ethyl alcohol, 557P
Ethylene, 6159C
3,4-Ethylenedioxythiophene, 3479C
Ethylene/methyl methacrylate copolymers, 620C
Ethylene oxide, 1414C, 3836C
Ethylene-styrene copolymerization, 4752C
Ethylene/vinyl acetate copolymer (EVA), 471P
2-Ethyl hexylacrylate, 1900C
2-Ethylhexyl methacrylate (EHMA), 1914C
Ethyl 2-*N,N*-(diethylamino) dithicarbamoyl-butyrate, 32C
Eugenol, 810C
Eu^{3+} ions, 1357P
Evanescent wave dynamic light scattering, 3590P
Excimer, 561C
Excited-state intramolecular proton transfer, 2059C
Exfoliation, 3580P
Extended-chain crystal, 3148P
Extended X-ray absorption fine structure (EXAFS) spectroscopy, 2316C
Extrusion, 94P

Facilitated transport, 1168P, 1434P
Fast polymerization, 5795C
Ferrite, 371P
Ferroelectricity, 1714P, 3282P
Ferroelectric liquid crystal, 2035P
Fibers, 854P, 1995P
Fibrillization, 398P
FI catalyst, 3103C
Fictionalization of polymers, 1561C
Field-effect transistor, 4709C
Field theory, 1907P
Filled siloxane polymers, 1898P
Fillers, 378P, 1020P
Films, 1419P, 2237C, 2551C, 2589P, 2935P, 6402C, 6836C, 7027C
Filter effect, 2883C
Finite element, 3109P
Flame retardance, 1676C, 1701C, 3454C, 3487C, 3503C, 4722C, 5630C, 6717C, 6728C
Flame retardants, 5580C, 6332C
Flory–Bueche approximations, 703P
Flory–Huggins parameter, 1853P, 3475P
Flory–Krigbaum potential, 703P
Flow drawing, 398P
Fluctuations, 649P
Fluid–structure interaction, 2667P
Fluorene, 1189C, 2395C, 4346C
Fluorene pendant, 4923C
Fluorescence, 69C, 304C, 510C, 519C, 524P, 801C, 826P, 2307C, 2395C, 2675C, 2935P, 2943C, 3121P, 3312C, 3513C, 3556C, 3763C, 3882C, 4095C, 4611C, 4904C, 5291C, 5378C, 5495C, 5645C, 5987C, 6094C, 6498C, 6738C, 3434P
Fluorescence lifetime, 5779C
Fluorescence quenching, 5779C
Fluorescence resonance energy transfer (FRET), 3245P
Fluorinated amphiphile, 4251C
Fluorinated bis(ether amine), 3092C
Fluorinated comb copolymer, 416P
Fluorinated polyimides, 6836C
Fluorinated polymer, 1252C
Fluorinated polysiloxanes, 3365C
Fluorinated polystyrene, 3853C
Fluorinated resins, 6943C
Fluoroalcohol, 1436C, 3609C
Fluoroalkene, 1225C
Fluorocarbon, 4251C
Fluoroelastomers, 162P
Fluoropolymers, 1299C, 1531P, 1855C, 2299P, 2406C, 2551C, 2665C, 3220C, 3282P, 3323P, 3434C, 3896C, 4136C, 4566C, 4782C, 5060C, 5763C, 5909C, 6943C
Foldamers, 1619C
Folded polymer, 3271C
Folding trajectories, 3667P
Fourier transforms, 504P
Fractionated crystallization, 1795P
Fractionation of polymers, 1600C, 2369P, 3612P
Fracture, 1406P, 3436P, 3612P
Fracture toughness, 541P, 2880P
Free-radical polymerization, 6345C
Free volume, 607P, 1000P, 1863P, 1874P
Free volume dynamics, 2663P
Free water, 2240P
Freezable water, 2240P
Frequency shift, 801P
Friction, 2449P, 3272P
Frontal polymerization, 1387C, 3018C, 3036C, 6435C
FT-IR, 769C, 914P, 949C, 1020C, 1028C, 1317C, 1339P, 1541C, 1627P, 3365C, 5887C, 5898C, 6857C
FT-IR-2D, 673P
FT-Raman spectroscopy, 2173P
Fuel cell, 2183P, 2201P, 2299P, 2744C, 2862C, 4508C, 6007C
Fuel-cell membranes, 3323P, 4566C
Fuel-cell performance, 3751C
Fullerenes, 5863C
Functionalization, 6880C
Functionalization of polymers, 126C, 681C, 983C, 2278P, 2358P, 2510C, 2684C, 3400C, 3406C, 3411C, 3787C, 3896C, 3978C, 4095C, 4108C, 4428C, 4644C, 5004C, 5203C, 5875C, 5965C, 6094C, 6136C, 6226C, 6360C, 6558C, 6688C
Functionalized polymer, 2260C
Fusion properties, 451P

Gas barrier property, 1182C
Gas permeability, 256P, 5028C
Gas permeation, 215P, 2058P, 5943C
Gas sensors, 1331P
Gas separation, 291P
Gas sorption, 1072P, 1874P
Gas transport, 2828P
Gel, 3245P, 3817C, 4251C, 5192C, 3436P, 3679P
Gelation, 671C, 949C, 1804P, 4063C, 5304C, 6252C, 6544C
Gel permeation chromatography (GPC), 1086C, 1106P, 1770C, 1777C, 1975C, 2955C, 6202C
Gibbs-Thomson, 3475P
Ginzburg–Landau, 2605P
Glass transition, 42C, 756P, 967P, 994P, 1770C, 1777C, 1958P, 2139C, 2475P, 2935P, 2944P, 2951P, 2968P, 2980P, 2996P, 3006P, 3011P, 3031P, 3114C, 3348P, 3479C, 5557C, 6214C, 6360C, 3518P, 3528P, 3546P
Glass transition temperature, 1072P, 1863P
Glassy polymers, 801P, 1212P
β-Glucuronidase, 4895C
Glycidyl methacrylate (GMA), 183C, 1807C, 6708C
4-Glycidyloxy-2,2,6,6-tetramethylpiperidine-1-oxyl, 3836C
Glycidyl phenyl ether, 3966C
Glycolic acid, 1199C

Glycolide, 98C, 993C
Glycopolymers, 443C, 4895C, 5618C, 6895C
Glycosaminoglycans, 5014C
Good solvents, 6312C
Go-type model, 3667P
G-quadruplex, 3271C
Gradient, 1347C
Gradient copolymers, 5304C
Gradual feeding copolymerization, 183C
Graft, 6880C
Graft copolymers, 134P, 846C, 857C, 983C, 1347C, 1404C, 1900C, 2476C, 2675C, 3083C, 3121P, 3434C, 3588C, 3684C, 3836C, 4656C, 5316C, 5454C, 5832C, 6103C, 6402C, 6575C, 6697C, 6708C, 6857C, 6888C
Grafting, 143P, 1252C, 1855C
Grafting from, 2972C, 6857C
Grafting onto, 2972C
Graft polymerization, 1952C, 3778C
Graft polymers, 1457C
Graphite nanosheets, 1846P
γ-ray irradiation, 2972C
Grignard reagent, 5661C
GRIM method, 2206C
Growth, 481P, 2226C, 3148P
Growth rate, 6624C
Gum arabic, 3265P

Hafnocene, 4743C
Hairy rod, 3869C
Halogenated monomer, 13C
Hard segments, 6032C
H^+-conductivity, 2311P
HDPE, 641P
HDPE/LDH nanocomposites, 3165P
Heat capacity, 504P, 1364P, 3518P
Heat-induced reaction, 5898C
Heat resistance, 6214C
Heck coupling, 6790C
Heck reaction, 4494C
Helical array, 325C
Helical conformation, 3210C
Helical polymers, 325C, 5533C
Helicity, 2117C, 6190C
Helix, 5039C, 3453P
Hemiacetal ester, 3966C
Hetero-arm star polymers, 5699C
Heteroaromatic polyesters, 3479C
Heteroatom-containing polymers, 2099C, 4039C, 4722C, 4804C, 5513C, 6728C
Heterobicationic hemicyanine dyes, 6345C
Heterofunctional linking agent, 614C
Heterogeneity, 3475P
Heterogeneous catalyst, 77C
Heterogeneous macrokinetics, 2698P
Heterogeneous saponification, 3567C
Heterograft copolymer, 6015C
Heteropolyacid, 1967P
Heterotrifunctional initiator, 1796C
Hexafluoropropene, 1299C
Hexagonal, 4668C
Hexamethylenetetramine, 3503C
n-Hexyl isocyanate, 5719C
High-density polyethylene/poly(trimethylene terephthalate), 1725P
High-performance liquid chromatography, 5087C
High-performance polymers, 153P, 837C, 900C, 2440C, 2694C, 3526C, 3896C, 4095C, 4108C, 5863C, 6094C, 6836C
High pressure, 1010P
High-pressure crystallization, 3148P
High temperature, 2183P, 4559C
High-temperature elastomers, 147C
High-throughput experimentation, 6202C
High viscosity ratio, 1919P
HMBC, 2955C
Hole affinity, 3556C
Hole injection ability, 172C
Hole-transporting, 2587C
Hollow polymer spheres, 2533C
Holograms, 1317C
Homogeneous nucleation, 1795P
Homopolymerization, 4762C
Honeycomb, 2363C, 2542C
Host-guest systems, 281C, 325C, 406C, 5113C, 5645C
H_2O_2 treatment, 2311P
H-shaped polymers, 3947C
Human hair, 3778C
Hyaluronan, 5014C
Hyaluronidase, 5014C
Hybrid organic-inorganic materials, 441P
Hybrids, 1287P
Hydrids, 2015C
Hydrocarbons, 641P, 2079P
Hydrocarbon/water selectivity, 2079P
Hydrodynamic radius, 1770C
Hydrogels, 666C, 671C, 845P, 1474P, 1645P, 1653P, 2316C, 3245P, 4259C, 4644C, 6640C
Hydrogen, 539C
Hydrogenation, 1579C, 6214C
Hydrogen bonding, 195P, 673P, 1147P, 1763P, 2071p, 2404P, 2425P, 2841P, 4384C, 4450C, 5995C, 6607C
Hydrolysis, 4566C
Hydrolytic cocondensation, 1357P
Hydrophilicity, 879P, 6534C
Hydrophilic polymers, 461P, 656P
Hydrosilation, 4053C
2-Hydroxyethyl methacrylate (HEMA), 467C, 3609C, 3787C
2-Hydroxyethyl methacrylate isobutylene, 2891C
Hydroxyl functionalization, 2684C
Hydroxyl group, 5028C
Hydroxyl-terminated poly(ether ether ketone) with pendent tert-butyl groups (PEEKTOH), 541P
α-Hydroxymethacrylates, 6775C
20-(hydroxymethyl)-pregna-1,4-dien-3-one, 1502C
8-Hydroxy-nitroquinolines, 620C
Hydroxypropylmethylcellulose, 1134P
8-Hydroxyquinolines, 200C
Hyperbranched, 406C, 826P, 1770C, 2248C, 2328C, 3261C, 3265P, 3348P, 3930C, 4165C, 4782C, 5729C, 5740C
Hyperbranched liquid-crystalline polymers, 3986C
Hyperbranched poly(amido amine)s, 6226C
Hyperbranched polyesters, 4214C
Hyperbranched polyether, 3650C
Hyperbranched polyimide, 291P
Hyperbranched polymers, 53C, 889P, 3640C, 5513C
Hyperelastic, 2912P

Ideality factor, 1572P
IGC, 1853P
Imaging, 481P, 3434P
Inclusion complex, 1117C
Indentation, 359P
Inductive effect, 4990C
Infinite dilution, 1668P
Infrared spectroscopy, 1268P, 2404P, 3272P, 4384C
Infrared thermography, 5519C
Inherently conducting polymers, 1125C
Inhibition, 6750C
Inhibitor, 4895C
Initiators, 264C, 697C, 1060C, 4409C, 5128C, 5519C, 6345C, 6857C
Injectable materials, 671C
Injection molding, 622P
Inline monitoring, 2428C
Inorganic polymers, 2943C, 3121P, 4804C, 5192C
Inorganic contaminations, 3392P
In situ chemical oxidative polymerization, 5283C
In situ polymerization, 2161P, 6394C

Insolubility, 532C
Interaction, 1357P, 2811P
Intercalation, 312P
Interfaces, 9P, 156C, 192C, 205P, 711P, 1268P, 2449P, 2572P, 2589P, 2935P, 3022P, 3272P, 3546P, 3598P
Interface state density, 1572P
Interfacial tension, 1287P
Internal structure, 3305P
Interpenetrating networks (IPN), 3444C
Interpolymer complexes, 195P
Intrinsic deformation parameters, 2880P
Intrinsic viscosity, 2001P
Inverted micelle, 4165C
In vitro antiviral activity, 295C
Iodine treatment, 3418P
Iodoform, 3001C
Ion binding, 3642P
Ion conductivity, 3650C
Ion-exchange polymers, 1627P
Ionic interactions, 5801C
Ionic liquids, 380C, 1985P, 3025C
Ionomers, 2091P, 2183P, 2327P, 2744C, 3444C, 3995C, 4566C
Ion-specificity, 3567C
iPP/POSS nanocomposites, 2122P
IR, 5060C
Iron chloride (bromide), 483C
Iron complexes, 6159C
Iron(III) chloride, 5795C
Irradiation, 1317C, 1714P, 3036C, 3210C
Isobutylene, 6378C
Isobutylene isoprene rubber, 1182C
Isocyanate, 2448C
Isocyanatoethyl methacrylate (IEM), 4762C
Isomer/isomerization, 959C, 3210C
Isomerization, 3724C
Isophthalic acid, 256P
3-Isopropenyl-α,α-dimethylbenzyl isocyanate, 2891C
3-Isopropenyl-$\chi-\chi-$dimethylbenzyl isocyanate, 6378C
Isopropoxide, 4409C
Isoselenocyanate, 458C
Isosorbide, 3616C
Isotactic, 1486C, 3153C, 4006C, 6147C, 6569C
Isotactic polypropylene, 134P, 1253P, 2173P, 3724C, 3453P, 3553P
Isotactic stereoselective substitution, 2476C
Isothermal crystallization kinetics, 1320P, 2226C, 3323P
Isothermal dynamic mechanical analysis, 1898P
Isothermal frontal polymerization, 3601C
Isothiocyanate, 458C
Iterative methodology, 6659C

JKR, 2912P

Karstedt, 147C
Kinetic model, 4846C
Kinetics, 356C, 738P, 1580P, 2007C, 2050P, 2912C, 3001C, 3025C, 3343C, 4621C, 6114C
Kinetics (polym.), 264C, 490C, 1199C, 1214C, 1387C, 1502C, 1807C, 1926C, 2166C, 2698P, 2902P, 3018C, 4122C, 4461C, 4603C, 4795C, 5809C, 6055C, 6171C, 6299C, 6345C, 6544C, 6646C, 6888C, 6962C, 7071C
Kinetics (polym.) nitroxide-mediated radical polymerization, 914C

Labile ligand, 4222C
Lactic acid, 5247C
Lactide, 3184C
Lactones, 1711C, 6857C
Ladder polymers, 5344C
Lamellae, 1277P
Lamellar crystal structure, 2369P
Lanthanide, 4409
Lanthanide triflates, 1711C
Laponite, 1608P
Laser line deflection (Weiner's method), 3601C
Laser microscopy, 4354C
Latent curing reagent, 718C
Laterally attached, 4076C
Lattices, 273C, 1914C, 2642C
Lattice Boltzmann model, 2667P
Lattice models, 1031P, 3621P
Lattice spring model, 2667P
Layered double hydroxides, 3323P
Layered silicates, 914P
Lewis acid, 2086C, 2376C, 4731C
LiCI×DMAc, 2155P
Ligand effect, 4088C
Ligands, 2912C
Light emission, 3538C
Light-emitting diodes (LEDs), 62P, 69C, 243C, 254C, 519C, 1189C, 2307C, 2395C, 2487C, 2943C, 3336C, 3469C, 3729C, 3882C, 4015C, 4204C, 4338C, 4494C, 4514C, 4611C, 5362C, 5750C, 5855C, 5987C, 6498C, 6738C, 6790C
Light-emitting polymers, 172C, 4494C
Light scattering, 703P, 1084P, 1179P, 1627P, 1777C, 2155P, 36°1P
Linear polyethylene (PE), 200C
Linear poly(L-lactide)-*b*-poly(ethylene oxide), 2034C
Linking chemistry, 6587C
LiOH/urea aqueous solution, 3093P
Lipase, 2166C
Liquid chromatography, 3612P
Liquid crystal, 1042C, 1419P, 3538C, 4668C
Liquid-crystalline, 4532C
Liquid-crystalline and photoluminescence properties, 4593C
Liquid-crystalline polymers (LCP), 42C, 53C, 1020P, 1028C, 1419P, 1541C, 1722C, 1877C, 2035P, 3210C, 3986C, 4709C, 5049C, 5557C, 6270C, 3621P
Liquid crystallinity, 2499C, 4709C
Lithium perchlorate, 3357P
Lithography, 2107C, 2589P
Living anionic polymerization, 3942C, 6659C
Living carbocationic polymerization, 6494C
Living/controlled radical polymerization, 2293C
Living free-radical polymerization, 857C, 6810C
Living polymerization, 1C, 219C, 226C, 232C, 427C, 483C, 585C, 697C, 837C, 928C, 1071C, 1086C, 1136C, 1147C, 1233C, 1522C, 1628C, 1926C, 2454C, 3609C, 4027C, 4222C, 4298C, 4656C, 4832C, 4966C, 5004C, 5708C, 5763C, 5795C, 5974C, 6147C, 6299C, 6646C, 6697C, 6962C
Living radical polymerization, 1C, 32C, 1060C, 1106C, 2015C, 2086C, 2156C, 2809C, 3001C, 3321C
L-Lysine, 3817C
L,L-Lactide, 4214C
Local order, 2760P
Low-band-gap polymers, 6952C
Low-density polyethylene films, 2828P
Low-density polyethylene (LLDPE), 2880P
Low-density polyethylene/poly(trimethylene terephthalate), 1725P
Low dielectric constant, 5254C, 6836C
Low dielectric film, 3109P
Lower critical solution temperature (LCST), 195P,

461P, 1492C, 3121P, 3717C, 4450C
Low-low polymeric waveguide materials, 1326C
Low oxidation potential, 172C
Low shear viscosity, 1777C
Low surface energy, 3114C
Low temperature DSC, 2240P
Luminescence, 62P, 69C, 1028C, 1279C, 1541C, 1592P, 2059C, 2338C, 2487C, 3037P, 3729C, 3797C, 4154C, 4204C, 4317C, 4338C, 4579C, 4804C, 5362C, 5589C, 5645C, 6136C, 6466C, 6498C
Luminescence behavior, 1357P
Lyocell fibers, 1702P
Lyotropic liquid crystal, 2388C
Lysine diisocyanate, 2990C
Lytropic liquid-crystalline phases, 5887C

Macrocycles, 2050P, 3616C, 4680C, 5344C, 5403C, 6801C
Macrocyclic polystyrene, 2139C
Macrocyclic polyvinylfluorene, 2139C
Macrocyclic polyvinyl naphthalene, 2139C
Macrocyclic poly (2-vinylpyridine), 2139C
Macrocyclics, 5113C
Macroinitiators, 5438C, 6888C
Macromonomers, 2195C, 2784C, 3382C, 4122C, 4136C, 5454C, 6103C
Macroporous monoliths, 6616C
Macroporous polyacrylamide gel, 1952C
Macroporous polymers, 653C, 6616C
Macroredox polymerization, 3290C
Magic-angle spinning (MAS), 1714P
Magnesium, 900C
Magnetic particles, 4187C
Magnetic polymers, 2657C, 4187C
Magnetic properties, 4187C
Magnetism, 3121P
Maier–Saupe theory, 1031P
MALDI, 2358C, 2636C, 2684C, 3616C, 4214C, 4281C, 4298C, 4680C, 5344C, 5546C, 6484C, 6782C
MALDI-TOF-MS, 461P, 6419C
Maleic anhydride, 134P
Maleimide, 499C, 1424C, 1667C, 1890C, 3947C
Malto-oligosaccharide, 4865C
Mark-Houwink equation of cellulose, 3093P
Mass loss, 177P
Mass spectroscopy, 2130C
Mass transport, 2698P
Master curve, 1608P
Matrix, 1042C, 6616C
Matrix-assisted laser desorption/ionization time-of-flight (MALDI-TOF), 2130C
Mean-field theory, 2495P
Mechanical behavior, 1453P
Mechanical failure, 2346P
Mechanical milling, 986P
Mechanical properties, 102P, 153P, 326P, 451P, 541P, 815P, 854P, 994P, 1134P, 1600C, 1676P, 1995P, 1997C, 2145P, 2327P, 3365C, 4743C, 5254C, 6252C, 3487P
Mechanical strength, 1520P
Mechanism, 1049C, 1520P
Mechanochemistry, 5445C
Melt, 2455P
Melting, 70P, 2369P, 3200P, 3215P
Melting behavior, 900P, 1556P
Melting temperature, 3453P
Melt-intercalation, 3165P
Melt processability, 1997C
Melt processing, 864P
Melt-recrystallization, 3378P
Melt rheology crystallization, 3392P
Membrane degradation, 2346P
Membrane preparation, 2267P
Membranes, 1168P, 1434P, 1474P, 1490P, 2058P, 2183P, 2278P, 2358P, 2744C, 3128P, 3995C, 4566C, 5028C, 5943C, 6007C, 6252C
Memory effect, 1738P
MEMS, 326P
Meshless method, 326P
Mesomorphism, 783C
Mesoporous solids, 5291C
Mesoporous silica, 2542C
Metal-catalyzed living radical polymerization, 3374C, 3609C
Metal complex, 2045C
Metallocene catalysts, 722P, 747P, 1060C, 1253P, 1600C, 2156C, 2524P, 2883C, 3103C, 3551C, 3724C, 4743C, 4752C, 5525C, 6083C, 6569C, 6652C, 7008C
Metalloporphyrin, 1734C
Metal-organic catalysts/organometallic catalysts, 458C, 1514C, 1817C, 6243C
Metal-organic compounds, 1627P
Metal-polymer complexes, 1434P, 2316C, 2338C, 3053C, 4174C, 4204C, 5192C, 5445C
Metal polyenes, 5589C
Metathesis, 395C, 1555C, 4981C
Methacrylates, 3609C
Methacrylic acid, 1226P
Methanol permeability, 565P, 2240P, 4508C
Methylaluminoxane, 200C, 264C, 1514C, 2883C, 4088C, 6652C
Methyl methacrylate (MMA), 1436C, 1914C, 2912C, 3343C, 4762C
Methyl orange, 5898C
$MgCl_2$-supported catalysts, 1635C
Micelles, 406C, 1271C, 2177C, 2604C, 3227P, 4229C, 4268C, 4696C, 5572C, 5719C, 6857C, 3605P
Microcapsules, 2667P
Microdomain defects, 2495P
Microemulsion polymerization, 6055C
Microemulsions, 5291C
Microencapsulation, 4187C, 6505C
Microenvironments, 4939C
Microfluidics, 6505C
Microgel core, 4966C
Microgels, 356C, 3305P, 3958C, 6997C
Microparticles, 6505C
Microreactors, 3843C
Microspheres, 968C
Microstructure, 98C, 665P, 722P, 738P, 747P, 837C, 986P, 1161P, 1404C, 1442P, 1600C, 2076C, 2135P, 2955C, 3157P, 3184C, 3444C, 3629C, 3911C, 4088C, 4328C, 4769C, 5218C, 5237C, 5304C
Microstructure of copolymers, 7071C
Microwave acceleration, 1619C
Microwave irradiation, 6810C
Microwaves, 2740P
Microwave synthesis, 4722C
Miktoarm star block copolymers, 1796C
Miktoarm star polymer, 499C, 1396C
Miniemulsion, 427C, 4603C
Miniemulsion polymerization, 2293C, 2784C, 4187C
Miscibility, 426P, 441P, 584P, 942P, 1147P, 1618P, 2821P, 2852P, 3357P
Miscible blends, 2253P, 2404P
M-Isopropenyl-α,α'-dimethylbenzyl isocyanate (TMI), 857C
MMT, 2145P
Mobility, 1763P
Model block copolymers, 1579C
Modeling, 1000P, 1071C, 1668P, 2589P, 2698P, 2740P, 3173P, 4981C, 6114C, 6962C, 3621P
Modeling of diffusion, 265P

Modification, 126C, 711P, 837C, 879P, 2476C, 2510C, 3503C, 4632C, 5618C, 5729C, 6312C
Modified double-lattice model, 1031P
Modified universal calibration, 1106P
Modulated temperature differential scanning calorimetry, 461P
Modulus, 3487P
Moisture permeability, 573P
Molar mass distribution, 1031P
Molar volume, 2079P
Molecular architecture, 1597P, 2776P
Molecular dynamics, 234P, 1122P, 1385P, 1874P, 1907P, 2951P, 3006P, 3062P, 6032C, 3487P
Molecular imprinting, 2282C
Molecular mechanic calculations, 3135P
Molecular modeling, 1874P, 1926C
Molecular motion, 3418P
Molecular recognition, 2050P, 3009C, 5049C
Molecular simulation, 953P
Molecular weight, 1997C, 3093P
Molecular weight control, 4088C
Molecular weight dependence, 4204C
Molecular weight distribution, 219C, 232C, 1807C, 2455P, 2749P, 3343C, 6159C, 6600C
Molecular weight distribution/molar mass distribution, 2099C, 2636C, 5763C, 5974C
Molecular weight polydispersity, 2412P
Molecular wire, 2707C
Monoaryloxo chlorides, 1147C
Monochelic, 3400C
Monodisperse, 4769C
Monolayers, 2789P
Monoliths, 653C
Monomer activators, 4235C
Monomers, 409P, 2215C, 3577C, 3921C, 4063C, 6252C
Monte Carlo simulation, 953P, 1385P, 1835P, 2495P, 2512P, 2524P, 2542P, 2556P, 2572P, 2589P, 2902P, 3453P, 3580P, 3651P, 3667P
Montmorillonite, 299P, 312P, 347P, 471P
Morphology, 9P, 22P, 249P, 338P, 356C, 431P, 481P, 541P, 764P, 879P, 1020P, 1050P, 1072P, 1084P, 1296P, 1413P, 1453P, 1725P, 1835P, 1919P, 2122P, 2145P, 2161P, 2226C, 2605P, 2642C, 2798P, 3128P, 3304C, 3406P, 3807C, 4229C, 4396C, 5174C, 5391C, 5863C, 6032C
MPEG–PCL diblock copolymer, 5413C
Multicyclic polyethers, 5546C
Multifunctional acrylates, 1676P
Multilayered assemblies, 5161C
Multilayered particle morphology, 2826C
Multistage emulsion polymerization, 2826C
Multivariate curve resolution, 1447C, 4846C
Multiwalled carbon nanotubes, 1499P, 3869C, 4656C, 6880C

N117, 2240P
Nafion, 2183P, 2327P
Nano-Al_2O_3, 1466P
Nanocarriers, 5740C
Nanoclays, 162P
Nanocompartmentation, 4251C
Nanocomposite extrusion, 864P
Nanocomposite films, 2826C
Nanocomposite morphology, 3202C
Nanocomposites, 22P, 162P, 284P, 312P, 347P, 371P, 387P, 431P, 471P, 534P, 673P, 686C, 820C, 914P, 1040P, 1062P, 1084P, 1093C, 1096P, 1134P, 1168C, 1182C, 1466P, 1513P, 1751P, 1841C, 1869C, 1941C, 1995P, 2014P, 2107C, 2112P, 2161P, 2183P, 2278P, 2389P, 2657C, 2755C, 2935P, 2944P, 3157P, 3185P, 3323P, 3355C, 3825C, 3869C, 3911C, 4187C, 4632C, 4736C, 5137C, 5174C, 5283C, 5378C, 5391C, 5572C, 5801C, 6394C, 6640C
Nanocrystals, 2122P, 3227P, 5153C, 3475P
Nanodomained networks, 2755C
Nanodroplets, 1795P
Nanofibers, 779P, 1014C, 1426P, 1482P
Nanoheterogeneity, 3304C
Nanolayers, 5572C
Nanoparticles, 573C, 928C, 1084P, 1168P, 1457C, 2389P, 2935P, 3355C, 3843C, 4696C, 5076C, 5203C, 5218C, 5468C, 5933C, 3571P
Nanophases, 2612P
Nanopores, 3546P
Nanoprecipitation, 4027C, 5708C
Nanoscale, 1226P
Nanoscale confinement, 2980P, 3011P
Nanosilica, 757C
Nanospace, 1385P
Nanostructure, 801C, 1093C, 3304C, 3392P
Nanostructured latices, 2826C
Nanotechnology, 1014C, 1426P, 2589P, 3037P, 3053P, 3121P, 5137C, 5608C, 3429P, 3431P
Nanotube dispersion, 864P
Nanotubes, 5120C
1,4,5,8-Naphthalene tetracarboxylic dianhydride, 940C
Naphthylene unit, 387P
(1-Naphthyl)methyl *N,N*-diethyldithiocarbamate, 510C
Narrow molecular-weight distribution, 596C
Nascent powder, 3369P
Natural rubber, 2104P
N-Carboxyanhydrides, 4680C
Near-field, 801C
Near-infrared spectroscopy, 1447C, 2425P, 4846C
Neck drawing, 398P
Nematic, 4076C, 4668C
Nematic-isotropic transition, 1031P
Networks, 656P, 1387C, 1406P, 1424C, 3245P, 4053C, 4782C, 5546C, 6857C, 3440P, 3605P
Neutron scattering, 1134P, 1653P, 3265P, 3642P, 3679P
New solvent of cellulose, 3093P
New synthetic route, 539C
N-Isopropylacrylamide, 356C, 637C, 968C, 1648C, 4450C
Nickel–diimine complexes, 458C
Nitro-displacement reaction, 2440C
Nitrogen-containing bis-*ortho*-diynylarene monomer, 6988C
Nitrone, 6299C
4-Nitro-2-(*p*-nitrobenzylideneamino)-phenol, 620C
Nitroxide, 697C, 6410C
Nitroxide-mediated dispersion polymerization, 62C
Nitroxide-mediated free radical polymerization, 1396C, 3242C
Nitroxide-mediated polymerization, 659C, 5128C, 6202C, 6299C
Nitroxide-mediated radical polymerization, 414C, 3374C, 3947C, 4656C, 5699C, 5719C
NLO, 2346C
N-Methylmorpholine-*N*-oxide, 1702P
N,N-(Diethylamino)dithiocarbamoyl, 510C
NOESY, 561C
Noncrystalline polymers, 215P

Non-Fickian sorption, 3173P
Nongravimetric effect-spiezoelectricity, 801P
Nonisothermal crystallization kinetics, 795P, 3215P
Nonlinear optics, 5672C
Nonlinear phase-separation behavior, 1547P
Nonlinear polymers, 4039C, 5513C
Nonlinear viscoelastic behavior, 1309P
Nonoindentation, 492P
Nonuniversality, 1846P
N_2O oxidant, 2510C
Norbornene, 5237C, 5337C
Norbornene derivatives, 1263C
Novolac, 3288P
Novolac resin, 1701C, 3503C
N-substituted maleimide, 3738C
Nuclear magnetic resonance (NMR), 98C, 659C, 722P, 738P, 747P, 865C, 993C, 1028C, 1343C, 1470C, 1541C, 1561P, 1627P, 1714P, 1745C, 1855C, 1898P, 2076C, 2226P, 2358C, 2760P, 2955C, 3184C, 3674C, 4298C, 4328C, 4932C, 5060C, 5271C, 5304C, 5525C, 5763C, 5898C, 5965C, 6171C, 6817C, 6909C
Nuclear magnetic resonance (NMR), ^1H, 3305P
Nuclear magnetic resonance (NMR), solid-state, 2864P
Nuclear magnetic resonance (NMR) spectroscopy, 19F and 1H, 4566C
Nucleating agent, 1813P
Nucleation, 481P, 3215P, 3448P
Nucleic acids, 6895C
Nucleobase interaction, 4242C
Nucleophilic addition, 2448C
Nucleoside base-containing polymers, 6607C
Numerical simulation, 326P
N-Vinylacetamide, 2714C
N-Vinylcaprolactam, 183C
N-Vinyl carbazole, 1745C
N-Vinylpyrrolidone, 659C, 5719C
Nylon-6, 1499P
Nylon-6,6, 371P, 1482P
Nylon-11, 2161P
Nylons, 1763P

Octadecyl, 314C
1-Octene, 6847C
o-Hydroxyaryl phosphonates, 6775C
Olefins, 6569C
Oligoaniline, 764P
Oligodimethylsiloxanes, 2237C
Oligomerization, 6847C
Oligomers, 1287P, 1964C, 2358C, 2510C, 2684C, 2732C, 3406C, 4136C, 4317C, 4346C, 4825C, 6801C
Oligonucleotide, 3271C
Oligophenylenes, 1783P
Oligo(*p*-phenylene-vinylene), 783C, 2922C
One-step synthesis, 5247C
Optical character, 1114P
Optical-limiting, 2346C
Optically active, 1502C, 1522C, 3114C, 3210C
Optically active polyacetylenes, 6047C
Optically active polymers, 1263C
Optical properties, 2521C, 4346C
Optics, 1378P, 1592P, 4644C
Organic-inorganic composite membranes, 846C, 879P
Organic–inorganic hybrid polyfluorenes, 2943C
Organic-inorganic hybrids, 273C, 2135P, 3444C, 4736C
Organic solar cells, 6952C
Organoclay, 299P, 387P
Organometallic catalysts, 200C, 620C, 3153C
Organometallic polymers, 3053C, 5589C
Organosoluble, 940C
Organosoluble poly(ether imide), 3140C
Organostibine compounds, 1C
Organotellurium compounds, 1C
Orientation, 1268P, 1406P, 1426P, 2486P, 3272P, 5403C
Orientational anisotropy, 3501P
Orientation order, 3453P
Osmotic modulus, 3679P
Ostwald ripening, 4603C
1,3,4-Oxadiazole, 3556C
Oxadiazole (OXD), 6765C
2-Oxazolines, 343C
Oxetane, 2684C, 3650C
Oxidation, 2749C
Oxidative addition, 200C
Oxidative coupling polymerization, 477C
Oxidative polymerization, 727C, 2027C, 5120C, 6025C
Oxiranes, 1722C
Oxo-crown-ether, 2166C
Oxygen, 2749C
Oxygen effect, 3343C
Oxygen inhibition photopolymerization, 2007C
Ozawa model, 795P

Pair correlation function, 3062P
Palladium, 5682C
Palladium catalyst, 1263C
PAN-g-macPSSA, 2240P
Partially fluorinated, 2311P
Partial molar volume, 1531P
Particle dispersion, 1821P
Particle growth, 2883C, 6652C
Particle nucleation, 4603C
Particle size, 696P
Particle size distribution, 3859C, 4603C, 6505C
PBI, 2311P
PBT, 1339P, 2112P
PE/diluent/diluent blend, 2025P
PEG, 1985C
PEI, 2253P
PEKK, 2253P
Pendant functional groups, 5875C
Pentafluorostyrene, 3114C
PEO macromonomer, 1347C
Percolation threshold, 33P, 1846P
Perfluorinated diamines, 1326C
Perfluorinated polyimide, 1326C
Perfluoroisopropenyl vinylacetate, 3220C
Perfluoro(4-methyl-3,6-dioxaoct-7-ene) sulfonyl fluoride, 4566C
Perfluoropolymer, 1613C
Perfluorosulfonate ionomer, 2267P
PERM, 2888P
Permeability, 359P, 2828P, 3185P, 3290C
Permselectivity, 2828P
Perovskite, 3538C
Peroxides, 1106C
Pervaporation, 2079P
PES, 2253P
PET, 986P, 1339P, 1351P
Phase behavior, 975P, 1031P, 2499C, 3042P, 5887C, 3571P
Phase diagram, 2542P, 3553P, 3621P
Phase morphology, 1287P
Phase separation, 416P, 541P, 889P, 2240P, 2454C, 2605P, 2732C, 2821P, 2990C, 3365C, 5174C, 3621P
Phase transition, 416P, 557P, 1714P, 2612P, 2725P, 5413C
Phenol derivatives, 77C
Phenoxazine, 4338C
Phenylene vinylene, 3469C
N-Phenylglycine, 115C
Phosphate glass, 441P
Phosphine oxide, 2567C
Phosphine polymer ligands, 4204C
Phosphonated terpolymer, 13C
Phosphorescence, 5589C
Phosphoric acid, 2358C
Phosphorus, 2358C, 3454C
Photochemistry, 826P, 2604C, 3577C, 3738C, 4317C, 5271C
Photocrosslinking, 3165P
Photocyclization, 3986C
Photografting, 6534C
Photo-induced deprotection, 3640C

Photoinitiation, 6345C
Photoinitiators, 25C, 115C, 1686C
Photoisomerization, 6047C
Photo-labile group, 32C
Photoluminescence, 519C, 783C, 5645C, 6988C
Photoluminescence efficiency, 5779C
Photolysis, 25C
Photophysics, 207C, 243C, 524P, 2935P, 3556C, 4015C, 4494C, 4804C, 5750C, 6790C
Photopolymerization, 115C, 1404C, 1419P, 1686C, 1751P, 2058P, 2428C, 3036C, 3577C, 3738C, 3921C, 4435C, 5291C, 5887C, 6324C, 6345C, 6435C, 6544C, 6750C, 6775C, 6943C
Photoreactive effects, 88C, 3986C
Photoresists, 2694C
Photosensitization, 4435C
Photosensitizers, 2675C
Photoviscosity, 3986C
pH-sensitive micelles, 1734C
Phthalazinone, 3328C
Phthalocyanine polymers, 5692C
Phthalocyanines, 5546C
Physical aging, 1212P, 2663P
Physical properties, 299P
(di)Picolinic acid, 2912C
Piezoelectricity, 3282P
Piezoelectric polymers, 3253P
β-Pinene, 2376C, 3114C
Plasma, 3185P
Plasma polymerization, 846C
Plasticization, 312P, 1874P
Plasticized nanocomposites, 299P
PMMA/α-MSAN blends, 1547P
Podands, 2270C, 4063C
Polarized light microscopy, 5887C
Polarized photoluminescence, 783C
Poly(α-amino acid)s, 4731C
Polyacetylenes, 519C, 810C, 1153C, 1555C, 2117C, 2346C, 2487C, 2499C, 3538C, 4532C, 5039C, 5672C, 5943C, 6047C, 6190C, 6697C
Polyacrylamides, 6410C
Poly(acrylamido-2-methyl-1-propanesulfonic acid), 3315P
Polyacrylates, 953P, 1817C, 3001C, 5128C, 5271C
Poly(acrylic acid), 126C
Poly(acrylic acid) layer, 2828P
Polyacrylonitrile, 490C, 2240P, 3374C
Poly(acryloyl chloride), 6880C
Polyaddition, 3220C
Poly(alkylene succinate), 584P
Polyallene, 6888C
Poly(amic acid), 6385C
Polyamide 6, 441P
Polyamide 6 blends, 1690P
Polyamide-6/clay nanocomposites, 249P
Polyamides, 42C, 815P, 1050P, 1414C, 1763P, 1785C, 2091P, 4063C, 4095C, 4108C, 4579C, 4632C, 4769C, 5557C, 6252C
Polyamidoamines, 2316C
Poly(amine amide)s, 2587C
Poly(amine imide)s, 2587C
Polyamines, 3355C, 5161C, 5468C
Poly amino acids, 3009C
Poly(amino acid)s, 671C
Polyampholytes, 3125C, 4479C
Polyaniline, 1P, 281C, 718C, 1014C, 2657C, 3304C, 4229C
Polyaromatics, 6909C
Polyarylates, 2694C
Poly(arylene ether sulfone), 6007C
Poly(aryleneethynylene), 5424C
Polyaryleneethynylenes, 3797C
Polybenzimidazoles, 4508C, 5729C
Polybenzoxazine, 347P, 1168C
Polybenzoxazole, 3640C
Poly-bis(hydroxyphenyl)oxadiazole, 2059C
Polyblends, 62P
Poly(β-phenylenevinylene), 524P
Polybutadiene, 828C, 1343C, 2328C, 2510C
Poly(butadiene), 1579C
Poly(butylene succinate), 900P
Poly(butylene succinate-*co*-butylene carbonate), 1556P
Poly(butylene succinate-*co*-butylene terephthalate), 1635P
Poly(butylene terephthalate), 1320P, 1364P
Polycaprolactone, 85P, 4880C
Polycarbonates, 1020P, 2195C, 2760P, 3616C, 6243C, 6688C, 6817C
Polycarbosiloxane, 3930C
Polycations, 6895C
Polycondensation, 900C, 940C, 1049C, 1189C, 1414C, 1619C, 2358C, 2440C, 2698P, 2732C, 3328C, 3393C, 4053C, 4095C, 4354C, 4731C, 4804C, 5546C, 5661C
Poly(1,3-cyclohexadiene), 1442P, 3526C
Polycyclosiloxane, 4053C
Poly(dibenzofuran), 1125C
Poly(diethyl muconate), 4952C
Poly(9,9-dihexylfluorene-2,7-vinylene), 4494C
Poly(2,5-dimethoxyaniline), 3843C, 6624C
Poly(2,6-dimethyl-1,4-phenylene oxide), 5875C
Polydimethylsiloxane, 2980C, 4053C
Poly(dimethylsiloxane), 2079P, 3817C, 4880C
Poly[2,7-(9,9-dioctylfluorene)-*co*-2,12-((*meso*-tetraphenylporphyrinato-κ^4N)platinum(II))], 4174C
Poly(1,4-dioxan-2-one), 3083C
Polydisperse polymers, 1031P
Poly(ε-caprolactone), 727C, 1738P, 3711C, 5505C, 6015C
Polyelectrolyte complexes, 845P
Polyelectrolytes, 126C, 606C, 1106P, 1541C, 1653P, 2183P, 2358P, 2521C, 2638P, 3125C, 3751C, 4259C, 4479C, 5039C, 5161C, 5468C, 3642P
Polyelectrolytes UV-vis spectroscopy, 1028C
Poly(ester amide)s, 1199C, 5557C
Polyesterification, 3025C
Polyesters, 42C, 993C, 1147P, 1785C, 2091P, 2166C, 2732C, 3078P, 3148P, 4259C, 4409C, 4880C, 5353C, 5557C, 6544C, 6801C, 6817C, 6926C, 7071C, 3621P
Poly(ether amide)s, 343C
Poly(ether ether ketone ketone), 2299P
Poly(ether imide)s, 517P, 3092C, 5909C, 3546P
Polyethers, 634C, 1722C, 1877C, 2099C, 4354C, 4769C, 6484C
Polyethersulfone, 3102P, 3185P
Poly(ether sulfones), 1874P, 3328C, 6007C
Polyethoxysiloxanes, 2542C
Poly(ethylene-co-acrylic acid) (EAA), 1660C
Poly(ethylene-*co*-vinyl acetate), 2864P
Poly(ethylene-*co*-vinyl alcohol), 2425P
Polyethylene fractionation, 2749P
Poly(ethylene glycol), 532C, 1457C, 4235C, 6458C, 6880C
Poly(ethylene imine), 5740C
Poly(ethylene 2 6-naphthalate), 1062P
Poly(ethylene-1-olefin), 2524P
Poly(ethylene oxide), 467C, 557P, 2058P, 3357P, 3684C, 3947C, 4361C, 6015C, 6071C
Polyethylene (PE), 153P, 431P, 815P, 828C, 914P, 1287P, 1395P, 1597P, 1600C, 1660C, 1731P, 1817C, 1846P, 1964C, 1979P, 2369P, 2455P, 2556P, 3103C, 4981C, 6997C

Poly(ethylene terephthalate), 1049C
Polyethylenimine, 4165C
Polyfluorenes, 243C, 3556C, 3729C, 3882C, 4015C, 4338C, 4709C, 4904C, 6765C
Poly(fluorene)s, 2130C
Poly(fluorenevinylene), 4494C, 5750C, 6790C
Polyfuran, 1125C
Poly(glycolic acid), 3025C
Polyhedral oligomeric silsesquioxane, 234P, 942P, 1168C, 2943C, 4632C
Polyhexene, 4006C
Polyhydrazides, 380C, 6466C
Poly(3-hydroxybutyrate), 70P, 1813P, 2923P, 3323P
Poly(3-hydroxybutyrate-*co*-3-hydroxyvalerate), 2923P
Poly(hydroxyether terephthalate ester), 1618P
Polyimides, 940C, 959C, 1291C, 1997C, 2567C, 2587C, 2665C, 2744C, 3140C, 3995C, 4579C, 5391C, 5909C, 6385C, 6836C
Polyimines, 2135P, 5229C, 5645C
Polyisobutylene, 1770C, 1777C
Polyisocyanate, 325C
Polyisocyanide, 585C
Polyisoprene–poly(methylmethacrylate) block copolymers, 1086C
Poly(isopropylacrylamide), 3305P
Polyketanils, 5645C
Polylactic acid, 1010P
Poly(lactic acid), 94P, 5505C
Polylactide, 299P, 312P, 656P, 3392P, 6782C
Polylactide-grafted dextran, 6402C
Poly(L-lactic acid), 3378P
Poly(L-lactide), 2438P, 3250C, 6534C
Poly(L-lactide)s with different numbers of arms, 2226C
Poly(*m*-benzamide)s, 4990C
Polymer alloys, 2826C
Polymer blends, 975P, 1676P, 3042P
Polymer brushes, 649P, 769C, 770P, 1758C, 2811P, 6394C, 3590P
Polymer catalyst, 4966C
Polymer chain length, 1031P
Polymer–clay composites, 1608P
Polymer–colloid mixtures, 1608P
Polymer composites, 2327P
Polymer confinement, 2621P
Polymer crystallization, 2524P, 3453P
Polymer electrolyte, 2240P, 3315P, 3650C, 3642P
Polymer electrolyte membrane (PEM) fuel cell, 2327P, 2346P
Polymer electrolyte membranes (PEMs), 565P, 2183P, 2862C
Polymer-filler interaction, 1853P
Polymer–gas interactions, 185P
Polymer gelator, 3817C
Polymer glass, 2760P
Polymeric ionic liquids, 3958C
Polymeric photoinitiators, 3261C
Polymeric reverse micelle, 4865C
Polymerizability constant, 4762C
Polymerizable amphiphiles, 5887C
Polymerizable photoinitiators, 3738C
Polymerization, 1529C, 2358C, 3538C, 4508C, 4621C, 5237C, 5965C, 6569C, 6988C
Polymerization kinetics, 596C
Polymerization mechanism, 5809C
Polymer light-emitting diodes (PLEDs), 2521C, 2943C, 4174C
Polymer linking, 4966C
Polymer materials, 2707C
Polymer matrix, 2811P
Polymer matrix nanocomposites, 1161P
Polymer modeling, 2524P
Polymer modification, 1317C
Polymer monolith, 949C
Polymer nanocomposites, 265P
Polymer organic light-emitting diodes, 4338C
Polymer performance, 3253P
Polymer reaction, 4857C, 5672C
Polymers, 275P, 409P, 2679P, 2968P, 4338C, 4508C, 4559C, 5076C
Polymer solar cells, 1279C, 4916C
Polymer-solvent mixture, 3528P
Polymer stretching, 2621P
Polymer thermodynamics, 2612P
Poly (MEH-PPV), 62P
Polymethyl methacrylate, 234P
Poly(methyl methacrylate) (PMMA), 620C, 1147P, 3173P, 6697C
Poly(2-methyl-2-oxazoline), 942P
Poly(3-methylthiophene), 4904C
Poly(methyl vinyl ether), 461P
Polymorphism, 1040P, 1499P
Poly(1,5-naphthalenebenzobisoxazole), 1948P
Poly(2,6-naphthalenebenzobisoxazole), 1948P
Polynaphthalimides, 940C
Poly, 1645P
Poly(*N*-(2-hydroxypropyl)methacrylamide) (PHPMA), 2419C
Poly(*N*-isopropylacrylamide), 1117C, 1457C, 3121P, 3717C, 4832C, 5495C
Polynorbornenes, 1514C, 3053C, 4076C
Poly(*N*-vinyl carbazole) (PVK), 2922C
Poly(o-hydroxyamide), 3640C
Polyolefins, 722P, 738P, 747P, 2883C, 4006C, 4981C, 5682C, 5846C, 6569C, 6652C
Poly(*ortho*-phenylene ethynylene), 1619C
Polyoxadiazoles, 6466C
Poly(1,3,4-oxadiazole)s, 380C
Poly(oxocyclohexyl methacrylate)s, 3135P
Poly(oxyalkylene), 646C
Poly(*p*-dioxanone), 1245C
Polypeptides, 953P, 2774C, 4668C, 4680C
Polyphenylene, 5533C
Poly(phenylene oxide), 5875C
Poly(phenylene vinylene), 4923C
Polyphenylsilsesquioxane, 1093C
Polyphosphazenes, 69C, 2358P
Polyplexes, 6895C
Poly(*p*-phenylene)s, 3763C
Poly(*p*-phenylenevinylene), 3556C
Polypropene, 4743C
Poly(propylene carbonate), 94P, 5182C, 5329C
Polypropylene fiber, 398P
Poly(propylene oxide), 3947C, 4769C
Poly(propylene) (PP), 458C, 864P, 925P, 1050P, 1114P, 1188P, 1635C, 1738P, 1795P, 1919P, 2524P, 3288P, 3406C, 6083C, 7008C
Polypyrroles, 1042C, 1331P, 1572P, 1648C, 2724C
Polyquinoxalines, 1189C
Polyrotaxane derivatives, 532C, 6312C
Polyrotaxanes, 532C, 801C, 1985P, 3717C, 5113C, 6312C
Polysaccharides, 295C, 3265P, 5087C, 5832C
Poly(L-lactide), 596C
Poly(sebacic anhydride)–poly(ethylene glycol)–poly(sebacic anhydride), 1271C
Polysilanes, 119P, 3513C, 5060C
Polysiloxanes, 137C, 147C, 614C, 1093C, 1579C, 2551C, 3261C, 3629C, 4039C, 4122C, 4825C, 4880C, 6587C
Poly(siloxysilane), 3261C
Polystyrene (PS), 232C, 234P, 653C, 727C, 744C, 967P,

1060C, 1233C, 1268P, 1486C, 1522C, 1731P, 1821P, 1941C, 2015C, 2156C, 2449P, 2533C, 2579C, 2684C, 2996P, 3022P, 3031P, 3234P, 3272P, 3869C, 3947C, 4361C, 4656C, 5974C, 6071C, 6324C, 6360C, 6394C, 6458C, 6810C, 3518P, 3598P
Poly(styrene-co-acrylonitrile) (PSAN), 2260C
Polystyrene microsphere, 62C
Polystyrene/polyethylene blends, 1520P
Polystyrene-4-poly(4-vinylpyridine), 4656C
Polysulfides, 2440C, 3778C
Polysulfone, 879P
Poly(terephthalate-co-adipate), 2524P
Poly(*tert*-butyl acrylate), 3947C, 6458C
Polytetrafluoroethylene, 3369P
Polythiophene, 5283C
Polytitanasiloxane, 1357P
Poly(trimethylene carbonate), 4235C
Polytriozines, 3411C
Polyurethanes, 102P, 634C, 1096P, 1296P, 1372C, 2104P, 2802C, 2990C, 5505C, 5801C, 6032C
Poly(vinyl acetate), 1147P
Poly(vinyl alcohol), 534P, 1134P, 1317C, 1813P, 1995P, 2468P, 3083C
Poly(vinyl amine), 192C
Poly(vinyl chloride) (PVC), 85P, 451P, 687P, 696P, 1900C, 2476C, 3001C
Poly(vinyl ether), 2636C
Poly(vinyl ethers), 5795C
Poly(vinylidene fluoride), 338P, 779P, 942P, 3071C, 3434C
Poly(vinylidene fluoride–trifluoroethylene), 1714P
Poly(4-vinyl phenol), 1339P, 2404P, 3357P
Poly(vinyl phenyl ketone), 2404P
Poly(vinylphosphonic acid), 3315P
Poly(vinyl *p*-phenol), 1147P
Poly(2-vinylpyridine), 614C
Poly(4-vinyl pyridine), 1618P
Poly(vinyl pyrrolidone), 4372C
Pore-filling-type membranes, 846C
Pore size control, 2025P
Porous films, 2328C
Porous structure, 7014C
Porous thermoset, 889P
Porphyrin array, 585C
Porphyrins, 5863C
POSS, 673P
Post functionalization, 5672C
Postpolymerization functionalization, 606C
Post-polymerization modification, 5875C
Precipitation polymerization, 968C
Precisely branched polyethylene, 3461P
PREDICI modeling, 3692C
Preferred packing, 2760P
Pregnenolone, 1502C
Premelting temperature, 2798P
Pressure-controlled scanning calorimetry, 185P
Pressure decay, 607P
Primary amino end-functionalized polymers, 3400C
Processing, 2455P
Prodrug, 1569C
Propargyl ether, 1424C
Propene, 6569C
Propenyl ether, 6943C
Properties, 879P, 1093C, 2091P
Propylene, 1168P, 6083C
Propylene-1-hexene copolymers, 1253P
Propylene oxide, 5182C
Propylene polymerization, 458C
Protein antifouling, 3434C
Protein detection, 5424C
Protein folding dynamics, 3667P
Proteins, 994P
Protic media, 3787C
Protonation, 5645C
Proton conduction, 2135P, 2183P, 3444C, 3995C
Proton conductivity, 2267P, 2862C, 3751C, 4508C, 6007C
Proton exchange membrane fuel cells, 1967P
Proton exchange membranes, 665P, 1453P, 2226P, 2253P, 2299P, 6007C
Pseudohalide ligands, 458C
PTT, 1339P
Purification method, 6494C
PVA/PVAc microspheres, 3567C
PVC, 2145P
PVDF-g-PSSA, 2240P
[P(VDF–TrFE)], 1714P
Pyrene, 3787C
Pyridazinone, 3328C
Pyrolysis, 4696C

Quantitative structure-property relationship (QSPR), 409P
Quantum chemical descriptors, 409P
Quantum chemistry, 119P, 914C, 4752C
Quantum efficiency, 62P
Quartz crystal microbalance, 770P, 801P, 1010P
Quartz crystal resonator, 2428C
Quenched, 2621P

Rac-meso diastereoisomers, 4752C
Radiation, 857C, 865C, 4317C
Radiation effects, 3253P
Radiation grafted membranes, 2240P
Radiation grafting, 3323P
Radiation vulcanization, 1676P
Radical copolymerization, 3114C, 3966C, 6378C, 6728C
Radical cotelomerization, 1470C
Radical polymerization, 1C, 25C, 88C, 115C, 183C, 232C, 467C, 659C, 681C, 697C, 1233C, 1502C, 1522C, 1686C, 1926C, 2328C, 2406C, 2714C, 2749C, 3220C, 3290C, 3601C, 3609C, 3859C, 3966C, 4122C, 4136C, 4142C, 4222C, 4396C, 4420C, 4450C, 4566C, 4762C, 4966C, 5128C, 5445C, 5682C, 5708C, 5763C, 5974C, 6147C, 6171C, 6287C, 6378C, 6410C, 6697C, 6962C
Radical ring opening, 1060C, 2015C, 2156C
Radiopaque microspheres, 3859C
Radius of gyration, 1770C, 1777C, 3062P
Raman spectroscopy, 1413P, 2724C, 6449C
Random copolymers, 1562P
Rare earth oxide, 134P
Rare earth spectroscopy, 1592P
Raspberry-like, 3807C
Rate retardation, 5809C
Reaction development patterning (RDP), 2694C
Reaction mechanism, 2195C
Reactive extrusion, 48P, 134P
Reactivity, 5954C
Reactivity ratios, 183C, 195P, 845P, 2260C, 4762C, 5618C
Receptor mobility, 2621P
Rectangular tubes, 4229C
Recycled catalyst, 5247C
Red-emitting polymers, 3729C
REDOR, 2760P
Redox, 1106C
Redox center, 2707C
Redox polymers, 2027C, 3161C, 4108C
Reducing agents, 2156C, 3787C
Refractive index, 88C, 1326C, 4795C, 5933C
Reinforce, 1226P
Reinforcements, 2944P
Relaxation, 205P, 335C, 1453P, 1763P, 2776P, 2935P, 3078P, 3173P, 3487P
Relaxation time, 1572P
Renewable, 634C
Renewable resources, 5630C, 6717C

Reptation, 2679P
Residual stress, 3109P
Resists, 2107C
Resolution, 5087C
Resorcinol, 4559C
Responsive, 1492C
Reverse atom transfer radical polymerization (RATRP), 226C
Reversible addition fragmentation chain transfer (RAFT), 13C, 427C, 490C, 549C, 659C, 857C, 1357C, 2069C, 2177C, 2260C, 2293C, 2363C, 2376C, 2419C, 2837C, 2912C, 3071C, 3312C, 3343C, 3692C, 4298C, 4372C, 5203C, 5618C, 5708C, 5809C, 6055C, 6071C, 6114C, 6324C, 6419C, 6600C, 6810C, 6980C
Reversible melting, 3461P
Reversing heat capacity, 1364P
Rheology, 1020P, 1062P, 1287P, 1653P, 1725P, 1997C, 2014P, 2155P, 2161P, 2776P, 3011P, 3102P, 4479C
Rhodium, 7054C
Rhodium catalysts, 2499C
Rigid-amorphous fraction, 1364P
Rigid and mobile amorphous phase, 1763P
Rigid-rod polymer, 1948P
Ring-opening, 4621C
Ring-opening copolymerization, 3836C
Ring-opening metathesis polymerization (ROMP), 395C, 928C, 2784C, 2901C, 3053C, 3153C, 3382C, 4076C, 4428C, 5337C, 6136C, 6287C
Ring-opening polymerization (ROP), 137C, 395C, 406C, 467C, 549C, 718C, 727C, 1245C, 1722C, 1877C, 1985C, 2045C, 2166C, 2195C, 2774C, 2794C, 2937C, 3175C, 3233C, 3666C, 3684C, 3711C, 3778C, 4214C, 4235C, 4396C, 4409C, 4680C, 4932C, 5353C, 5519C, 6484C, 6575C, 6633C, 6750C, 6782C, 6801C, 6817C, 6926C, 7040C
Rodlike, 4668C
Room temperature ionic liquids, 4420C
Rotaxanes, 6252C
Rouse-Ham dynamics, 3501P
Rouse model, 1199P
RROP, 1225C
Rubber, 378P, 1561C, 1668P, 3440P, 3487P
Rubber modulus, 2679P
Rubbing, 1419P
Ru catalyst, 3382C
Ruthenium catalysts, 676C, 5337C
Ruthenium complex, 4966C
Ruthenium derivatives, 6926C

(Salen)Co(II) complexes, 4088C
Sanchez-Lacombe EOS, 607P
SBR, 1676P
Scaling, 2001P
Scaling analysis, 2155P
Scandium trifluoromethanesulfonate [$Sc(OTf)_3$], 5247C
Scandium trifluoromethanesulfonimide [$Sc(NTf_2)_3$], 5247C
Scanning electron microscopy (SEM), 471P, 949C, 1161P, 4229C, 4354C
SCFT, 2811P
Schiff base containing polymers, 6032C
SDS, 2388C, 3305P
SEEPS, 1309P
Segmented polyurethane, 573P
Self-assembled monolayer, 769C
Self-assembled nanoparticles, 1457C
Self-assembly, 481P, 646C, 928C, 1122P, 1357C, 2612P, 2774C, 3148P, 3290C, 3817C, 3869C, 4204C, 4251C, 4396C, 4668C, 5049C, 5076C, 5113C, 5120C, 5137C, 5192C, 5424C, 5645C, 6071C, 6607C, 3429P, 3571P
Self-consistent field theory, 2495P
Self-heating, 1979P
Self-immolative, 1569C
Self-nucleation, 1738P
Self-organization, 1042C, 1296P, 5153C, 5608C, 5645C
Semi-dilute solutions, 703P
Semi-empirical calculation, 561C
Sensors, 2059C, 3513C, 3958C, 5060C, 5495C
Sequence analysis, 993C
Sequence distribution, 2524P
Sergeants and solider, 3271C
Seven-membered ring, 6385C
SG1, 414C
Shear, 687P, 1237P, 3553P
Shear-induced crystallization, 1597P
Shearing, 649P
Shrinkage, 1711C, 3921C
Side-chain crystal, 416P
Side-chain liquid-crystalline polymers, 2412P, 4076C
Silane, 143P
Silazane, 4696C
Silica, 143P, 273C, 820C, 1134P, 1869C, 2014P, 2071p, 2972C, 3202C, 3911C, 4736C, 5174C
Silica hybrid, 291P
Silicates, 2935P
Silicon-based epoxy, 1447C
Silicones, 147C, 2237C
Silicons, 2755C, 3825C, 5580C
Silk fibroin, 3418P
Siloxanes, 147C, 5254C
Silver, 1168P, 1434P, 3843C
Silver nanoparticles, 2468P, 6624C
Simha and Somcynsky model, 1863P
Simulations, 2495P, 3062P, 6962C, 3487P
Simultaneous imaging, 801C
Single-electron-transfer, 2809C
Single molecules, 3321C
Single-step strain flow, 1199P
Single-wall carbon nanotubes, 1751P, 5283C
Site isolation, 4939C
Size-exclusion chromatography (SEC), 1179P, 1770C, 1777C, 3125C, 4214C
Slide-ring gels (SR gels), 1985P
Small angle light scattering, 1547P
Small-angle neutron scattering, 1395P, 2412P
Small-angle scattering, 1277P
Small-angle X-ray scattering (SAXS), 85P, 1253P, 1395P, 3185P, 3265P, 5887C, 3571P
Smectic phase, 1795P
Sodium alginate, 426P
Sodium dithionate, 3001C
Sodium dodecylbenzenesulfonate, 5974C
Soft-segmented crosslinker, 2980C
SO_3H splitting-off, 2311P
Sol-gel process, 2542C
Sol–gel–sol, 5413C
Sol–gel transition, 888C
Solid phase surfaces for combinatorial chemistry, 857C
Solid polymer electrolytes, 2195C
Solid-state coextrusion, 3369P
Solid-state polymerization, 1199C, 3083C, 4354C, 4952C
Solid-state shear milling, 249P
Solubility, 532C, 607P, 641P, 1291C, 1414C, 2828P, 3092C, 3869C, 4990C, 5909C, 6312C, 6836C
Solubility parameter, 3128P
Soluble polyaniline, 6025C
Soluble supports, 5954C
Solution, 1863P
Solution polymerization, 32C
Solution properties, 314C, 1106P, 1997C, 2104P, 3185P
Solution stability, 6385C
Solvatochromic transitions, 119P

Solvent activity coefficient, 1668P
Solvent effect, 1122P, 1763P
Solvent mixtures, 3642P
Solvents, 2015C
Sonochemistry, 3513C
Sonogashira coupling, 7054C
Sorption, 607P, 832P, 1010P, 1531P, 2183P
Space exposure, 3253P
Spacer length, 3210C
Specific rotation, 1502C
Spectroscopic properties, 6345C
Sphere, 2811P
Spherulites, 481P, 1084P, 1114P, 2226C
Spherulitic growth, 2034C
Spherulitic morphologies, 900P
Spider silk, 994P
Spin coating, 79P, 3234P
Spin modes, 1387C
Spirobisindane, 5344C
Spirocyclic tin initiator, 596C
Spiro orthoesters, 4722C, 6728C
Stability, 2448C
Stabilization, 1660C
Stabilizers, 1702P
Stable free radical polymerization (SFRP), 499C, 2240P, 2468C
Stack, 561C
Stacking, 585C
Star polyesters, 4214C
Star polymers, 614C, 828C, 888C, 1245C, 2551C, 2579C, 4165C, 4939C, 4966C, 5740C, 6458C, 6587C, 6997C
Star polymers suspension polymerization, 4372C
Star-shaped architecture, 596C
Star-shaped copolymers, 6633C
Star-shaped poly(L-lactide)-*b*-poly(ethylene oxide), 2034C
Star-shaped polymer, 942P
State of water, 2240P
Statistical thermodynamics, 2542P, 2663P, 3621P, 3651P
Step-growth cycloaddition polymerization, 5438C
Step-growth polymerization, 343C, 2440C, 4108C, 4825C
Step ladder polymers, 5533C
Stereoblock polymers, 2086C, 3609C, 6147C
Stereocomplex, 6782C
Stereoregular diene polymer, 4952C
Stereoregularity, 4088C, 4832C
Stereoregular polymers, 1908C
Stereospecific living polymerization, 2086C
Stereospecific polymerization, 6147C
Stereospecific polymers, 1153C, 1486C, 3153C, 3609C
Stereospecific radical polymerization, 2086C, 3609C
Sterically hindered monomers, 3692C
Stiffness, 3487P
Stimuli-responsive, 5513C
Stimuliresponsive polymers, 5495C
Stimuli-sensitive polymers, 183C, 207C, 326P, 671C, 1457C, 2454C, 4450C, 4644C, 5608C
Stoichiometric complexes, 1122P
Strain, 1277P, 3487P
Strain hardening, 1690P
Strength, 153P, 3487P
Stresses, 622P, 3487P
Stress relaxation, 641P, 1738P
Stretch relaxation, 1199P
Structural behavior, 3185P
Structural transition, 3102P
Structure, 1114P, 1134P, 1434P, 2091P, 3062P, 3418P, 4346C, 6616C
Structure factor, 703P
Structure-property relations, 959C, 1442P, 1453P, 1514C, 1763P, 2099C, 2327P, 2694C, 3986C, 4384C, 4769C
Structure regulation, 3930C
Styrene, 32C, 483C, 510C, 539C, 1106C, 3836C, 4027C, 5237C, 6202C, 6810C
Styrene acrylonitrile, 3374C
Styrene/methyl methacrylate copolymer, 2076C
Styrene polymerization, 676C
Substituent (R) in the bisphenol moieties, 2694C
Substituted polyacetylene, 5028C
Sulfonated diamine, 2862C
Sulfonated poly(ether ether ketone) (SPEEK), 565P, 3128P
Sulfonated poly(ether ether ketone sulfone) (SPEEKS), 1967P
Sulfonated polyimides, 2862C, 3751C
Sulfonated polymer, 2226P
Sulfonation, 2299P, 3128P
Sulfonimides, 6007C
Sulfur-based epoxy monomers, 4846C
Supercritical carbon dioxide, 1555C, 2406C, 4122C
Supercritical CO_2, 1299C, 1531P
Supercritical CO_2 fluid, 85P
Supercritical fluid extrusion, 607P
Supercritical fluids, 185P
Superdrawing, 3369P
Superfast calorimetry, 1364P
Supports, 744C, 2248C, 2883C, 3103C, 5316C, 6652C, 6997C
Supramolecular complexes, 1086C
Supramolecular structures, 1941C, 1985P, 5049C, 5113C, 5120C, 5137C, 5192C, 5445C, 6312C
Surface energy, 162P, 426P
Surface forces, 649P
Surface grafting of polymer, 2972C
Surface-initiated polymerization, 1758C
Surface initiator, 6708C
Surface melting, 2968P
Surface modification, 1226P, 1252C, 3071C, 3853C, 6534C
Surface plasmons, 1580P
Surface polymerization, 769C
Surface properties, 3853C
Surfaces, 9P, 143P, 1372C, 1490P, 2449P, 2621P, 2638P, 2789P, 3031P, 3711C, 4782C, 7014C, 3434P
Surfactant-free emulsion polymerization, 356C
Surfactants, 192C, 275P, 427C, 646C, 1214C, 1645P, 1985C, 2604C, 5933C
Surgical sutures, 993C
Suspension polymerization, 1900C
Suzuki coupling, 727C, 2130C
Swelling, 471P, 607P, 968C, 1531P, 1645P, 1731P, 1874P, 3128P, 3958C, 5468C, 5513C, 6640C
Swelling pressure, 3679P
Syndiotactic, 1436C, 6147C
Syndiotactic polystyrene blends, 2798P
Syndiotactic-specific, 4450C
Synergistic effect, 134P
Synthesis, 53C, 69C, 126C, 254C, 414C, 1279C, 1627P, 1785C, 2034C, 2206C, 2346C, 2358P, 2990C, 3161C, 3411C, 3556C, 3640C, 3921C, 4015C, 4154C, 4338C, 4346C, 4435C, 4494C, 4508C, 4514C, 4532C, 4621C, 5480C, 5750C, 5965C, 6047C, 6202C, 6345C, 6790C, 6801C, 6909C
Synthesis ultrasonic irradiation, 1014C

Tacticity, 1436C, 4952C
Tandem catalysis, 6847C
Tapping mode atomic force microscopy, 492P
Telechelic polymers, 3400C
Telechelics, 727C, 1470C, 2809C, 3001C, 3175C, 3400C, 3406C, 4039C, 4281C, 5344C
Telomerization, 3717C
TEM, 284P, 471P, 686C, 764P,

986P, 1161P, 3202C, 3843C, 4229C, 5933C, 6624C, 3571P
Temperature-modulated differential scanning calorimetry (TMDSC), 70P, 1364P, 3461P
Temperature-responsive polymers, 195P
Temperature rising elution fractionation, 2749P
Temperature-sensitive gels, 1645P
Temperature-sensitive hydrogels, 888C
Temperature-sensitive polymers, 1457C
Template polymerization, 6607C
Templates, 653C, 6607C
Tensile properties, 371P, 864P, 3369P
Tensile stress, 1482P
Terbium, 3121P
Terephthalic acid, 256P
Ternary blend, 1147P
Ternary blend miscibility, 1339P
Ternary instability, 2025P
tert-butyl acrylate, 6202C
Tertiary amines, 2873C
Tethered ligand–receptor binding, 2621P
Tethered membrane, 2512P
Tetraethoxysilane, 757C, 2542C
Tetrathiafulvalene, 2707C
Theory, 2389P, 2572P, 2638P, 3445P, 3621P
Thermally-induced phase separation, 2025P
Thermal aging, 1660C
Thermal analysis, 1702P, 4952C
Thermal and thermooxidatively stable carboranylenesiloxanes, 147C
Thermal behavior, 312P, 1351P
Thermal conductivity, 1419P
Thermal cyclodehydration, 3640C
Thermal dissociation reaction, 3966C
Thermal expansion, 185P
Thermal expansion coefficient, 3109P
Thermal latency, 2448C
Thermally latent addition, 3966C
Thermally responsive polymers, 3717C
Thermal properties, 42C, 102P, 343C, 451P, 905C, 994P, 1020C, 1168C, 1291C, 1296P, 1414C, 1419P, 1470C, 1513P, 1562P, 1591C, 1635P, 2122P, 2486P, 2665C, 2798P, 2937C, 3200P, 3348P, 3418P, 4762C, 4795C, 5174C, 5557C, 5729C, 5909C, 6032C, 6252C, 6909C
Thermal stability, 1424C, 1613C, 3165P, 3392P, 3553P
Thermodynamics, 2821P, 3487P
Thermoelectric power, 1331P
Thermogravimetric analysis (TGA), 335C, 2311P, 3479C, 3966C, 5898C, 6980C
Thermomechanical properties, 48P
Thermoplastic elastomers, 4825C, 5505C, 6494C
Thermoplastics, 2990C, 3479C
Thermoplastic starch, 607P
Thermoporosimetry, 3475P
Thermoresponsive, 1492C, 5413C
Thermoresponsive polymer, 1179P
Thermosensitive, 968C, 1648C
Thermosets, 205P, 1093C, 1168C, 1424C, 1701C, 1711C, 2821P, 2873C, 3042P, 5875C, 6750C, 6857C
Thermotropic liquid crystalline copolyester, 387P
Theta solvent, 3590P
Thin films, 9P, 79P, 1268P, 2428C, 2495P, 2542C, 2968P, 2980P, 2996P, 3006P, 3011P, 3022P, 3234P, 4904C, 5161C, 3518P, 3631P
Thin polymer films, 2951P
Thiol-ene, 1387C, 2007C
Thiol-ene photopolymerization, 7027C
Thiophene, 4709C
Thiophene-based liquid-crystalline polyesters, 3479C
Thiophene-based polyesters, 3479C
Thiophenol derivatives, 5923C
Three-phase structure, 2173P
Through-space/bond interaction analysis, 119P
Thymine, 4242C
Tin hydride, 5954C
TiO_2, 879P
Titanium, 3711C
Titanium sandwich complexes, 1060C
Titanocene dichloride, 1106C, 2015C, 2156C
Titration microcalorimetry, 275P
α-Tocopherol, 1660C
Topography, 3071C
Topology, 3271C
Torsion angle and size dependences, 1783P
Toughness, 696P, 1591C, 3348P
Transfection, 6895C
Transfer, 3272P
Transformation reaction, 6659C
Transition, 687P, 2454C
Transition metal chemistry, 666C, 2156C, 2282C, 2636C, 4804C, 5661C
Transition metals, 5589C
Transition state (TS), 914C
Transitometry, 185P
Translation order, 3453P
Transmission electron microscopy, 6449C
Transmission FTIR, 2071p
Transparency, 1291C, 2665C, 3140C, 5909C, 6385C
Transparent, 1613C
TREF, 2749P
Triazine, 2248C, 5271C
Triazine derivatives, 3797C
1,2,4-Triazole, 3315P
Triblock copolymers, 2776P, 3717C, 4668C
Trifluoromethyl group, 3140C, 5909C
Trimethylaluminum, 200C
Trimethylene carbonate, 98C, 993C, 3184C, 6633C
Trimethylene oxide, 2684C
Triphenylamine, 172C, 2587C, 3556C, 4579C
Triphenyl phosphite, 380C
Tris(3,6-dioxaheptyl) amine, 483C
Trismaleimides, 304C
Twist, 1419P
Two-electron transfer, 1086C
Two parallel plane boundaries, 2888P

Ultimate elongation, 1690P
Ultra high weight polyethylene, 3103C
Ultrasonication, 4603C
Ultrasonic oscillations, 1520P
Ultrasound, 5445C
Ultrathin, 7027C
Uniaxial drawing, 1690P
Uniaxial stretching, 925P
Unsymmetrical, 4743C
Unsymmetrical ether diamine, 6836C
Unsymmetrical structure, 1291C
Uretdione, 1372C
Urethanes, 3018C
Urethane/urea, 2980C
UV crosslinking, 5329C
UV curing, 2195C
UV/laser ablation, 5271C
UV-sensitive, 3261C
UV-vis absorption spectrum, 2206C, 4916C
UV-vis spectroscopy, 1541C, 2139C, 2215C, 5898C, 6624C

Vanadium, 2749C
Vanadium amide, 3279C
Vesicle templates, 2533C
Vinyl acetate, 2328C
Vinylcyclohexane, 6569C

Vinylidene chloride, 13C
Vinylidene difluoride, 1299C
Vinylidene fluoride, 1470C, 3253P, 4566C
Vinylogous tetrathiafulvalene, 2027C
Vinyl polymer, 2972C
Viologen, 3763C
Viscoelasticity, 1608P, 2014P, 3022P, 3590P
Viscoelastic effects, 801P
Viscoelastic phase separation, 517P
Viscoelastic properties, 205P, 312P, 1237P, 3011P, 6270C
Viscoelastic simulation, 622P
Viscometric properties, 787P
Viscosity, 1237P, 1608P, 1804P, 1863P, 2579C, 3674C, 3692C, 4479C, 5480C
Volume dilation, 1874P

Wagner model, 1309P
Water, 607P, 2425P
Water absorption ability, 6402C
Water affinity relationships, 573P
Waterborne polyurethane urea, 3365C
Water-borne, 115C, 1686C
Water resistance, 3365C
Water solubility, 5779C
Water-soluble carbene, 2784C
Water-soluble conjugated polyelectrolytes, 5779C
Water-soluble conjugated polymer, 5424C
Water-soluble polymers, 314C, 820C, 1490P, 1569C, 2454C, 2675C, 3125C, 3185P, 3513C, 3674C, 3763C, 4259C, 4479C, 5468C, 5495C, 5965C
Water sorption, 48P, 1414C, 2327P
Water stability, 3751C
WAXS, 42C, 6252C
Wear, 2449P
Wear and friction, 854P
Welding, 666C
Weld line, 1520P
Wet spinning, 1995P
Wettable surface, 6402C
Wide-angle X-ray diffraction (WAXD), 284P, 416P, 864P, 3215P
Wollaston, 854P
Work hardening, 3487P
Wormlike chain model, 2412P
Wormlike micelles, 3431P
Wound dressing, 2468P
Wrinkles and crumpling, 2512P

^{129}Xe NMR, 291P
Xenobiotics, 4895C
XLPE, 641P
XPS, 1225C, 3071C
X-ray, 686C, 1562P, 1948P, 2455P, 3062P, 4593C, 3553P
X-ray analysis, 3200P
X-ray diffraction, 70P, 1040P
X-ray imaging, 3859C
XRD, 2145P

Yielding, 687P
Yield stress, 1212P
Young's modulus, 1482P
Ytterbium, 1147C
Ytterbium trilete, 4722C, 6728C
Yttrium trilete, 4731C

Ziegler-Nata polymerization, 1136C, 1343C, 1486C, 1635C, 1908C, 1964C, 3279C, 3551C, 5846C
Zinc, 900C, 2156C
Zirconocene, 6569C

JOURNAL OF
POLYMER SCIENCE
PART • B
Polymer Physics

Volume Contents

Volume 44, 2006
Issue 1, January 1, 2006

ARTICLES

Synthesis and Characterization of Polyaniline–Polyamidoamine Dendrimer Blends
C. M. CHAO, G. P. WANG, K. H. WU, AND T. C. CHANG 1
Published online 7 November 2005

Surface and Interface Morphology of Polystyrene/Poly(methyl methacrylate) Thin-Film Blends and Bilayers
Y. LI, Y. YANG , F. YU, AND L. DONG 9
Published online 7 November 2005

Equilibrium Thermal Behavior and Morphology of Organophilic Montmorillonite/Poly(ε-caprolactone) Nanocomposites
R. PUCCIARIELLO, V. VILLANI, L. GUADAGNO, AND V. VITTORIA 22
Published online 9 November 2005

Novel Phthalocyanine Crystals as a Conductive Filler in Crosslinked Epoxy Materials: Fractal Particle Networks and Low Percolation Thresholds
Z. CHEN, J. C. M. BROKKEN-ZIJP, AND M. A. J. MICHELS 33
Published online 9 November 2005

Modification of a Hydrophilic Linear Polyurethane by Crosslinking with a Polydimethylsiloxane. Influence of the Crosslink Density and of the Hydrophobic/Hydrophilic Balance on the Water Transport Properties
N. DOLMAIRE, F. MÉCHIN, E. ESPUCHE, AND J. P. PASCAULT 48
Published online 9 November 2005

Enhancing the Electroluminescent Efficiency of Poly{5-methoxy-2-[(2′-ethyl-hexyl)-oxy]-*p*-phenylenevinylene}/Poly(2,3-diphenyl-5-octyl-*p*-phenylenevinylene) Polyblends by the Introduction of Chemical Bonding through a Thermal Treatment
H.-L. CHOW, K.-F. LIN, AND D.-C. WANG 62
Published online 10 November 2005

Thermal Memory of Poly(3-hydroxybutyrate) Using Temperature-Modulated Differential Scanning Calorimetry
L. M. W. K. GUNARATNE AND R. A. SHANKS 70
Published online 9 November 2005

Ruptured Conjugated Polymer Thin Films Formed during Spin Coating
S.-C. LUO AND E. P. DOUGLAS 79
Published online 10 November 2005

Enhanced Morphological Heterogeneity of PCL in the Presence of PVC with Isothermal Supercritical CO_2 Treatment
Y.-T. SHIEH AND H.-S. YANG 85
Published online 10 November 2005

Compatibility Characterization of Poly(lactic acid)/Poly(propylene carbonate) Blends
X. MA, J. YU, AND N. WANG 94
Published online 10 November 2005

Influence of Varying Hard Segments on the Properties of Chemically Crosslinked Moisture-Cured Polyurethane-Urea
D. K. CHATTOPADHYAY, B. SREEDHAR, AND K. V. S. N. RAJU 102
Published online 11 November 2005

Quantum-Chemical Approach to the Solvatochromic Transition in Polysilane Derivatives
Y. ORIMOTO AND Y. AOKI 119
Published online 11 November 2005

Neodymium Oxide-Assisted Melt Free-Radical Grafting of Maleic Anhydride on Isotactic-Polypropylene by Reactive Extrusion
L. ZHU, G. TANG, Q. SHI, C. CAI, AND J. YIN 134
Published online 11 November 2005

Grafting of Silica During the Processing of Silica-Filled SBR: Comparison Between Length and Content of the Silane
J. RAMIER, L. CHAZEAU, C. GAUTHIER, L. GUY, AND M. N. BOUCHEREAU 143
Published online 11 November 2005

Maximum Tensile Properties of Oriented Polyethylene, Achieved by Uniaxial Drawing of Solution-Grown Crystal Mats: Effects of Molecular Weight and Molecular Weight Distribution
D. SAWAI, K. NAGAI, M. KUBOTA, T. OHAMA, AND T. KANAMOTO 153
Published online 11 November 2005

Structure and Properties of Some Novel Fluoroelastomer/Clay Nanocomposites with Special Reference to Their Interaction
M. MAITI AND A. K. BHOWMICK 162
Published online 16 November 2005

Damage Effects of 120-keV Electron Radiation on AG-80 Resin
G. YU, D. SHANGLI, Y. DEZHUANG, H. SHIYU, AND L. ZHIJUN 177
Published online 16 November 2005

Thermal Expansion of Polymers Submitted to Supercritical CO_2 as a Function of Pressure
S. A. E. BOYER, S. L. RANDZIO, AND J.-P. E. GROLIER 185
Published online 16 November 2005

Novel Temperature-Responsive Water-Soluble Copolymers Based on 2-Hydroxyethylacrylate and Vinyl Butyl Ether and Their Interactions with Poly(carboxylic acids)
G. A. MUN, Z. S. NURKEEVA, G. T. AKHMETKALIEVA, S. N. SHMAKOV, V. V. KHUTORYANSKIY, S. C. LEE, AND K. PARK 195
Published online 17 November 2005

Sizing Effects on Main Relaxation Process of Cyanate Ester Glass Fiber Composites Using Dynamic Mechanical and Microthermal Analyses
S. MALLARINO, J. F. CHAILAN, AND J. L. VERNET 205
Published online 17 November 2005

Structural and Free-Volume Analysis for Alkyl-Substituted Palladium-Catalyzed Poly(norbornene): A Combined Experimental and Monte Carlo Investigation
B. R. WILKS, W. J. CHUNG, P. J. LUDOVICE, M. E. REZAC, P. MEAKIN, AND A. J. HILL 215
Published online 21 November 2005

Properties of Polystyrene and Polymethyl Methacrylate Copolymers of Polyhedral Oligomeric Silsesquioxanes: A Molecular Dynamics Study
R. R. PATEL, R. MOHANRAJ, AND C. U. PITTMAN JR. 234
Published online 21 November 2005

Polyamide-6/Natural Clay Mineral Nanocomposites Prepared by Solid-State Shear Milling Using Pan-Mill Equipment
W. SHAO, Q. WANG, F. WANG, AND Y. CHEN 249
Published online 21 November 2005

Syntheses and Gas Transport Properties of Polyarylates based on Isophthalic and Terephthalic Acids and Mixtures of Bisphenol A and 1, 1 Bi-2-Naphthol
I. VILLEGAS-COSS, F. A. RUIZ-TREVIÑO, AND S. HERNÁNDEZ-LÓPEZ 256
Published online 21 November 2005

Volume 44, 2006
Issue 2, January 15, 2006

LETTER

Effects of Spacing between the Exfoliated Clay Platelets on the Crystallization Behavior of Polyamide-6 in Polyamide-6/Clay Nanocomposites
Y. LI AND H. SHIMIZU 284
Published online 23 November 2006

ARTICLES

Diffusion Behavior in Polymer–Clay Nanocomposites
A. SORRENTINO, M. TORTORA, AND V. VITTORIA 265
Published online 22 November 2006

Thermodynamics of Interaction between Sodium bis(2-ethylhexyl) sulfosuccinae and Polymers in Aqueous Solutions by Isothermal Titration Microcalorimetry

X.-M. QIU, X.-L. WEI, B.-L. YIN, AND D.-Z. SUN 275
Published online 23 November 2006

Characterization of 6FDA-based hyperbranched and linear polyimide–silica hybrid membranes by gas permeation and ^{129}Xe NMR measurements

T. SUZUKI AND Y. YAMADA 291
Published online 29 November 2006

Plasticized Polylactide/Clay Nanocomposites. I. The Role of Filler Content and its Surface Organo-Modification on the Physico-Chemical Properties

M. PLUTA, M.-A. PAUL, M. ALEXANDRE, AND P. DUBOIS 299
Published online 29 November 2006

Plasticized Polylactide/Clay Nanocomposites. II. The Effect of Aging on Structure and Properties in Relation to the Filler Content and the Nature of its Organo-Modification

M. PLUTA, M.-A. PAUL, M. ALEXANDRE, AND P. DUBOIS 312
Published online 29 November 2006

Meshless Simulation of Equilibrium Swelling/Deswelling of PH-Sensitive Hydrogels

Q. X. WANG, H. LI, AND K. Y. LAM 326
Published online 29 November 2006

Composition Distributions within Poly(vinylidene fluoride) Spherulites as Grown in Blends with Poly(methyl methacrylate)

J. LIU AND B.-J. JUNGNICKEL 338
Published online 29 November 2006

Synthesis of a Novel Benzoxazine Monomer-Intercalated Montmorillonite and the Curing Kinetics of Polybenzoxazine/Clay Hybrid Nanocomposites

D.-R. YEI, H.-K. FU, W.-Y. CHEN, AND F.-C. CHANG 347
Published online 1 December 2006

A Contact Mechanics Method for Characterizing the Elastic Properties and Permeability of Gels

C.-Y. HUI, Y. Y. LIN, F.-C. CHUANG, K. R. SHULL, AND W.-C. LIN 359
Published online 29 November 2006

Rheological Properties of Ferrite Nanocomposites Based on Nylon-66

D. W. CHAE, K. H. LEE, AND B. C. KIM 371
Published online 29 November 2006

Crosslinking Induced by *In-Situ* Coordination in Acrylonitrile Butadiene Rubber/ Poly(vinyl chloride) Alloy, Filled with Anhydrous Copper Sulfate Particles

F. SHEN, H. LI, AND C. WU 378
Published online 1 December 2006

Synthesis and Characterization of a Series of Thermotropic Liquid Crystalline Copolyester Nanocomposites

J.-H. CHANG, C. H. JU, AND S. H. KIM 387

Published online 1 December 2006

Drawing Behavior and Characteristics of Laser-Drawn Polypropylene Fibers

A. J. UDDIN, Y. MASHIMA, Y. OHKOSHI, Y. GOTOH, M. NAGURA, A. SAKAMOTO, AND R. KURODA 398

Published online 1 December 2006

Quantitative Structure–Property Relationship Studies of Polymeric Cohesive Energy by Density Functional Theory

X. YU, X. WANG, X. LI, J. GAO, AND H. WANG 409

Published online 5 December 2006

Fine Structure and Phase Transition Behavior of Fluorinated Comb Copolymers

R. MASUYA, N. NINOMIYA, A. FUJIMORI, H. NAKAHARA, AND T. MASUKO 416

Published online 8 December 2006

Surface Properties of Binary Blend Films of Poly(*N*-vinyl-2-pyrrolidone) and Poly(vinyl alcohol) with Sodium Alginate

T. ÇAYKARA, S. DEMIRCI, M. S. EROĞLU, AND OLGUN GÜVEN 426

Published online 8 December 2006

Morphology and Gas Barrier Properties of Polyethylene-Based Nanocomposites

E. JACQUELOT, E. ESPUCHE, J.-F. GÉRARD, J. DUCHET, AND P. MAZABRAUD 431

Published online 9 December 2006

Novel Phosphate Glass/Polyamide 6 Hybrids: Miscibility, Crystallization Kinetics, and Mechanical Properties

K. URMAN AND J. OTAIGBE 441

Published online 9 December 2006

Effects of Microscale Calcium Carbonate and Nanoscale Calcium Carbonate on the Fusion, Thermal, and Mechanical Characterizationsof Rigid Poly(vinyl chloride)/ Calcium Carbonate Composites

C.-H. CHEN, C.-C. TENG, S.-F. SU, W.-C. WU, AND C.-H. YANG 451

Published online 9 December 2006

End-Group Modified Poly(methyl vinyl ether): Characterization and LCST Demixing Behavior in Water

K. V. DURME, B. V. MELE, K. V. BERNAERTS, B. VERDONCK, AND F. E. DU PREZ 461

Published online 9 December 2006

ERRATUM

Functionalized SWNT/Polymer Nanocomposites for Dramatic Property Improvement
T. RAMANATHAN, H. LIU, AND L.C. BRINSON 470
Published online 8 December 2006

Volume 44, 2006
Issue 3, February 1, 2006

HIGHLIGHT

Ethylene/Vinyl Acetate Copolymer/Clay Nanocomposites
S. K. SRIVASTAVA, M. PRAMANIK, AND H. ACHARYA 471
Published online 16 December 2005

Grain Shapes and Growth Kinetics during Self-Assembly of Block Copolymers
T. Q. CHASTEK AND T. P. LODGE 481
Published online 20 December 2005

ARTICLES

Characterization of Elastomeric Blends by Atomic Force Microscopy
P. ACHALLA, J. McCORMICK, T. HODGE, C. MORELAND, P. ESNAULT, A. KARIM, AND D. RAGHAVAN 492
Published online 19 December 2005

Phonon Dispersion in Polycytidilic Acid
S. SRIVASTAVA, M. K. PANDAY, S. SRIVASTAVA, V. D. GUPTA, AND I. A. KHAN 504
Published online 20 December 2005

Further Study of the Viscoelastic Phase Separation of Cyanate Ester Modified with Poly(ether imide)
G. ZHAN, Y. YU, X. TANG, Q. TAO, AND S. LI 517
Published online 14 December 2005

Photophysics, Electrochemical Properties, and Electroluminescence of Poly(*p*-phenylenevinylene) Derivatives with 1,3,5-Triphenylbenzene or 2,4,6-Triphenylpyridine Segments along the Backbone
V. CIMROVÁ, H. HLÍDKOVÁ, D. VÝPRACHTICKÝ, P. KARASTATIRIS, I. K. SPILIOPOULOS, AND J. A. MIKROYANNIDIS 524
Published online 19 December 2005

Study on the Nonisothermal Crystallization Behavior of Poly(vinyl alcohol)/Attapulgite Nanocomposites by DSC Analysis
Z. PENG AND D. CHEN 534
Published online 19 December 2005

Synthesis of Hydroxyl-Terminated Poly(ether ether ketone) with Pendent *tert*-Butyl Groups and Its Use as a Toughener for Epoxy Resins
B. FRANCIS, S. THOMAS, G. V. ASARI, R. RAMASWAMY, S. JOSE, AND V. L. RAO 541
Published online 20 December 2005

Unusual Phase Behavior in Mixtures of Poly(ethylene oxide) and Ethyl Alcohol
D. L. HO, B. HAMMOUDA, S. R. KLINE, AND W.-R. CHEN 557
Published online 20 December 2005

Sulfonated Poly(ether ether ketone)/Poly(vinylpyrrolidone) Acid–Base Polymer Blends for Direct Methanol Fuel Cell Application
H.-L. WU, C.-C. M. MA, H.-C. KUAN, C.-H. WANG, C.-Y. CHEN, AND C.-L. CHIANG 565
Published online 16 December 2005

Effect of Soft Segment Component on Moisture-Permeable Polyurethane Films
M. SHIBAYA, Y. SUZUKI, M. DORO, H. ISHIHARA, N. YOSHIHARA, AND M. ENOMOTO 573
Published online 16 December 2005

Biodegradable Poly(alkylene succinate) Blends: Thermal Behavior and Miscibility Study
G. Z. PAPAGEORGIOU AND D. N. BIKIARIS 584
Published online 16 December 2005

Crystallization Behavior of Poly(ε-caprolactone)/Multiwalled Carbon Nanotube Composites
T.-M. WU AND E.-C. CHEN 598
Published online 20 December 2005

Measurement and Prediction of Solubilities and Diffusion Coefficients of Carbon Dioxide in Starch–Water Mixtures at Elevated Pressures
K.-H. J. CHEN AND S. S. H. RIZVI 607
Published online 20 December 2005

Residual Stresses and Birefringence in Injection Molding of Amorphous Polymers: Simulation and Comparison with Experiment
A. I. ISAYEV, G. D. SHYU, AND C. T. LI 622
Published online 20 December 2005

Volume 44, 2006
Issue 4, February 15, 2006

ARTICLES

Mechanical Properties of High-Density Polyethylene and Crosslinked High-Density Polyethylene in Crude Oil and Its Components
J. E. RITUMS, A. MATTOZZI, U. W. GEDDE, M. S. HEDENQVIST, G. BERGMAN, AND M. PALMLÖF 641
Published online 21 December 2005

Effect of Temperature on the Frictional Forces between Polystyrene Brushes
AARON M. FORSTER, JIMMY W. MAYS, AND S. MICHAEL KILBEY II 649
Published online 9 January 2006

Effect of Hydrophilicity on the Properties of a Degradable Polylactide
Y. BOXBERG, M. SCHNABELRAUCH, S. VOGT, M. SALMERÓN SÁNCHEZ, G. GALLEGO FERRER, M. MONLEÓN PRADAS, AND J. SUAY ANTÓN 656
Published online 5 January 2006

Selectively Sulfonated Poly(aryl ether sulfone)-*b*-polybutadiene for Proton Exchange Membrane
X. ZHANG, S. LIU, AND J. YIN 665
Published online 5 January 2006

Hydrogen Bonding Interactions and Miscibility Between Phenolic Resin and Octa(acetoxystyryl) Polyhedral Oligomeric Silsesquioxane (AS-POSS) Nanocomposites
S.-W. KUO, H.-C. LIN, W.-J. HUANG, C.-F. HUANG, AND F.-C. CHANG 673
Published online 9 January 2006

Transition from Crazing to Shear Deformation in ABS/PVC Blends
C. ZHOU, X. Y. BAO, Z. Y. TAN, S. L. SUN, Y. H. AO, H. D. YANG, AND H. X. ZHANG 687
Published online 9 January 2006

Independence of the Brittle–Ductile Transition from the Rubber Particle Size for Impact-Modified Poly(vinyl chloride)
C. ZHAO, G. WU, C. ZHOU, H. YANG, AND H. ZHANG 696
Published online 9 January 2006

Liquid-like Structure of Polymer Solutions Near the Overlap Concentration
R. S. FRANCIS, G. D. PATTERSON, AND S. H. KIM 703
Published online 11 January 2006

Influence of the Efficacy of Interfacial Modification on the Coarsening of Cocontinuous PS/HDPE Blends During Quiescent Annealing
Z. YUAN AND B. D. FAVIS 711
Published online 11 January 2006

Chain Microstructure of Homogeneous Ethylene-1-Alkene Copolymers and Characteristics of Single Site Catalysts Using a Direct ^{13}C NMR Peak Method I. Theory and Models
F. G. KARSSENBERG, V. B. F. MATHOT, AND T. J. G. ZWARTKRUIS 722
Published online 11 January 2006

Chain Microstructure of Homogeneous Ethylene-1-Alkene Copolymers and Characteristics of Single Site Catalysts Using a Direct ^{13}C NMR Peak Method. Part II. Application to Ethylene–Propylene Copolymers Showing Inversion
F. G. KARSSENBERG AND V. B. F. MATHOT 738
Published online 11 January 2006

Chain Microstructure of Homogeneous Ethylene-1-Alkene Copolymers and Characteristics of Single Site Catalysts Using a Direct ^{13}C NMR Peak Method. Part III. Application to Ethylene–Propylene Copolymers Showing No Inversion
F. G. KARSSENBERG, C. PIEL, A. HOPF, V. B. F. MATHOT, AND W. KAMINSKY 747
Published online 12 January 2006

Two Calorimetric Glass Transitions Do Not Necessarily Indicate Immiscibility: The Case of PEO/PMMA
T. P. LODGE, E. R. WOOD, AND J. C. HALEY 756
Published online 12 January 2006

Crystal Structure and Morphology of Phenyl-Capped Tetraaniline in the Leucoemeraldine Oxidation State
Y. ZHOU, J. GENG, G. LI, E. ZHOU, L. CHEN, AND W. ZHANG 764
Published online 12 January 2006

Collapse and Swelling of Poly(*N*-isopropylacrylamide-*co*-sodium acrylate) Copolymer Brushes Grafted on a Flat SiO_2 Surface
H. CHENG, G. LIU, C. WANG, G. ZHANG, AND C. WU 770
Published online 12 January 2006

Volume 44, 2006
Issue 5, March 1, 2006

ARTICLES

Control of Diameter, Morphology, and Structure of PVDF Nanofiber Fabricated by Electrospray Deposition
M. NASIR, H. MATSUMOTO, T. DANNO, M. MINAGAWA, T. IRISAWA, M. SHIOYA, AND A. TANIOKA 779
Published online 17 January 2006

Viscometric Properties of Dilute Polystyrene/Dioctyl Phthalate Solutions
C. C. HUA AND M. S. WU 787
Published online 17 January 2006

A Query on Crystallization Temperature-Dependent Cooling Function under Nonisothermal Condition
Y. SHANGGUAN, Y. SONG, AND Q. ZHENG 795
Published online 17 January 2006

Errors Induced in Quartz Crystal Mass Uptake Measurements by Nongravimetric Effects: Considerations beyond the EerNisse Caution
L. BANDA, M. ALCOUTLABI, AND G. B. McKENNA 801
Published online 26 January 2006

Crystallization of Polyamide Confined in Sub-Micrometer Droplets Dispersed in a Molten Polyethylene Matrix
M. SALMERÓN SÁNCHEZ, V. MATHOT, G. V. POEL, G. GROENINCKX, AND W. BRULS 815
Published online 19 January 2006

Photofluorescence of Hyperbranched Poly(phenylene sulfide)
R. XU, H. LIU, AND W. SHI 826
Published online 24 January 2006

Sorption and Diffusion of Organic Vapors in Amorphous Teflon AF2400
A. TOKAREV, K. FRIESS, J. MACHKOVA, M. ŠIPEK, AND Y. YAMPOLSKII 832
Published online 24 January 2006

Synthesis of Cationic Water-Soluble Copolymers and Hydrogels Based on [2-(Methacryloyloxy)ethyl]trimethylammoniumChloride and 2-Hydroxyethylacrylate and Their Complex Formation with Poly(acrylic acid)
Z. S. NURKEEVA, G. A. MUN, A. D. SERGAZIYEV, N. A. FEFELOVA, A. S. SARSENBAEVA, AND V. V. KHUTORYANSKIY 845
Published online 24 January 2006

Comparative Study of the Mechanical and Wear Performance of Short Carbon Fibers and Mineral Particles (Wollastonite, $CaSiO_3$) Filled Epoxy Composites
G. XIAN, R. WALTER, AND F. HAUPERT 854
Published online 24 January 2006

Morphological and Mechanical Properties of Carbon Nanotube/Polymer Composites via Melt Compounding
W. E. DONDERO AND R. E. GORGA 864
Published online 25 January 2006

Preparation and Properties of Polysulfone/TiO_2 Composite Ultrafiltration Membranes
Y. YANG, P. WANG, AND Q. ZHENG 879
Published online 27 January 2006

Volume 44, 2006
Issue 6, March 15, 2006

ARTICLES

Phase Separation, Porous Structure, and Cure Kinetics in Aliphatic Epoxy Resin Containing Hyperbranched Polyester
Q. GUO, A. HABRARD, Y. PARK, P. J. HALLEY, AND G. P. SIMON 889
Published online 30 January 2006

Melting Behaviors, Crystallization Kinetics, and Spherulitic Morphologies of Poly(butylene succinate) and Its Copolyester Modified with Rosin Maleopimaric Acid Anhydride
X. LIU, C. LI, D. ZHANG, AND Y. XIAO 900
Published online 1 February 2006

High-Density Polyethylene Layered Silicate Nanocomposites: Effect of Mechanical Stretching on the Crystal-to-Crystal Transformations, Morphology, and Extent of Exfoliation
S. TZAVALAS, K. MACCHIAROLA, AND V. G. GREGORIOU 914
Published online 1 February 2006

The Influence of Molten Fraction on the Uniaxial Deformation Behavior of Polypropylene: Real Time Mechano-Optical and Atomic Force Microscopy Observations
Y. KOIKE AND M. CAKMAK 925
Published online 1 February 2006

Comparative Studies on Miscibility and Phase Behavior of Linear and Star Poly(2-methyl-2-oxazoline) Blends with Poly(vinylidene fluoride)
J. SHEN AND S. ZHENG 942
Published online 1 February 2006

Modeling the Amorphous Phase of Comb-Like Polymers
D. CURCÓ AND C. ALEMÁN 953
Published online 2 February 2006

Effect of Molecular Size on Cooperative Dynamics of Low Mass Compounds in Polystyrene
O. URAKAWA, E. OHTA, H. HORI, AND K. ADACHI 967
Published online 2 February 2006

Phase Behavior, Crystallization, and Nanostructures in Thermoset Blends of Epoxy Resin and Amphiphilic Star-Shaped Block Copolymers
Q. GUO, K. WANG, L. CHEN, S. ZHENG, AND P. J. HALLEY 975
Published online 2 February 2006

Structural Changes in Poly(ethylene terephthalate) Induced by Cryomilling and Ambimilling
Y.-G. ZHU, Z.-Q. LI, D. ZHANG, AND T. TANIMOTO 986
Published online 3 February 2006

Thermo-Hygro-Mechanical Behavior of Spider Dragline Silk: Glassy and Rubbery States
G. R. PLAZA, G. V. GUINEA, J. PÉREZ-RIGUEIRO, AND M. ELICES 994
Published online 3 February 2006

Prediction of Solvent Diffusion Coefficient in Amorphous Polymers Based on an Equation-of-State
H.-L. LV AND B.-G. WANG 1000
Published online 3 February 2006

Gas Solubility of Carbon Dioxide in Poly(lactic acid) at High Pressures
N. S. OLIVEIRA, J. DORGAN, J. A. P. COUTINHO, A. FERREIRA, J. L. DARIDON AND I. M. MARRUCHO 1010
Published online 3 February 2006

Effect of Glass Bead Packing on the Fibrillation of Liquid-Crystalline Polymer in Polycarbonate
P. CHEN, J. CHEN, B. ZHANG, J. ZHANG AND J. HE 1020
Published online 3 February 2006

Volume 44, 2006
Issue 7, April 1, 2006

HIGHLIGHT

Nematic–Isotropic Phase Behaviors of Polydisperse Polymer/Liquid-Crystal Systems: Chain-Length-Dependent Interaction Parameter
J. J. CHOI AND Y. C. BAE 1031
Published online 24 February 2006

ARTICLES

Polymorphism Behavior of Poly(ethylene naphthalate)/Clay Nanocomposites
Y. C. CHUA, X. LU, AND T. WAN 1040
Published online 15 February 2006

Phase Morphology Development in PP/PA6 Blends Induced by a Maleated Thermoplastic Elastomer
H. LIU, T. XIE, Y. ZHANG, Y. OU, AND G. YANG 1050
Published online 15 February 2006

Influence of Multiwall Carbon Nanotube on Physical Properties of Poly(ethylene 2,6-naphthalate) Nanocomposites
J. Y. KIM AND S. H. KIM 1062
Published online 15 February 2006

Polymer Modification Using Difluoromethane (HFC 32) and Carbon Dioxide
A. P. ABBOTT, N. BROOKS, W. ELTRINGHAM, A. R. HILLMAN, AND E. G. HOPE 1072
Published online 16 February 2006

Probing the Use of Small-Angle Light Scattering for Characterizing Structure of Titanium Dioxide/Low-Density Polyethylene Nanocomposites
Z. XIAO, Y. LI, D. MA, L. S. SCHADLER, AND Y. A. AKPALU 1084
Published online 16 February 2006

Morphology, Electrical Resistance, Electromagnetic Interference Shielding and Mechanical Properties of Functionalized MWNT and Poly(urea urethane) Nanocomposites
H.-L. WU, C.-C. M. MA, Y.-T. YANG, H.-C. KUAN, C.-C. YANG, AND C.-L. CHIANG 1096
Published online 16 February 2006

Treating the Polyelectrolytes as Polymers with a Draining Effect. II. The Behavior in the Gel Permeation Chromatography
A. DONDOS 1106
Published online 16 February 2006

On the Development of Special Positive Isotactic Polypropylene Spherulites
H. LI, X. SUN, J. WANG, S. YAN, AND J. M. SCHULTZ 1114
Published online 16 February 2006

Effect of the Environment on the Stability of Surfactant–Polypeptide Self-Assembled Complexes: Molecular Dynamics Simulations of Stoichiometric Complexes Formed by *N*-Dodecyltrimethylammonium and Poly(α,L-glutamate) in Chloroform, Methanol, and Water

D. ZANUY AND C. ALEMÁN 1122

Published online 16 February 2006

Relationship Between the Polymer/Silica Interaction and Properties of Silica Composite Materials

A. GUYARD, J. PERSELLO, J.-P. BOISVERT, AND B. CABANE 1134

Published online 23 February 2006

Volume 44, 2006
Issue 8, April 15, 2006

ARTICLES

Interactions and Prediction of Phase Diagrams in Ternary Blends Comprising Poly(vinyl acetate), Poly(vinyl *p*-phenol), and Poly(methyl methacrylate)

H.-L. LIU, S.-H. LI, AND E. M. WOO 1147

Published online 27 February 2006

PET/SiO_2 Nanocomposites Prepared by Cryomilling

Y. G. ZHU, Z. Q. LI, D. ZHANG, AND T. TANIMOTO 1161

Published online 27 February 2006

Effect of the Polymer Matrix on the Formation of Silver Nanoparticles in Polymer–Silver Salt Complex Membranes

J. H. KIM, B. R. MIN, J. WON, AND Y. S. KANG 1168

Published online 27 February 2006

Structural Analysis of Aggregates Formed by a Thermoresponsive Homopolymer in Dilute Aqueous Solutions

Y. MATSUDA, T. KAWATA, S. SUGIHARA, S. AOSHIMA, AND T. SATO 1179

Published online 28 February 2006

The Influence of Thermoelastomers on the Crystallization Behavior of Isotactic Polypropylene Under Shear

L. LI AND L. ZHANG 1188

Published online 28 February 2006

Short-Time Stretch Relaxation of Entangled Polymer Solutions Investigated Using Full Rouse Model Predictions

Y. H. WEN AND C. C. HUA 1199

Published online 2 March 2006

Processing-Induced Properties in Glassy Polymers: Application of Structural Relaxation to Yield Stress Development

T. A. P. ENGELS, L. E. GOVAERT, G. W. M. PETERS, AND H. E. H. MEIJER 1212

Published online 2 March 2006

Reinforcement Effect of MAA on Nano-$CaCO_3$-Filled EPDM Vulcanizates and Possible Mechanism

Y. ZHOU, S. WANG, Y. ZHANG, AND Y. ZHANG 1226

Published online 9 March 2006

Acrylic Acid Level and Adhesive Performance and Peel Master-Curves of Acrylic Pressure-Sensitive Adhesives

M. D. GOWER AND R. A. SHANKS 1237

Published online 6 March 2006

Metallocene Copolymers of Propene and 1-Hexene: The Influence of the Comonomer Content and Thermal History on the Structure and Mechanical Properties

J. M. LÓPEZ-MAJADA, H. PALZA, J. L. GUEVARA, R. QUIJADA, M. C. MARTÍNEZ, R. BENAVENTE, J. M. PEREÑA, E. PÉREZ, AND M. L. CERRADA 1253

Published online 6 March 2006

Confinement of Polystyrene at Interfaces: Consequences on Chain Orientation

T. ELZEIN, V. KREIM, AND S. BISTAC 1268

Published online 9 March 2006

Tilted Lamellae in an Affinely Deformed 3D Macrolattice and Elliptical Features in Small-Angle Scattering

N. S. MURTHY AND D. T. GRUBB 1277

Published online 9 March 2006

Volume 44, 2006
Issue 9, May 1, 2006

ARTICLES

Phase Morphology and Rheological Properties of Metallocene-Catalyzed Linear Low-Density Polyethylene with a Small Amount of Diatomite/Oligomer Hybrids

X. LIU, J. CHEN, AND H. LI 1287

Published online 10 March 2006

Microporous Polyurethanes: Synthesis and Investigation of the Mechanism of the Pore Formation

P. DEEPA AND M. JAYAKANNAN 1296

Published online 10 March 2006

Nonlinear Viscoelastic Behavior of Styrene-[ethylene-(ethylene-propylene)]-styrene Block Copolymer
Q. ZHENG, W. WANG, Q. YU, J. YU, L. HE, AND H. TAN 1309
Published online 16 March 2006

Miscibility and Crystallization Behavior of PBT/Epoxy Blends
H. ZHANG, M. REN, Q. CHEN, S. SUN, X. SUN, H. ZHANG, AND Z. MO 1320
Published online 28 March 2006

Effect of Ammonia on the Temperature-Dependent Conductivity and Thermopower of Polypyrrole
N. T. KEMP, A. B. KAISER, H. J. TRODAHL, B. CHAPMAN, R. G. BUCKLEY, A. C. PARTRIDGE, AND P. J. S. FOOT 1331
Published online 28 March 2006

Thermal and Spectroscopy Studies on Ternary Miscibility and Phase Behavior in Blends Comprising Poly(4-Vinyl phenol) and Two Aryl Polyesters
L.-T. LEE AND E. M. WOO 1339
Published online 28 March 2006

Thermal Behaviors of Poly(ethylene terephthalate)/SiO_2 Nanocomposites Prepared by Cryomilling
Y.-G. ZHU, Z.-Q. LI, D. ZHANG, AND T. TANIMOTO 1351
Published online 28 March 2006

Luminescence Behavior of Eu^{3+} in Polytitanasiloxane Solution
L. ZHANG, Y. YAO, X. YE, AND Q. WU 1357
Published online 28 March 2006

Melting and Crystallization of Poly(butylene terephthalate) by Temperature-Modulated and Superfast Calorimetry
M. PYDA, E. NOWAK-PYDA, J. HEEG, H. HUTH, A. A. MINAKOV, M. L. DI LORENZO, C. SCHICK, AND B. WUNDERLICH 1364
Published online 28 March 2006

Photoinduced Alignment of Azobenzene Side-Chain Polymers With Short Spacer: Biaxial Orientation and Fast Response
K. SUN, J. LIU, J. GAO, W. SU, D. ZHANG, P. WANG, AND Q. ZHANG 1378
Published online 28 March 2006

Free Volume Properties of Model Fluids and Polymers: Shape and Connectivity
F. T. WILLMORE, X. WANG, AND I. C. SANCHEZ 1385
Published online 28 March 2006

Volume 44, 2006
Issue 10, May 15, 2006

HIGHLIGHT

Quantification of Branching in Disordered Materials
A. S. KULKARNI AND G. BEAUCAGE 1395
Published online 30 March 2006

LETTER

High Thermal Conductivity of Polymerizable Liquid-Crystal Acrylic Film Having a Twisted Molecular Orientation
T. KATO, T. NAGAHARA, Y. AGARI, AND M. OCHI 1419
Published online 7 April 2006

ARTICLES

Investigation of Fracture Mechanism on Liquid Crystalline Epoxy Networks Arranged by a Magnetic Field
M. HARADA, N. AKAMATSU, M. OCHI, AND M. TOBITA 1406
Published online 4 April 2006

Characterization and Electrical Properties of Polypyrrole/Multiwalled Carbon Nanotube Composites Synthesizedby *In Situ* Chemical Oxidative Polymerization
T.-M. WU AND S.-H. LIN 1413
Published online 7 April 2006

Electrospinning Process Using Field-Controllable Electrodes
G. H. KIM 1426
Published online 7 April 2006

Structure and Separation Properties of π-Complex Membranes Comprising Poly(hexamethylenevinylene) and Silver Tetrafluoroborate
J. H. KIM, B. R. MIN, J. WON, AND Y. S. KANG 1434
Published online 7 April 2006

Aggregation of Poly(1,3-cyclohexadiene): Effects of Molecular Weight and Polymer Chain Structure
I. NATORI AND H. SATO 1442
Published online 11 April 2006

Tensile Behavior of Nafion and Sulfonated Poly(arylene ether sulfone) Copolymer Membranes and Its Morphological Correlations
D. LIU, S. KYRIAKIDES, S. W. CASE, J. J. LESKO, Y. LI, AND J. E. MCGRATH 1453
Published online 11 April 2006

Morphology, Tensile Properties, and Fracture Toughness of Epoxy/Al_2O_3 Nanocomposites
W. NAOUS, X.-Y. YU, Q.-X. ZHANG, K. NAITO, AND Y. KAGAWA 1466
Published online 11 April 2006

Individual and Simultaneous Swelling of Amphiphilic Conetworks in Water and *n*-Heptane
C. HE, G. ERDODI, AND J. P. KENNEDY 1474
Published online 11 April 2006

Tensile Deformation of Electrospun Nylon-6,6 Nanofibers
E. ZUSSMAN, M. BURMAN, A. L. YARIN, R. KHALFIN, AND Y. COHEN 1482
Published online 11 April 2006

Leaching of PVP from Polyacrylonitrile/PVP Blending Membranes: A Comparative Study of Asymmetric and Dense Membranes
L.-S. WAN, Z.-K. XU, AND Z.-G. WANG 1490
Published online 13 April 2006

Polymorphism of Nylon-6 in Multiwalled Carbon Nanotubes/Nylon-6 Composites
J. LI, Z. FANG, L. TONG, A. GU, AND F. LIU 1499
Published online 13 April 2006

An Infiltration Method for Preparing Single-Wall Nanotube/Epoxy Composites with Improved Thermal Conductivity
F. DU, C. GUTHY, T. KASHIWAGI, J. E. FISCHER, AND K. I. WINEY 1513
Published online 13 April 2006

The Mechanism of Ultrasonic Improvement of Weld Line Strength of Injection Molded Polystyrene and Polystyrene/Polyethylene Blend Parts
C. LU, X. YU, AND S. GUO 1520
Published online 13 April 2006

Volume 44, 2006
Issue 11, June, 2006

ARTICLES

Sorption and Swelling of Semicrystalline Polymers in Supercritical CO_2
B. BONAVOGLIA, G. STORTI, M. MORBIDELLI, A. RAJENDRAN, AND M. MAZZOTTI 1531
Published online 20 April 2006

Study on Nonlinear Phase-Separation for PMMA/α-MSAN Blends by Dynamic Rheological and Small Angle Light Scattering Measurements
M. ZUO, M. PENG, AND Q. ZHENG 1547
Published online 20 April 2006

Crystallization and Melting Behavior of Biodegradable Poly(butylene succinate-*co*-butylene carbonate)
Z. QIU, L. MIAO, AND W. YANG 1556
Published online 20 April 2006

Cocrystallization Phenomena in Novel Poly(diethylene terephthalate-*co*-thiodiethylene terephthalate) Copolyesters
V. SIRACUSA, M. GAZZANO, L. FINELLI, N. LOTTI, AND A. MUNARI 1562
Published online 20 April 2006

Electrical Properties of Polypyrrole/p-InP Structure
Ş. AYDOĞAN, M. SAĞLAM, AND A. TÜRÜT 1572
Published online 20 April 2006

Adsorption Behavior of PS-PEO Diblock Copolymers on Silver and Alumina Surfaces: A Surface Plasmon Resonance Study
A. G. KOUTSIOUBAS, N. SPILIOPOULOS, D. L. ANASTASSOPOULOS, A. A. VRADIS, C. TOPRAKCIOGLU, AND G. D. PRIFTIS 1580
Published online 20 April 2006

Spectroscopic Properties as a Function of Fluorine Content in Eu^{3+}:PMMA
J. GORDON, J. BALLATO, J. JIN, AND D. W. SMITH JR. 1592
Published online 20 April 2006

Effect of Molecular Architecture on Quiescent and Shear-Induced Crystallization of Polyethylene
F. BUSTOS, P. CASSAGNAU, AND R. FULCHIRON 1597
Published online 20 April 2006

Electrospinning of Neat and Laponite-Filled Aqueous Poly(ethylene oxide) Solutions
V. K. DAGA, M. E. HELGESON, AND N. J. WAGNER 1608
Published online 24 April 2006

Competitive Specific Interactions in Miscible Blends of Poly(hydroxyether terephthalate ester) and Poly(4-vinyl pyridine)
B. LIU, W. ZHANG, S. ZHENG, AND Q. GUO 1618
Published online 24 April 2006

Synthesis of Novel Ionic Polymers Containing Arsonic Acid Group
J. GARCÍA-SERRANO, A. M. HERRERA, F. PÉREZ-MORENO, M. A. VALDEZ, AND U. PAL 1627
Published online 24 April 2006

Volume 44, 2006
Issue 12, June 15, 2006

ARTICLES

Effects of Comonomer Sequential Structure on Thermal and Crystallization Behaviors of Biodegradable Poly(butylene succinate-*co*-butylene terephthalate)s

F. LI, X. XU, Q. HAO, Q. LI, J. YU, AND A. CAO 1635

Published online 1 May 2006

Swelling Behavior of Poly{*N*-[3-(dimethyl-aminopropyl)]methacrylamide-*co*-acrylamide} Hydrogels in Aqueous Solutions of Surfactants

T. ÇAYKARA, M. DEMIRAY, AND O. GÜVEN 1645

Published online 1 May 2006

Length Scale Hierarchy in Sol, Gel, and Coacervate Phases of Gelatin

B. MOHANTY, V. K. ASWAL, J. KOHLBRECHER, AND H. B. BOHIDAR 1653

Published online 5 May 2006

Prediction of Infinite Dilution Solvent Activity Coefficient in Rubbery Polymer Solutions Using Engaged Species Induced Clustering (ENSIC) Model

F. HAIDONG 1668

Published online 1 May 2006

Radiation Effects on SBR–EPDM Blends: A Correlation With Blend Morphology

K. A. DUBEY, Y. K. BHARDWAJ, C. V. CHAUDHARI, S. BHATTACHARYA, S. K. GUPTA, AND S. SABHARWAL 1676

Published online 1 May 2006

Mechanical Behavior of Films of Miscible Polyamide 6/Polyamide 6I-6T Blends

O. PERSYN, V. MIRI, J.-M. LEFEBVRE, V. FERREIRO, T. BRINK, AND A. STROEKS 1690

Published online 3 May 2006

A Novel Polymeric Stabilizing System for Modified Lyocell Solutions

F. WENDLER, G. GRANEß, R. BÜTTNER, F. MEISTER, AND T. HEINZE 1702

Published online 3 May 2006

Effects of Electron Irradiation on Poly(vinylidene fluoride–trifluoroethylene) Copolymers Studied by Solid-State Nuclear Magnetic Resonance Spectroscopy

L. WANG, X. ZHAO, AND J. FENG 1714

Published online 3 May 2006

Structural Arrangement of Crystalline/Amorphous Phases of Polyethylene-*block*-Polystyrene Copolymer as Induced by Orientation Techniques

H. UEHARA, T. YOSHIDA, M. KAKIAGE, T. YAMANOBE, AND T. KOMOTO 1731

Published online 8 May 2006

Effect of Annealing Time on the Self-Nucleation Behavior of Semicrystalline Polymers
A. T. LORENZO, M. L. ARNAL, J. J. SÁNCHEZ, AND A. J. MÜLLER 1738
Published online 8 May 2006

Aligned Single-Wall Carbon Nanotube Polymer Composites Using an Electric Field
C. PARK, J. WILKINSON, S. BANDA, Z. OUNAIES, K. E. WISE, G. SAUTI, P. T. LILLEHEI, AND J. S. HARRISON 1751
Published online 8 May 2006

Volume 44, 2006
Issue 13, July 1, 2006

HIGHLIGHT

Hydrogen Bonding, Mobility, and Structural Transitions in Aliphatic Polyamides
N. S. MURTHY 1763
Published online 25 May 2006

ARTICLES

Molecular Size and Conformational Effects on Oligophenylene's Electronic and Vibrational Properties
N. IVANOVIĆ, I. RADISAVLJEVIĆ, D. MARJANOVIĆ, S. BOJANIĆ, AND C. CARRERAS 1783
Published online 23 May 2006

Formation and Transformation of Smectic Polypropylene Nanodroplets
Y. JIN, A. HILTNER, E. BAER, R. MASIREK, E. PIORKOWSKA, AND A. GALESKI 1795
Published online 24 May 2006

Viscometric Study of Gelatin in Dilute Aqueous Solutions
Y. LI AND R. CHENG 1804
Published online 19 May 2006

Effect of Poly(vinyl alcohol) Fine Particles as a Novel Biodegradable Nucleating Agent on the Crystallization of Poly(3-hydroxybutyrate)
H. ALATA, B. HEXIG, AND Y. INOUE 1813
Published online 19 May 2006

Calorimetric Investigation of the Interaction of Carbon Nanotubes with Polystyrene
D. RIVIN AND Y. SUZIN 1821
Published online 24 May 2006

Monte Carlo Simulation of AB Diblock Copolymer Between Surface and Substrate and Comparison of Experimental Results
N. WU, A. ZHENG, Y. HUANG, W. YAO, AND H. LIU 1835
Published online 24 May 2006

Nonuniversal Transport Behavior in Heterogeneous High-Density Polyethylene/Graphite Nanosheet Composites
W. LU, H. LIN, AND G. CHEN 1846
Published online 24 May 2006

The Use of Flory–Huggins Parameters as a Measure of Interactions in Polymer-Filler Systems
K. MILCZEWSKA AND A. VOELKEL 1853
Published online 24 May 2006

A Predictive Approach Based on the Simha–Somcynsky Free-Volume Theory for the Effect of Dissolved Gas on Viscosity and Glass Transition Temperature of Polymeric Mixtures
E. D. MAIO, S. IANNACE, G. MENSITIERI, AND L. NICOLAIS 1863
Published online 25 May 2006

Atomistic Packing Models for Experimentally Investigated Swelling States Induced by CO_2 in Glassy Polysulfone and Poly(ether sulfone)
M. HEUCHEL, M. BÖHNING, O. HÖLCK, M. R. SIEGERT, AND D. HOFMANN 1874
Published online 30 May 2006

Effects of Filler–Polymer Interactions on Cold-Crystallization Kinetics in Crosslinked, Silica-Filled Polydimethylsiloxane/Polydiphenylsiloxane Copolymer Melts
A. CHIEN, R. S. MAXWELL, S. DETERESA, L. THOMPSON, R. COHENOUR, AND B. BALAZS 1898
Published online 25 May 2006

Volume 44, 2006
Issue 14, July 15, 2006

HIGHLIGHT

Computer Simulation of Aqueous Block Copolymer Assemblies: Length Scales and Methods
V. ORTIZ, S. O. NIELSEN, M. L. KLEIN, AND D. E. DISCHER 1907
Published online 31 May 2006

ARTICLES

Erosion-Dependant Continuity Development in High Viscosity Ratio Blends of Very Low Interfacial Tension
P. A. BHADANE, M. F. CHAMPAGNE, M. A. HUNEAULT, F. TOFAN, AND B. D. FAVIS 1919
Published online 31 May 2006

Molecular Architecture and Rheological Characterization of Novel Intramolecularly Crosslinked Polystyrene Nanoparticles
A. TUTEJA, M. E. MACKAY, C. J. HAWKER, B. VAN HORN, AND D. L. HO 1930
Published online 1 June 2006

The Synthesis, Characterization, and Crystal Structures of Poly(2,6-naphthalenebenzobisoxazole) and Poly(1,5-naphthalenebenzobisoxazole)
S.-Y. PARK, S.-C. MOON, N. VENKATASUBRAMANIAN, T. D. DANG, J.-W. LEE, AND B. L. FARMER 1948
Published online 1 June 2006

Effect of Crosslink on the Characteristic Length of Glass Transition of Network Polymers
T. SASAKI, T. UCHIDA, AND K. SAKURAI 1958
Published online 1 June 2006

Investigation of Sulfonated Poly(ether ether ketone sulfone)/Heteropolyacid Composite Membranes for High Temperature Fuel Cell Applications
Z. WANG, H. NI, C. ZHAO, X. LI, T. FU, AND H. NA 1967
Published online 1 June 2006

Nonlinear Conduction of Irradiation-Crosslinked High-Density Polyethylene/Acetylene Carbon Black Composites at the Electric–Thermal Equilibrium State
Y. SONG AND Q. ZHENG 1979
Published online 2 June 2006

New Solvent for Polyrotaxane. II. Dissolution Behavior of Polyrotaxane in Ionic Liquids and Preparation of Ionic Liquid-Containing Slide-Ring Gels
S. SAMITSU, J. ARAKI, T. KATAOKA, AND K. ITO 1985
Published online 2 June 2006

Alignment Effect of Attapulgite on the Mechanical Properties of Poly(vinyl alcohol)/Attapulgite Nanocomposite Fibers
Z. PENG AND D. CHEN 1995
Published online 5 June 2006

Charge Density Effects in Salt-Free Polyelectrolyte Solution Rheology
S. DOU AND R. H. COLBY 2001
Published online 8 June 2006

Viscoelastic Properties of Silica-Grafted Poly(styrene–acrylonitrile) Nanocomposites
V. GOEL, T. CHATTERJEE, L. BOMBALSKI, K. YUREKLI, K. MATYJASZEWSKI, AND R. KRISHNAMOORTI 2014
Published online 6 June 2006

Volume 44, 2006
Issue 15, August 1, 2006

ARTICLES

A Novel Method for the Pore Size Control of the Battery Separator Using the Phase Instability of the Ternary Mixtures
L. U. KIM AND C. K. KIM 2025
Published online 13 June 2006

Molecular and Collective Relaxations of Ferroelectric Side Chain Liquid Crystalline Polysiloxanes
G.-H. HSIUE AND R.-H. LEE 2035
Published online 13 June 2006

Effect of End Groups on Complexation Kinetics Between Cyclodextrins and Guest Polymers
J. XUE, L. CHEN, L. ZHOU, Z. JIA, Y. WANG, X. ZHU, AND D. YAN 2050
Published online 15 June 2006

Viscoelastic Characteristics of UV Polymerized Poly(ethylene glycol) Diacrylate Networks with Varying Extents of Crosslinking
S. KALAKKUNNATH, D. S. KALIKA, H. LIN, AND B. D. FREEMAN 2058
Published online 15 June 2006

Bound Carbonyls in PMMA Adsorbed on Silica Using Transmission FTIR
S. KULKERATIYUT, S. KULKERATIYUT, AND F. D. BLUM 2071
Published online 15 June 2006

Pervaporation Properties of Crosslinked Poly(dimethylsiloxane) Membranes for the Removal of Hydrocarbons from Water
T. OHSHIMA, Y. KOGAMI, M. MINAKUCHI, T. MIYATA, AND T. URAGAMI 2079
Published online 23 June 2006

Role of Ionic Interactions in the Compatibility of Polyester Ionomers With Poly(ethylene terephthalate) and Nylon 6
S. IYER AND D. A. SCHIRALDI 2091
Published online 21 June 2006

Solution Properties of NR/PU Block Copolymers by Size-Exclusion Chromatography and Viscometry
S. GOPAKUMAR AND M. R. GOPINATHAN NAIR 2104
Published online 21 June 2006

Isothermal Crystallization Kinetics of Poly(butylene terephthalate)/Attapulgite Nanocomposites
X. CHEN, J. XU, H. LU, AND Y. YANG 2112
Published online 21 June 2006

Crystallization Behavior and Morphological Development of Isotactic Polypropylene Blended with Nanostructured Polyhedral Oligomeric Silsesquioxane Molecules
J.-H. CHEN AND Y.-D. CHIOU 2122
Published online 23 June 2006

Microstructure and Protonic Conductivity of H_3PO_4-doped Polyethylenimine–Siloxane Chemically Covalently Organic–Inorganic Hybrids
W.-J. LIANG, S.-J. HSIEH, C.-Y. HSU, W.-F. CHEN, AND P.-L. KUO 2135
Published online 23 June 2006

Preparation and Characterization of Rigid Poly(vinyl chloride)/MMT Nanocomposites. II. XRD, Morphological and Mechanical Characteristics
C.-H. CHEN, C.-C. TENG, M.-S. TSAI, AND F.-S. YEN 2145
Published online 27 June 2006

Scaling Analysis of Cotton Cellulose/LiCl·DMAc Solution Using Light Scattering and Rheological Measurements
H. AONO, D. TATSUMI, AND T. MATSUMOTO 2155
Published online 28 June 2006

Synthesis, Rheology, and Morphology of Nylon-11/Layered Silicate Nanocomposite
X. ZHANG, G. YANG, AND J. LIN 2161
Published online 27 June 2006

In Situ FT-Raman Spectroscopic Study of the Conformational Changes Occurring in Isotactic Polypropylene During its Melting and Crystallization Processes
R. M. KHAFAGY 2173
Published online 28 June 2006

Volume 44, 2006
Issue 16, August 15, 2006

ARTICLES

Consideration of Thermodynamic, Transport, andMechanical Properties in the Design of Polymer Electrolyte Membranes for Higher Temperature Fuel Cell Operation
P. CHOI, N. H. JALANI, T. M. THAMPAN, AND R. DATTA 2183
Published online 7 July 2006

Polymer Electrolyte Membranes for the Direct Methanol Fuel Cell: A Review
N. W. DELUCA AND Y. A. ELABD 2201
Published online 7 July 2006

Influence of Chemical Composition and Sequence Length on the Transport Properties of Proton Exchange Membranes
A. ROY, M. A. HICKNER, X. YU, Y. LI, T. E. GLASS, AND J. E. MCGRATH 2226
Published online 7 July 2006

Dependence of Methanol Permeability on the Nature of Water and the Morphology of Graft Copolymer Proton Exchange Membranes
A. SIU, B. PIVOVAR, J. HORSFALL, K. V. LOVELL, AND S. HOLDCROFT 2240
Published online 13 July 2006

Influence of Blend Miscibility on the Proton Conductivity and Methanol Permeability of Polymer Electrolyte Blends

J. V. GASA, R. A. WEISS, AND M. T. SHAW 2253
Published online 7 July 2006

Mechanical and Transport Property Modifications of Perfluorosulfonate Ionomer Membranes Prepared with Mixed Organic and Inorganic Counterions

A. K. PHILLIPS AND R. B. MOORE 2267
Published online 7 July 2006

Sulfonated Silica-Based Electrolyte Nanocomposite Membranes

D. GOMES, I. BUDER, AND S. P. NUNES 2278
Published online 10 July 2006

Sulfonated Poly(aryl ether ether ketone ketone)s Containing Fluorinated Moieties as Proton Exchange Membrane Materials

B. LIU, G. P. ROBERTSON, M. D. GUIVER, Y.-M. SUN, Y.-L. LIU, J.-Y. LAI, S. MIKHAILENKO, AND S. KALIAGUINE 2299
Published online 10 July 2006

Comparative Investigation of Novel PBI Blend Ionomer Membranes from Nonfluorinated and Partially Fluorinated Poly Arylene Ethers

J. A. KERRES, D. XING, AND F. SCHÖNBERGER 2311
Published online 10 July 2006

Mechanical Properties of Nafion and Titania/Nafion Composite Membranes for Polymer Electrolyte Membrane Fuel Cells

M. B. SATTERFIELD, P. W. MAJSZTRIK, H. OTA, J. B. BENZIGER, AND A. B. BOCARSLY 2327
Published online 13 July 2006

Mechanical Endurance of Polymer Electrolyte Membrane and PEM Fuel Cell Durability

X. HUANG, R. SOLASI, Y. ZOU, M. FESHLER, K. REIFSNIDER, D. CONDIT, S. BURLATSKY, AND T. MADDEN 2346
Published online 13 July 2006

Design and Synthesis of Ion-Conductive Polyphosphazenes for Fuel Cell Applications: Review

H. R. ALLCOCK AND R. M. WOOD 2358
Published online 13 July 2006

Volume 44, 2006
Issue 17, September 1, 2006

HIGHLIGHT

Crystallization and Melting of Polyethylene Copolymers: Differential Scanning Calorimetry and Atomic Force Microscopy Studies

F. M. MIRABELLA 2369
Published online 20 July 2006

Determining the Phase Behavior of Nanoparticle-Filled Binary Blends
G. HE, V. V. GINZBURG, AND A. C. BALAZS 2389
Published online 25 July 2006

LETTER

Friction and Nanowear of Polystyrene Against Hydrophobic and Hydrophilic Substrates
A. GHORBAL, S. BISTAC, AND M. SCHMITT 2449
Published online 26 July 2006

ARTICLES

Miscible Blends of Poly(vinyl phenyl ketone) and Poly(4-vinyl phenol)
M. RODRÍGUEZ-CASTRO, L. C. CESTEROS, I. KATIME, AND S. M. NUÑO-DONLUCAS 2404
Published online 25 July 2006

Conformation of Comb-Like Liquid Crystal Polymers in Isotropic Solution Probed by Small-Angle Neutron Scattering
Y. ZHAO, A. M. JAMIESON, B. G. OLSON, N. YAO, S. DONG, S. NAZARENKO, X. HU, AND J. LAL 2412
Published online 25 July 2006

Interactions of Water with OH Groups in Poly(ethylene-*co*-vinyl alcohol)
R. IWAMOTO, T. MATSUDA, S. AMIYA, AND T. YAMAMOTO 2425
Published online 25 July 2006

Isothermal Crystallization Behavior of Poly(L-lactide) in Poly(L-lactide)-*block*-Poly(ethylene glycol) Diblock Copolymers
C.-I HUANG, S.-H. TSAI, AND C.-M. CHEN 2438
Published online 26 July 2006

Effects of Molecular Characteristics and Processing Conditions on Melt-Drawing Behavior of Ultrahigh Molecular Weight Polyethylene
M. KAKIAGE, T. YAMANOBE, T. KOMOTO, S. MURAKAMI, AND H. UEHARA 2455
Published online 26 July 2006

Preparation of Antimicrobial Poly(vinyl alcohol) Nanofibers Containing Silver Nanoparticles
K. H. HONG, J. L. PARK, I. H. SUL, J. H. YOUK, AND T. J. KANG 2468
Published online 26 July 2006

Glass Transition of Crosslinked Polystyrene Shells Formed on the Surface of Calcium Carbonate Whisker
T. SASAKI, S. KAWAGOE, H. MITSUYA, S. IRIE, AND K. SAKURAI 2475
Published online 26 July 2006

Thermal Properties and Fracture Toughness of a Liquid-Crystalline Epoxy Resin Cured with an Aromatic Diamine Crosslinker Having a Mesogenic Group
M. HARADA, Y. WATANABE, Y. TANAKA, AND M. OCHI 2486
Published online 26 July 2006

Volume 44, 2006
Issue 18, September 15, 2006

New Concepts and Simulation Methods

Defects and Their Removal in Block Copolymer Thin Film Simulations
A. W. BOSSE, S. W. SIDES, K. KATSOV, C. J. GARCÍA-CERVERA, AND G. H. FREDRICKSON 2495
Published online 3 August 2006

Multiscale Dynamics of an Interacting Sheet by a Bond-Fluctuating Monte Carlo Simulation
R. B. PANDEY, K. L. ANDERSON, AND B. L. FARMER 2512
Published online 10 August 2006

Recent Advances in the Modeling and Simulation of Metallocene Catalysis, Sequence Distribution, Chain Conformations, and Crystallization of Polymers
T. M. MADKOUR, R. A. AZZAM, AND J. E. MARK 2524
Published online 3 August 2006

The Phase Diagram of a Single Polymer Chain: New Insights From a New Simulation Method
F. RAMPF, K. BINDER, AND W. PAUL 2542
Published online 7 August 2006

Dynamics of Polyethylene Melts Studied by Monte Carlo Simulations on a High Coordination Lattice
H. LIN, W. L. MATTICE, AND E. D. VON MEERWALL 2556
Published online 10 August 2006

Multiblock Copolymers at Selective Liquid–Liquid Interfaces: Toward a Block Size Chromatography
A. CORSI, A. MILCHEV, V. G. ROSTIASHVILI, AND T. A. VILGIS 2572
Published online 3 August 2006

Directed Assembly of Copolymer Materials on Patterned Substrates: Balance of Simple Symmetries in Complex Structures
K. Ch. DAOULAS, M. MÜLLER, M. P. STOYKOVICH, Y. J. PAPAKONSTANTOPOULOS, J. J. DE PABLO, P. F. NEALEY, S.-M. PARK, AND H. H. SOLAK 2589
Published online 11 August 2006

Modeling Non-Equilibrium Morphologies in Specific Polymeric Materials
P. M. WELCH, K. Ø. RASMUSSEN, S. M. CHITANVIS, T. LOOKMAN, AND T. D. SEWELL 2605
Published online 10 August 2006

New Concepts and Theorectical Methods

What's So Special About Polymers? A Little Known Organizing Principle Gives Rise to an Abundance of Polymer Phase Transitions

E. A. DI MARZIO 2612

Published online 7 August 2006

Polymer-Tethered Ligand–Receptor Interactions Between Surfaces

J. I. MARTIN, C.-Z. ZHANG, AND Z.-G. WANG 2621

Published online 15 August 2006

Weak Polyelectrolytes Tethered to Surfaces: Effect of Geometry, Acid–Base Equilibrium and Electrical Permittivity

R. NAP, P. GONG, AND I. SZLEIFER 2638

Published online 10 August 2006

Free Volume and Stochastic Theory of Volume Relaxation

R. SIMHA AND R. E. ROBERSTON 2663

Published online 10 August 2006

Motion of Compliant Capsules on Corrugated Surfaces: A Means of Sorting by Mechanical Properties

A. ALEXEEV, R. VERBERG, AND A. C. BALAZS 2667

Published online 10 August 2006

Two Tube Models of Rubber Elasticity

W. L. VANDOOLAEGHE, S. KUTTER, AND E. M. TERENTJEV 2679

Published online 10 August 2006

Mathematical Modeling of Interfacial Polycondensation

A. V. BEREZKIN AND A. R. KHOKHLOV 2698

Published online 11 August 2006

Coarse Graining in Block Copolymer Films

Y. TSORI AND D. ANDELMAN 2725

Published online 11 August 2006

Can Low-Power Electromagnetic Radiation Disrupt Hydrogen Bonds in dsDNA?

S. M. CHITANVIS 2740

Published online 11 August 2006

Volume 44, 2006
Issue 19, October 1, 2006

ARTICLES

Mathematical Modeling of Crystallization Analysis Fractionation (Crystaf) of Polyethylene
S. ANANTAWARASKUL, J. B. P. SOARES, P. JIRACHAITHORN, AND J. LIMTRAKUL 2749
Published online 18 August 2006

Local Order in Polycarbonate Glasses by $^{13}C\{^{19}F\}$ Rotational-Echo Double-Resonance NMR
D. STUEBER, A. K. MEHTA, Z. CHEN, K. L. WOOLEY, AND J. SCHAEFER 2760
Published online 18 August 2006

Influence of Molecular Architecture of S–S/B–S Triblock Copolymers on Rheological Properties
M. THUNGA, U. STAUDINGER, B. K. SATAPATHY, R. WEIDISCH, M. ABDEL-GOAD, A. JANKE, AND K. KNOLL 2776
Published online 18 August 2006

Particle Monolayer Formation at the Air–Water Interface by Silica Particle with Well-Defined Grafted Polymer
E. MOURI, Y. OKAZAKI, S. TATSUNO, H. KARAKAWA, AND K. YOSHINAGA 2789
Published online 21 August 2006

Thermal Properties and Crystalline Structure of Syndiotactic Polystyrene-Based Miscible Blends
F.-C. CHIU AND C.-S. LAU 2798
Published online 21 August 2006

Morphology and Interactions of Polymer Brush-Coated Spheres in a Polymer Matrix
J. XU, F. QIU, H. ZHANG, AND Y. YANG 2811
Published online 28 August 2006

Thermodynamic Analysis of the Reaction-Induced Phase Separation of Solutions of Random Copolymers of Methyl Methacrylate and *N*,*N*-Dimethylacrylamide in the Precursors of a Polythiourethane Network
E. R. SOULÉ, B. JAFFRENNOU, F. MÉCHIN, J. P. PASCAULT, J. BORRAJO, AND R. J. J. WILLIAMS 2821
Published online 28 August 2006

Gas Transport in Surface-Modified Low-Density Polyethylene Films with Acrylic Acid as a Grafting Agent
V. COSTAMAGNA, M. STRUMIA, M. LÓPEZ-GONZÁLEZ, AND E. RIANDE 2828
Published online 29 August 2006

Hydrogen Bond Effect of Azido Polyurethane Elastomer by Dynamic Mechanical Analysis
S. QIU, X. GAN, C. GAO, X. ZHENG, H. YU, AND H. FAN 2841
Published online 29 August 2006

Miscibility and Crystallization Behavior of Poly(3-hydroxybutyrate-*co*-3-hydroxyhexanoate) and Methoxy Poly(ethylene glycol) Blends

J. SEOP LIM, I. NODA, AND S. SOON IM 2852

Published online 29 August 2006

Solid-State NMR Characterizations on Phase Structures and Molecular Dynamics of Poly(ethylene-*co*-vinyl acetate)

L. WANG, P. FANG, C. YE, AND J. FENG 2864

Published online 29 August 2006

Relationship Between Fracture Toughness and Intrinsic Deformation Parameters in Isotropic and Flow-Oriented Linear Low-Density Polyethylene

B. NA AND R. LV 2880

Published online 29 August 2006

Conformational Structures and Thermodynamic Properties of Compact Polymer Chains Confined between Two Parallel Plane Boundaries

S.-B. LI AND L.-X. ZHANG 2888

Published online 29 August 2006

Monte Carlo Simulation of Diffusion Effects on Chain-Extension Reactions

L.-T. YAN, B.-H. GUO, J. XU, AND X.-M. XIE 2902

Published online 29 August 2006

Effect of Large Deformation and Material Nonlinearity on the JKR (Johnson–Kendall–Roberts) Test of Soft Elastic Materials

Y.-Y. LIN AND H.-Y. CHEN 2912

Published online 29 August 2006

Electrospun Fiber Mats of Poly(3-Hydroxybutyrate), Poly(3-Hydroxybutyrate-*co*-3-Hydroxyvalerate), and Their Blends

K. SOMBATMANKHONG, O. SUWANTONG, S. WALEETORNCHEEPSAWAT, AND P. SUPAPHOL 2923

Published online 29 August 2006

Volume 44, 2006
Issue 20, October 15, 2006

ARTICLES

Polymer–Nanoparticle Interfacial Interactions in Polymer Nanocomposites: Confinement Effects on Glass Transition Temperature and Suppression of Physical Aging

P. RITTIGSTEIN AND J. M. TORKELSON 2935

Published online 5 September 2006

Controlling the Thermomechanical Properties of Polymer Nanocomposites by Tailoring the Polymer–Particle Interface
A. BANSAL, H. YANG, C. LI, B. C. BENICEWICZ, S. K. KUMAR, AND L. S. SCHADLER 2944
Published online 5 September 2006

Thickness-Dependent Reduction of the Glass-Transition Temperature in Thin Polymer Films with a Free Surface
S. PETER, H. MEYER, AND J. BASCHNAGEL 2951
Published online 5 September 2006

Freezing of Polymer Thin Films and Surfaces: The Small Molecular Weight Puzzle
R. SEEMANN, K. JACOBS, K. LANDFESTER, AND S. HERMINGHAUS 2968
Published online 13 September 2006

Interpreting the Dynamics of Nano-Confined Glass-Formers and Thin Polymer Films: Importance of Starting from a Viable Theory for the Bulk
K. L. NGAI 2980
Published online 5 September 2006

Differential AC-Chip Calorimeter for Glass Transition Measurements in Ultrathin Films
H. HUTH, A. A. MINAKOV, AND C. SCHICK 2996
Published online 5 September 2006

Discrepancies in the Characterization of the Glass Transition in Thin Films of Hyperbranched Polyesters
A. SERGHEI, Y. MIKHAILOVA, K.-J. EICHHORN, B. VOIT, AND F. KREMER 3006
Published online 15 September 2006

Hole Growth as a Microrheological Probe to Measure the Viscosity of Polymers Confined o Thin Films
C. B. ROTH AND J. R. DUTCHER 3011
Published online 14 September 2006

Viscoelastic Dewetting of Constrained Polymer Thin Films
S. GABRIELE, P. DAMMAN, S. SCLAVONS, S. DESPREZ, S. COPPÉE, G. REITER, M. HAMIEH, S. AL AKHRASS, T. VILMIN, AND E. RAPHAËL 3022
Published online 12 September 2006

Thickness of the Soft Layer on Glassy Polystyrene Surfaces
P. GASEMJIT AND D. JOHANNSMANN 3031
Published online 12 September 2006

Volume 44, 2006
Issue 21, November 1, 2006

LETTER

Tb(III)-Modified Properties of Thermosensitive Core–Shell Microspheres
W. YIN, L. JIANG, Y. WANG, AND X. HUANG 3121
Published online 27 September 2006

ARTICLES

Conformation and Luminescence Characteristics of Nanopoly[2-metoxy-5-(2′-ethyl-hexyloxy)-*p*-phenylene vinylene] in Two-Dimensional Arrays
F. KONG, G. S. HUANG, Y. M. YANG, C. Z. YANG, X. M. BAO, AND R. K. YUAN 3037
Published online 25 September 2006

Nanostructured Thermoset Epoxy Resin Templated by an Amphiphilic Poly(ethylene oxide)-*block*-Poly(dimethylsiloxane) Diblock Copolymer
Q. GUO, F. CHEN, K. WANG, AND L. CHEN 3042
Published online 18 September 2006

Polymer-Nanofiber Composites: Enhancing Composite Properties by Nanofiber Oxidation
A. RASHEED, M. D. DADMUN, AND P. F. BRITT 3053
Published online 18 September 2006

Structural Investigations of Poly(amido amine) Dendrimers in Methanol Using Molecular Dynamics
A. W. OPITZ AND N. J. WAGNER 3062
Published online 18 September 2006

Dielectric and Conductivity Processes in Poly(ethylene terephthalate) and Poly(ethylene naphthalate) Homopolymers and Copolymers
G. C. PSARRAS, A. SOTO BEOBIDE, G. A. VOYIATZIS, P. K. KARAHALIOU, S. N. GEORGA, C. A. KRONTIRAS, AND J. SOTIROPOULOS 3078
Published online 27 September 2006

Dilute Solution Properties of Cellulose in LiOH/Urea Aqueous System
J. CAI, Y. LIU, AND L. ZHANG 3093
Published online 28 September 2006

Rheological Study on Structural Transition in Polyethersulfone-Modified Bismaleimide Resin During Isothermal Curing
X. LIU, G. ZHAN, Y. YU, AND S. LI 3102
Published online 27 September 2006

Assessment of Thermal Expansion Coefficient of Methylsilsesquioxane Thin Film
B. R. KIM, J. M. SON, AND M. J. KO 3109
Published online 27 September 2006

Swelling Behavior and Solubility Parameter of Sulfonated Poly(ether ether ketone)
H.-L. WU, C.-C. M. MA, C.-H. LI, AND C.-Y. CHEN 3128
Published online 27 September 2006

Relaxational Behavior of Poly(4-tetrahydropyranyl) Methacrylate
M. J. SANCHIS, G. DOMÍNGUEZ-ESPINOSA, R. DÍAZ-CALLEJA, L. ALEGRÍA, L. GARGALLO, AND D. RADIĆ 3135
Published online 28 September 2006

Extended-Chain Crystals in High-Pressure Crystallized Poly(ethylene terephthalate)/Bisphenol A Polycarbonate Blends
J. LU, R. HUANG, Y. CHEN, AND L. LI 3148
Published online 27 September 2006

Polyaniline/Iron Nanocomposites Prepared by Cryomilling
Y. G. ZHU, Z. Q. LI, J. J. GU, D. ZHANG, AND T. TANIMOTO 3157
Published online 27 September 2006

Structure, Thermal Stability, and Photocrosslinking Characterization of HDPE/LDH Nanocomposites Synthesized by Melt-Intercalation
P. DING AND B. QU 3165
Published online 27 September 2006

Experimental and Theoretical Investigation of Anomalous Sorption Kinetics in the Methanol Vapor–Poly(methyl methacrylate) System at 35 °C
V. DIMOS AND M. SANOPOULOU 3173
Published online 27 September 2006

Volume 44, 2006
Issue 22, November 15, 2006

ARTICLES

Surface Characterization and Barrier Properties of Plasma-Modified Polyethersulfone/Layered Silicate Nanocomposites
T.-M. WU AND S.-H. YANG 3185
Published online 13 October 2006

Solvation Characteristics of a Model Water-Soluble Polymer
B. HAMMOUDA 3195
Published online 13 October 2006

Analysis of the Complex Thermal Behavior of Poly(L-lactic acid) Film. I. Samples Crystallized from the Glassy State
X. LING AND J. E. SPRUIELL 3200
Published online 11 October 2006

Nonisothermal Crystallization Behavior of the Poly(ethylene glycol) Block in Poly(L-lactide)–Poly(ethylene glycol) Diblock Copolymers: Effect of the Poly(L-lactide) Block Length
J. YANG, T. ZHAO, J. CUI, L. LIU, Y. ZHOU, G. LI, E. ZHOU, AND X. CHEN 3215
Published online 12 October 2006

Encapsulation of ZnS:Mn^{2+} Nanocrystals with Diblock Copolymers
S. KIM, F. S. DIANA, P. M. PETROFF, E. J. KRAMER, T. OOTSU, AND T. MURASE 3227
Published online 12 October 2006

Direct Spincasting of Polystyrene Thin Films onto Poly(methyl methacrylate)
D. ENNIS, H. BETZ, AND H. ADE 3234
Published online 13 October 2006

Fluorescence Resonance Energy Transfer by Quencher Adsorption into Hydrogels Containing Fluorophores
K. OKAWA, T. MIYATA, AND T. URAGAMI 3245
Published online 13 October 2006

Evaluation of Piezoelectric PVDF Polymers for Use in Space Environments. III. Comparison of the Effects of Vacuum UV and Gamma Radiation
T. R. DARGAVILLE, J. M. ELLIOTT, AND M. CELINA 3253
Published online 13 October 2006

Structure of Gum Arabic in Aqueous Solution
Y. DROR, Y. COHEN, AND R. YERUSHALMI-ROZEN 3265
Published online 13 October 2006

Structural Anisotropy in Friction-Deposited Layers of Polystyrene
T. ELZEIN, V. KREIM, A. GHORBAL, AND S. BISTAC 3272
Published online 13 October 2006

The Study of Local Dual-Peak Vibratory Properties in Ferroelectric P(VDF-TrFE) Films
G. ZHU, Z. ZENG, L. ZHANG, X. YAN, AND J. LI 3282
Published online 13 October 2006

Crystallization, Melting Behavior, and Morphology of PP/Novolac Blends
L. CUI, Y. ZHANG, AND Y. ZHANG 3288
Published online 13 October 2006

Volume 44, 2006
Issue 23, December 1, 2006

ARTICLES

Structural Studies of Poly(*N*-isopropylacrylamide) Microgels: Effect of SDS Surfactant Concentration in the Microgel Synthesis
M. ANDERSSON AND S. L. MAUNU 3305
Published online 17 October 2006

Effects of Different Acid Functional Groups on Proton Conductivity of Polymer-1,2,4-Triazole Blends
S. T. GÜNDAY, A. BOZKURT, W. H. MEYER, AND G. WEGNER 3315
Published online 17 October 2006

In situ Electron Spin Resonance Study of Styrene Grafting of Electron Irradiated Fluoropolymer Films for Fuel Cell Membranes
S. MITOV, G. HÜBNER, H.-P. BRACK, G. G. SCHERER, AND E. RODUNER 3323
Published online 17 October 2006

Isothermal Crystallization Kinetics of Poly(3-hydroxybutyrate)/Layered Double Hydroxide Nanocomposites
S.-F. HSU, T.-M. WU, AND C.-S. LIAO 3337
Published online 17 October 2006

Thermal Properties and Toughness Performance of Hyperbranched-Polyimide-Modified Epoxy Resins
F.-L. JIN AND S.-J. PARK 3348
Published online 19 October 2006

Effects of Lithium Salt and Poly(4-vinyl phenol) on Crystalline and Amorphous Phases in Poly(ethylene oxide)
J.-H. LIN, E. M. WOO, AND Y.-P. HUANG 3357
Published online 23 October 2006

Superdrawing of Polytetrafluoroethylene Nascent Powder by Solid-State Coextrusion
D. SAWAI, D. WATANABE, N. MOROOKA, H. KUROKI, AND T. KANAMOTO 3369
Published online 19 October 2006

Analysis of the Complex Thermal Behavior of Poly(L-lactic acid) Film. II. Samples Crystallized from the Melt
X. LING AND J. E. SPRUIELL 3378
Published online 19 October 2006

Melt Compounding of Polylactide/Organoclay: Structure and Properties of Nanocomposites
M. PLUTA 3392
Published online 19 October 2006

Aggregation Behavior of MPEG-PCL Diblock Copolymers in Aqueous Solutions and Morphologies of the Aggregates
C. LU, S. GUO, L. LIU, Y. ZHANG, Z. LI, AND J. GU 3406
Published online 23 October 2006

Influence of an Iodine Treatment on the Structure and Physical Properties of *Bombyx mori* Silk Fibroin Fiber
Md. M. R. KHAN, Y. GOTOH, M. MIURA, H. MORIKAWA, AND M. NAGURA 3418
Published online 23 October 2006

Volume 44, 2006
Issue 24, December 15, 2006

INTRODUCTION

C. Y. RYU AND R. OZISIK 3427
Published online 7 November 2006

VIEWPOINTS

Block Copolymers and Nanotechnology
N. P. BALSARA AND M. J. PARK 3429
Published online 1 November 2006

Block Copolymer Worm Micelles in Dilution: Mechanochemical Metrics of Robustness as a Basis for Novel Linear Assemblies
K. VIJAYAN AND D. E. DISCHER 3431
Published online 1 November 2006

Open Questions about Polymer Interfacial Diffusion
S. GRANICK AND S. C. BAE 3434
Published online 1 November 2006

Fracture and Adhesion of Elastomers and Gels: Large Strains at Small Length Scales
K. R. SHULL 3436
Published online 1 November 2006

An Experimentalist's View of the Physics of Rubber Elasticity
K. URAYAMA 3440
Published online 1 November 2006

Challenges and Opportunities in Polymer Theory
Z.-G. WANG 3445
Published online 1 November 2006

ARTICLES

Ellipsometry as a Probe of Crystallization Kinetics in Thin Diblock Copolymer Films
J. L. CARVALHO, M. V. MASSA, AND K. DALNOKI-VERESS 3448
Published online 7 November 2006

Monte Carlo Simulations of the Crystallization of Isotactic Polypropylene
X. CHEN, S. K. KUMAR, AND R. OZISIK 3453
Published online 10 November 2006

Crystallization and Melting of a Branched Polyethylene with Precisely Controlled Chemical Structure

W. QIU, M. PYDA, E. NOWAK-PYDA, A. HABENSCHUSS, K. B. WAGENER, AND B. WUNDERLICH 3461
Published online 2 November 2006

Melting of Solvents Nanoconfined by Polymers and Networks

Q. QIN AND G. B. MCKENNA 3475
Published online 7 November 2006

Strain Hardening of Polymer Glasses: Effect of Entanglement Density, Temperatrure, and Rate

R. S. HOY AND M. O. ROBBINS 3487
Published online 2 November 2006

Orientational Anisotropy of Bead-Spring Star Chains During Creep Process

Y. MATSUMIYA, T. INOUE, Y. OISHI, AND H. WATANABE 3501
Published online 8 November 2006

Calorimetric Glass Transition Temperature and Absolute Heat Capacity of Polystyrene Ultrathin Films

Y. P. KOH, G. B. McKENNA, AND S. L. SIMON 3518
Published online 2 November 2006

Multiple Glass Transitions and Local Composition Effects on Polymer Solvent Mixtures

J. E. G. LIPSON AND S. T. MILNER 3528
Published online 10 November 2006

Pore Structure and Glass Transition Temperature of Nanoporous Poly(ether imide)

T. LIU, R. OZISIK, AND R. W. SIEGEL 3546
Published online 2 November 2006

Thermal Stability of Shear-Induced Precursor Structures in Isotactic Polypropylene by Rheo-X-ray Techniques with Couette Flow Geometry

R. H. SOMANI, I. SICS, AND B. S. HSIAO 3553
Published online 2 November 2006

Effect of Interacting Nanoparticles on the Ordered Morphology of Block Copolymer/Nanoparticle Mixtures

M. J. PARK, J. PARK, T. HYEON, AND K. CHAR 3571
Published online 2 November 2006

Exfoliation of Stacked Sheets: Effects of Temperature, Platelet Size, and Quality of Solvent by a Monte Carlo Simulation

R. B. PANDEY, K. L. ANDERSON, AND B. L. FARMER 3580
Published online 7 November 2006

Dynamics of End-Grafted Polystyrene Brushes in Theta Solvents

V. N. MICHAILIDOU, B. LOPPINET, D. C. VO, O. PRUCKER, J. RÜHE, AND G. FYTAS 3590
Published online 7 November 2006

Relation between the Adhesion Strength and Interfacial Width for Symmetric Polystyrene Bilayers
K.-I. AKABORI, D. BABA, K. KOGUCHI, K. TANAKA, AND T. NAGAMURA 3598
Published online 7 November 2006

Self-Assembled, Wormlike-Cylinder Network of Polystyrene-*block*-Poly(ethylene oxide) Micelles in Solution
P. BHARGAVA, J. X. ZHENG, R. P. QUIRK, AND S. Z. D. CHENG 3605
Published online 8 November 2006

Chemical Composition Effects on the Fracture of Polystyrene-block-Poly(methyl methacrylate) Block Copolymers
W. KIM, J. HAN, C. Y. RYU, AND H. YANG 3612
Published online 10 November 2006

Phase Equilibria and Phase Separation Dynamics in a Polymer Composite Containing a Main-Chain Liquid Crystalline Polymer
D. KIM, T. KYU, AND T. HASHIMOTO 3621
Published online 10 November 2006

Thermal and Mechanical Cracking in Bis(triisopropylsilylethnyl) Pentacene Thin Films
J. CHEN, C. K. TEE, J. YANG, C. SHAW, M. SHTEIN, D. C. MARTIN, AND J. ANTHONY 3631
Published online 10 November 2006

Mixed Solvent Effect on Lithium-Coordination to Poly(ethylene oxide)
I. F. HAKEM, J. LAL, AND M. R. BOCKSTALLER 3642
Published online 10 November 2006

Monte Carlo Study of the Coil-to-Globule Transition of a Model Polymeric System
A. N. RISSANOU, S. H. ANASTASIADIS, AND I. A. BITSANIS 3651
Published online 10 November 2006

Relationships Between Unfolded Configurations of Proteins and Dynamics of Folding to the Native State
A. GURSOY, O. KESKIN, M. TURKAY, AND B. ERMAN 3667
Published online 10 November 2006

Similarities Between Polyelectrolyte Gels and Biopolymer Solutions
F. HORKAY, A.-M. HECHT, AND E. GEISSLER 3679
Published online 10 November 2006

Combined Author Index Volume 44 • 3689

Combined Subject Index Volume 43 • 3750

Volume Contents • I